

MINISTRY FOR PRIMARY INDUSTRIES
IMPORTING COUNTRIES PHYTOSANITARY
REQUIREMENTS
QATAR

Status: Approved

Date: 13 September 2016

EXPORTERS ARE ADVISED TO CONFIRM THE
PHYTOSANITARY IMPORT REQUIREMENTS PRIOR TO
EXPORT FROM NEW ZEALAND

Amendment Record

Amendment No.	Date:	Nature of amendment:	Approved by:
1	13 September 2016	New ICPR.	GF

DISCLAIMER

The phytosanitary requirements in this document may be used as the basis for export certification. However, exporters should be aware that importing countries may change their requirements at any time; at short notice or without giving notice to New Zealand.

This information is provided strictly on the basis that the Crown, the Ministry for Primary Industries, its statutory officers, employees, agents and all other persons responsible for or associated with the compilation, writing, editing, approval or publication of the information:

1. disclaim any and all responsibility for any inaccuracy, error, omission, lateness, or any other kind of inadequacy, deficiency or flaw in, or in relation to, the information;

and

2. without limiting (1) above, fully exclude any and all liability of any kind on the part of all of them, to any person or entity that chooses to rely on this information

Compliance with this document is not to be taken as a guarantee that any particular goods will be granted access to any overseas market. We recommend that exporters work with their importers to obtain the most up-to-date information.

Table of Contents

1	GENERAL INFORMATION	4
1.1	For enquires about this document email the Plant Exports Team:	4
1.2	Scope.....	4
1.3	Phytosanitary legislation.....	4
1.4	Fees and charges.....	4
2	GENERAL REQUIREMENTS.....	5
2.1	Definition	5
2.2	Prohibitions.....	7
2.2	Import permits.....	7
2.4	Phytosanitary Certificates	7
2.5	Quarantine Pests	7
2.7	Sampling Rate.....	8
2.8	Ports of Entry	8
2.9	Transit Requirements	8
3	COMMODITY CLASS REQUIREMENTS.....	8
3.1	Fruit and Vegetables.....	8
3.1.1	Fresh Fruit	8
3.1.2	Fresh Vegetables	8
3.1.3	Dried Fruits and Vegetables	8
3.1.4	Frozen Fruit and Vegetables.....	8
3.2	Cut Flowers and Foliage.....	8
3.2.1	Fresh Cut Flowers and Foliage	8
3.2.2	Dried Cut Flowers and Foliage	9
3.3	Nursery Stock	9
3.3.1	Whole Plants	9
3.3.2	Bulbs/tubers/corms/rhizomes (for propagation)	9
3.3.3	Bud wood and Cuttings	9
3.4	Seeds, Grains and Nuts.....	9
3.4.1	Seeds, Grains and Nuts for Sowing.....	9
3.5	Animal Feed (Plant origin).....	9
4	COMMODITY SPECIFIC REQUIREMENTS	9
4.1	Fruit and Vegetables.....	10
4.1.1	Fresh Fruit	10
4.1.2	Fresh Vegetables	10
4.1.3	Dried Fruit and Vegetables	10
4.1.4	Frozen Fruit and Vegetables.....	10
4.2	Cut Flowers and Foliage.....	11
4.2.1	Fresh Cut Flowers and Foliage	11
4.2.2	Dried Cut Flowers and Foliage	13
4.3	Nursery Stock	13
4.3.1	Whole Plants	13
4.3.2	Bulbs/tubers/corms/rhizomes (for propagation)	13
4.3.3	Bud wood and Cuttings	13
4.4	Seeds, Grains and Nuts.....	13
4.4.1	Seeds, Grains and Nuts for Sowing.....	13
	Appendix 1. Quarantine Pests as Notified by Qatar	15

1 General Information

Users of this document are strongly advised to read all sections to understand the phytosanitary requirements for a commodity.

1.1 For enquires about this document email the Plant Exports Team: plantexports@mpi.govt.nz

Please state the nature of your enquiry in the subject line e.g. Qatar query or pest interception or password re-set.

For urgent enquiries please phone + 64 4 894 5693

1.2 Scope

The requirements listed in this Importing Country's Phytosanitary Requirement (ICPR) document apply to product of New Zealand only, unless specifically stated.

This ICPR specifies Qatar's phytosanitary requirements. If a commodity or commodity group is not identified within this ICPR exporters should direct enquiries to:

- Qatar directly to ascertain requirements
- or
- Ministry for Primary Industries (MPI)-Plant Exports. Refer to 1.1

1.3 Phytosanitary legislation

The following legislation controls the importation of plants and plant materials into Qatar:

- Law No. 24 of 2005 on Agricultural Quarantine
- Law No. 12 of 1981 on Agricultural Quarantine as amended by law No. 6 of 1996
- Law of Agricultural Quarantine for the Cooperation Council for the Arab States of the Gulf, 2001

1.4 Fees and charges

- Please note that the determination and provision of phytosanitary requirements for a commodity not listed within the ICPR may be undertaken on a cost recovered basis. A link to the list of Plant Exports Fees and Charges is available on <http://mpi.govt.nz/exporting/food/fruit-and-vegetables/fees-and-charges/>

2 General Requirements

2.1 Definition

Agricultural Land	farms, gardens, forests, pastures or any place where plants are cultivated.
Beneficial Organisms	any organism, including fungi, bacteria, viruses, quasi-viruses and invertebrates identified by the Minister's resolution as beneficial to the flora or agricultural production in the State.
Competent Department	the Agricultural Development Department in the Ministry.
Container	a box, bag or other receptacle for keeping plants or plant products that may carry plant pests during or after the transport.
Containment	the application of phyto-sanitary measures in the contaminated zone and its surroundings to prevent the spread of a pest.
Conveyances	any vessel, aircraft, train, vehicle, hand-pulled cart, container, animal or anything which can convey plants, plant products, regulated material, pests, beneficial organisms or soil from one place to another.
Eradication	the application of phyto-sanitary measures to eliminate a pest in a certain area.
GCC States	countries of the Cooperation Council for the Arab States of the Gulf (CCASG) or GCC.
Importer	any natural or juristic person, whether an owner, consigner, consignee, agent, intermediary or any other person who possesses or is entitled to possess any of the plants, plant products, regulated material, pests, beneficial organisms, soil or packing material, whether it arrives or is about to arrive from another country.
Inspector	the employee vested with the capacity of a judicial control officer pursuant to the provisions of this Law.
Minister	the Minister of Municipal Affairs and Agriculture.
Ministry	the Ministry of Municipal Affairs and Agriculture.
Packaging Material	any material used to pack or contain plants, plant products, beneficial organisms, soil or plant pests.
Pest	any species, strain or biotype of plant, animal or pathogenic agent injurious to plants or plant products.
Pest Risk Analysis	the process of evaluating biological evidence or other practical and economic evidence to determine the extent to which a certain pest should be subject to agricultural quarantine and the strength of any phyto-sanitary measures to be taken against it.

Phytosanitary Certificate	a certificate designed to conform with the model certificates of the International Plant Protection Convention (IPPC).
Phytosanitary Measures	any legislations, bylaws or official procedures aimed at preventing the introduction and/or spread of pests.
Plant Products	unmanufactured material of plant origin and those manufactured products that, by their nature or that of their processing, may cause a risk of introduction and spreading of pests in the State.
Plants	living plants and parts thereof, including seeds and germ plasm.
Point of Entry	air or sea ports or land border points designated as entry points for trucks and passengers.
Post-entry Quarantine	the quarantine applied to a shipment after the entry thereof.
Quarantine Area	an area containing pests subject to agricultural quarantine where the said pest is being officially controlled.
Quarantine Pest	a pest of potential economic importance to the area endangered thereby and not yet present there, or present but not widely distributed and being officially controlled.
Regulated material or material subject to Phytosanitary Regulation	any organism or material capable of harbouring pests.
Regulated Non-quarantine Pest	a pest whose presence in cultivated plants affects the intended use of those plants, causing economically unacceptable impacts, and is therefore regulated.
Regulated Pest	a quarantine pest and any regulated non-quarantine pest.
Shipment (Consignment)	a certain quantity of plants and/or plant products and/or any other material subject to phyto-sanitary measures that is transported from one country to another and is covered by one phyto-sanitary certificate.
Soil	the material wholly or partially extracted from the upper layer of the earth's crust which can nourish plants.
Storage Areas	any place where plants, plant products, beneficial organisms or regulated material are kept or stored.
Survey	a procedure carried out to determine the characteristics of aggregation of pests or identification of the types appearing in a certain region
Surveillance/Control	an official process for the collection and registration of data about the existence or inexistence of any pest by means of surveying, monitoring or any other procedures.
Transit Shipment	any shipment (consignment) which arrives in the State and whose destination is another country, and which is neither subdivided into smaller units nor has its containers changed.
Treatment	an officially authorized measure to kill, eliminate or sterilize pests.

2.2 Prohibitions

Table 1. Prohibited commodities into Qatar.

Scientific Name	Common Name	Prohibited Plant or plant parts
	Sand, soil, untreated and unsterilized organic fertilizers	

2.2 Import permits

- Import permits are not required for the following commodities:
 - Fresh fruits and vegetables (only those listed in section 4.1.1 and 4.1.2)
 - Frozen vegetables
 - Fresh cut flowers and foliage (as listed on section 4.2.1)
 - Seeds, Grains and Nuts for sowing
 - Animal Feeds (Plant Origin)
- Plant and plant products are exempt from an import permit if accompanied by passengers and are not intended for cultivation or reproduction purpose.
- Permission to import plants, plant products, plant pests, beneficial organisms or other material for scientific research and experimental purposes will be as per the conditions deemed necessary by the Minister of Qatar outlined in an import permit.

2.4 Phytosanitary Certificates

- All export and transit consignments to Qatar must be accompanied by phytosanitary certificates.
- Consignments must be exported within one week from the date of the issuance of the phytosanitary certificate.

2.5 Quarantine Pests

For a list of quarantine pests see Appendix 1. The scientific name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>). Please note that scientific name remains as the definitive name. In addition, MPI will also include synonyms specified by the importing country for use on additional declarations.

Quarantine pests for Qatar include organisms specified in Appendix 1 of this ICPR, additional declarations and/or import permit.

2.6 Inspection on Arrival

- All consignments of plant and plant products may be subject to inspection on arrival.

2.7 Sampling Rate

Not specified by Qatar

2.8 Ports of Entry

Not specified by Qatar

2.9 Transit Requirements

- The transit shipment must be accompanied by a phytosanitary certificate. The consignment can only transit at the port of entry for three days, an extension of up to one week may be permitted in special circumstances.
- The transit consignment is subject to all import regulations of Qatar.

3 Commodity Class Requirements

3.1 Fruit and Vegetables

3.1.1 Fresh Fruit

Conditions:

Import permit not required. Phytosanitary certificate required. Refer to Section 4.1.1 for fresh fruits specific commodity requirements.

3.1.2 Fresh Vegetables

Conditions:

Import permit not required. Phytosanitary certificate required. Refer to Section 4.1.1 for fresh vegetables specific commodity requirements.

3.1.3 Dried Fruits and Vegetables

Conditions:

Import permit not required. Phytosanitary certificate required.

3.1.4 Frozen Fruit and Vegetables

Conditions:

Import permit not required. Phytosanitary certificate required.

3.2 Cut Flowers and Foliage

3.2.1 Fresh Cut Flowers and Foliage

Conditions:

Import permit not required. Phytosanitary certificate required. Refer to Section 4.2.1 for fresh cut flowers and foliage specific commodity requirements.

3.2.2 Dried Cut Flowers and Foliage

Conditions:

Import permit not required. Phytosanitary certificate required.

3.3 Nursery Stock

Conditions:

Import permit required. Phytosanitary certificate required.

3.3.1 Whole Plants

Conditions:

Import permit required. Phytosanitary certificate required.

3.3.2 Bulbs/tubers/corms/rhizomes (for propagation)

Conditions:

Import permit required. Phytosanitary certificate required.

3.3.3 Bud wood and Cuttings

Conditions:

Import permit required. Phytosanitary certificate required.

3.4 Seeds, Grains and Nuts

3.4.1 Seeds, Grains and Nuts for Sowing

Conditions:

Import permit not required. Phytosanitary certificate required. Refer to Section 4.4.1

3.5 Animal Feed (Plant origin)

Conditions:

Import permit not required. Phytosanitary certificate required. Refer to Section 4.5

4 Commodity Specific Requirements

If a commodity or commodity group is not identified within this ICPR, refer to section 1.2.

4.1 Fruit and Vegetables

4.1.1 Fresh Fruit

Conditions:

Refer Section 3.1.1

Actinidia deliciosa

Kiwifruit

Actinidia chinensis

Conditions:

Import permit not required. Phytosanitary certificate required.

Fragaria ananassa

Strawberry

Fragaria spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Malus domestica

Apple

Conditions:

Import permit not required. Phytosanitary certificate required.

Pyrus communis

Pear

Conditions:

Import permit not required. Phytosanitary certificate required.

4.1.2 Fresh Vegetables

Conditions:

Refer Section 3.1.2

4.1.3 Dried Fruit and Vegetables

Conditions:

Refer Section 3.1.2

4.1.4 Frozen Fruit and Vegetables

Conditions:

Refer Section 3.1.4

Brassica oleraceae

Cabbage

Conditions:

Import permit not required. Phytosanitary certificate required.

Brassica oleraceae var. italica

Broccoli

Conditions:

Import permit not required. Phytosanitary certificate required.

Daucus carota

Carrot

Conditions:

Import permit not required. Phytosanitary certificate required.

Phaseolus vulgaris

Bean

Conditions:

Import permit not required. Phytosanitary certificate required.

Pisum sativum Pea

Conditions:

Import permit not required. Phytosanitary certificate required.

Vicia faba Broad bean

Conditions:

Import permit not required. Phytosanitary certificate required.

Zea mays Corn

Conditions:

Import permit not required. Phytosanitary certificate required.

4.2 Cut Flowers and Foliage

4.2.1 Fresh Cut Flowers and Foliage

Conditions:

Refer Section 3.2.1

Berzelia spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Ceratopetalum spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Cupressus spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Cymbidium spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Eremurus spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Gentiana spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Gloriosa spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Hydrangea spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Leucadendron spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Leucospermum spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Lilium spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Paeonia spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Paphiopedilum spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Phormium spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Pieris spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Pittosporum spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Protea spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Ptilotus exaltatus

Pink mulla

Conditions:

Import permit not required. Phytosanitary certificate required.

Ranunculus spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Sandersonia spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Telopea spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Viburnum opulus

Guelder-rose

Viburnum spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Zantedeschia spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

4.2.2 Dried Cut Flowers and Foliage

Conditions:

Refer Section 3.2.2

4.3 Nursery Stock

Conditions:

Refer Section 3.3

4.3.1 Whole Plants

Conditions:

Refer Section 3.3.1

4.3.2 Bulbs/tubers/corms/rhizomes (for propagation)

Conditions:

Refer Section 3.3.2

4.3.3 Bud wood and Cuttings

Conditions:

Refer Section 3.3.3

4.4 Seeds, Grains and Nuts

4.4.1 Seeds, Grains and Nuts for Sowing

Conditions:

Refer Section 3.4.1

Agrostis stolonifera

Carpet bentgrass

Conditions:

Import permit not required. Phytosanitary certificate required.

Cynodon dactylon

Bermuda grass

Conditions:

Import permit not required. Phytosanitary certificate required.

Lolium perenne

Rye grass

Conditions:

Import permit not required. Phytosanitary certificate required.

4.5 Animal Feed (Plant Origin)

Avena spp.

Conditions:

Import permit not required. Phytosanitary certificate required.

Medicago sativa

Alfalfa

Conditions:

Import permit not required. Phytosanitary certificate required.

Phleum pratense

Timothy-grass

Conditions:

Import permit not required. Phytosanitary certificate required.

Appendix 1. Quarantine Pests as Notified by Qatar

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Arachnids (mites and spiders)	Acarida	Eriophyidae	<i>Aceria sheldoni</i> syn. <i>Eriophyes sheldoni</i>	citrus bud mite	QP-A1
		Eriophyidae	<i>Aceria mangiferae</i>	mango bud mite	QP-A2
		Penthaleidae	<i>Penthaleus major</i>	blue oat mite	QP-A1
		Tenuipalpidae	<i>Brevipalpus lewisi</i>	citrus flat mite	QP-A1
		Tetranychidae	<i>Bryobia praetiosa</i>		QP-A1
			<i>Eutetranychus lewisi</i>		QP-A1
			<i>Eutetranychus orientalis</i>	citrus brown mite	QP-A1
			<i>Eutetranychus sexmaculatus</i>		QP-A1
			<i>Oligonychus pratensis</i>	Banks grass mite	QP-A1
			<i>Panonychus citri</i>	citrus red mite	QP-A1
			<i>Panonychus ulmi</i>	European red mite	QP-A1
<i>Petrobia lateens</i>	brown wheat mite, stone mite	QP-A1			
Insects	Coleoptera (beetles and weevils)	Anthribidae	<i>Araecerus fasciculatus</i>	cacao weevil	QP-A1
		Bostrichidae	<i>Prostephanus truncatus</i>	greater grain borer, larger grain borer, scania beetle	QP-A1
		Bruchidae	<i>Bruchidius incarnatus</i>		QP-A1
			<i>Bruchus rufimanus</i>	bean beetle, broad-bean weevil	QP-A1
		Buprestidae	<i>Sphenoptera arabica</i>		Non-QP

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Coleoptera (beetles and weevils)	Cerambycidae	<i>Cerambyx</i> sp.		QP-A1
			<i>Monochamus alternatus</i>	Japanese pine sawyer	QP-A1
			<i>Monochamus carolinensis</i>	carolina sawyer	QP-A1
			<i>Phoracantha semipunctata</i>	blue gum borer, common eucalypt longicorn, eucalyptus borer	QP-A1
			<i>Apomecyna lameerei</i>		Non-QP
		Chrysomelidae	<i>Epitrix cucumeris</i>	potato flea beetle	QP-A1
			<i>Epitrix tuberis</i>	tuber flea beetle	QP-A1
			<i>Fiorinia japonica</i>		QP-A1
			<i>Leptinotarsa decemlineata</i>	ten-lined potato beetle, ten-striped spearman, Colorado beetle	QP-A1
			<i>Aulacophora africana</i>	hamra beetle	Non-QP
			<i>Macrocoma</i> sp.		Non-QP
		Curculionidae	<i>Anthonomus grandis</i>	boll weevil	QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Coleoptera (beetles and weevils)	Curculionidae	<i>Cosmopolites sordidus</i>	banana beetle	QP-A1
			<i>Gonipterus gibberus</i>	eucalyptus snout beetle, eucalyptus weevil, gum-tree weevil	QP-A1
			<i>Naupactus leucoloma</i>	white-fringed beetle, white-fringed weevil	QP-A1
			<i>Premnotrypes</i> spp.		QP-A1
			<i>Rhynchophorus palmarum</i>	palm marrow weevil, palm weevil, South American palm weevil	QP-A1
			<i>Rhynchophorus vulneratus</i>		QP-A1
			<i>Sternochetus mangiferae</i>	mango nut weevil	QP-A1
			<i>Conotrachelus nenuphar</i>	plum curculio	QP-A2
			<i>Rhynchophorus ferrugineus</i>	Asiatic palm weevil	QP-A2
			<i>Myllocerus undecimpunctulatus</i>		Non-QP
		Dermestidae	<i>Trogoderma granarium</i>	khapra beetle	QP-A1
		Nitidulidae	<i>Carpophilus dimidiatus</i>	corn sap beetle	Non-QP
			<i>Carpophilus hemipterus</i>	dried fruit beetle	Non-QP

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Coleoptera (beetles and weevils)	Scarabaeidae	<i>Blitopertha orientalis</i>	Asiatic beetle, oriental beetle, spotted chafer	QP-A1
			<i>Popillia japonica</i>	Japanese beetle	QP-A1
			<i>Oryctes</i> spp.		QP-A2
		Scolytidae	<i>Cryphalus dilutus</i>		Non-QP
	Diptera (flies)	Agromyzidae	<i>Amauromyza maculosa</i>	burdock leaf miner, chrysanthemum leaf miner	QP-A1
			<i>Liriomyza brassicae</i>	cabbage leaf miner, serpentine leaf miner	QP-A1
			<i>Liriomyza huidobrensis</i>	pea leaf miner	QP-A1
			<i>Liriomyza sativae</i>	cabbage leaf miner	QP-A2
			<i>Liriomyza trifolii</i>	American serpentine leaf miner	QP-A2
		Cecidomyiidae	<i>Procontarinia matteiana</i>		Non-QP
		Tephritidae	<i>Anastrepha fraterculus</i>	South American fruit fly	QP-A1
			<i>Anastrepha ludens</i>	Mexican fruit fly	QP-A1
			<i>Anastrepha obliqua</i>	West Indies fruit fly	QP-A1
			<i>Anastrepha serpentina</i>	orange fruit fly	QP-A1
			<i>Anastrepha suspensa</i>	fruit fly	QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Diptera (flies)	Tephritidae	<i>Bactrocera atrisetosa</i>		QP-A1
			<i>Bactrocera cucurbitae</i>		QP-A1
			<i>Bactrocera isuneonis</i>		QP-A1
			<i>Bactrocera tyroni</i>	Queensland fruit fly	QP-A1
			<i>Bactrocera melanota</i>		QP-A1
			<i>Bactrocera minax</i>	Chinese citrus fly	QP-A1
			<i>Ceratitidis rosa</i>	natal fruit fly	QP-A1
			<i>Rhagoletis pomonella</i>	apple maggot fly	QP-A1
			<i>Bactrocera ciliatus</i>		QP-A2
			<i>Bactrocera dorsalis</i>	oriental fruit fly	QP-A2
			<i>Bactrocera zonata</i>	guava fruit fly	QP-A2
			<i>Carpomya incompleta</i>	jujube fruit fly	QP-A2
			<i>Carpomya vesuviana</i>		QP-A2
			<i>Ceratitidis capitata</i>	Mediterranean fruit fly	QP-A2
			<i>Bactrocera vertebratus</i>		Non-QP
	Hemiptera (aphids, scale and other bugs)	Aleyroididae	<i>Aleurocanthus spiniferus</i>	citrus mealywing	QP-A1
			<i>Aleurocanthus floccosus</i>		QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Hemiptera (aphids, scale and other bugs)	Aleyroididae	<i>Aleurocanthus woglumi</i>	blue grey fly	QP-A1
			<i>Bemisia tabaci</i>	cassava whitefly	QP-A2
		Aphididae	<i>Pentalonia nigronervosa</i>	banana aphid	QP-A1
			<i>Toxoptera citricida</i>	brown citrus aphid	QP-A1
			<i>Aphis craccivora</i>	cowpea aphid	Non-QP
			<i>Aphis gossypii</i>	cotton aphid	Non-QP
			<i>Lipaphis erysimi</i>	false cabbage aphid	Non-QP
			<i>Myzus persicae</i>		Non-QP
			<i>Rhopalosiphum maidis</i>	cereal leaf aphid	Non-QP
		Asterolecaniidae	<i>Asterolecanium phoenicis</i> <i>syn.</i> <i>Palmaspis phoenicis</i>	date-palm pit scale	QP-A1
		Cicadellidae	<i>Cicadulina mbila</i>	maize leafhopper	QP-A1
		Cixiidae	<i>Myndus crudus</i> <i>syn.</i> <i>Haplaxius crudus</i>	American palm cixiid	QP-A1
		Coccidae	<i>Parasaissetia nigra</i>	black coffee scale, black scale, Florida black scale	QP-A1
		Delphacidae	<i>Perkinsiella saccharicida</i>	sugarcane leafhopper	QP-A2
		Diaspididae	<i>Chrysomphalus aonidum</i>	circular purple scale	QP-A1
<i>Diaspidiotus perniciosus</i> <i>syn.</i> <i>Quadraspidiotus perniciosus</i>	Californian scale, pernicious scale, San José scale		QP-A1		

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Hemiptera (aphids, scale and other bugs)	Diaspididae	<i>Lepidosaphes beckii</i>	citrus mussel scale, purple mussel scale, purple scale	QP-A1
			<i>Lepidosaphes gloverii</i>	Glover's scale	QP-A1
			<i>Lepidosaphes ulmi</i>	apple mussel scale	QP-A1
			<i>Lopholeucapsis japonica</i>	Japanese maple scale	QP-A1
			<i>Quadraspidiotus perniciosus</i>	San Jose scale	QP-A1
			<i>Unaspis citri</i>	citrus snow scale, orange chionaspis, white louse scale	QP-A1
			<i>Unaspis yanonensis</i>	arrowhead scale	QP-A1
			<i>Aonidiella citrina</i>	yellow scale	QP-A2
			<i>Aonidiella aurantii</i>	California red scale	QP-A2
		Margarodidae	<i>Margarodes</i> spp.		QP-A1
		Miridae	<i>Campylomma impicta</i>		Non-QP
		Phylloxeridae	<i>Viteus vitifoliae</i>	grapevine leaf louse	QP-A1
		Pseudococcidae	<i>Nipaecoccus viridis</i>	cotton mealybug	QP-A2
			<i>Pseudococcus</i> spp.		Non-QP
		Triozidae	<i>Triozia erytreae</i>	citrus psylla, citrus psyllid, two-spotted citrus psyllid	QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Hemiptera (aphids, scale and other bugs)	Tropiduchidae	<i>Ommatissus lybicus</i>		QP-A2
	Hymenoptera (wasps, bees and ants)	Cephididae	<i>Cephus cinctus</i>	wheat stem saw fly	QP-A1
			<i>Cephus pygmeus</i>	European wheat stem sawfly	QP-A1
		Formicidae	<i>Linepithema humile</i>	Argentinean ant	QP-A1
	Isoptera	Kalotermitidae	<i>Cryptotermes</i> spp.		QP-A1
	Lepidoptera (butterflies and moths)	Carposinidae	<i>Carposina niponensis</i>	peach fruit moth	QP-A1
		Cossidae	<i>Zeuzera pyrina</i>	moth, wood leopard	QP-A1
		Crambidae	<i>Chilo suppressalis</i>	Asiatic rice borer, pale-headed striped borer, purple-lined borer	QP-A1
			<i>Diaphorina citri</i>	Asian citrus psyllid, citrus psylla	QP-A1
			<i>Diatraea saccharalis</i>	American sugarcane borer, small moth borer, small sugarcane moth borer	QP-A1
		Gelechiidae	<i>Anarsia lineatella</i>	peach twig borer	QP-A1
		Gracillariidae	<i>Phyllocnistis citrella</i>	citrus leaf miner	QP-A2

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Lepidoptera (butterflies and moths)	Noctuidae	<i>Helicoverpa zea</i>	American cotton bollworm, corn earworm, New World bollworm	QP-A1
			<i>Spodoptera eridiana</i>	semitropical armyworm, southern armyworm	QP-A1
			<i>Spodoptera frugiperda</i>	grass worm, southern grass worm, corn leaf worm	QP-A1
			<i>Spodoptera exigua</i>	asparagus fern caterpillar	QP-A2
			<i>Spodoptera litura</i>	cluster caterpillar	QP-A2
		Tineidae	<i>Opogona sacchari</i>	banana moth, sugarcane borer, sugarcane moth	QP-A1
		Tortricidae	<i>Cacoecimorpha pronubana</i>	carnation leaf roller, carnation tortrix, Mediterranean carnation leafroller	QP-A1
			<i>Cydia nigrican</i>	pea moth	QP-A1
			<i>Cydia inopinata</i>	Manchurian fruit moth	QP-A1
			<i>Cydia molesta</i>		QP-A1
			<i>Cydia packardi</i>	cherry fruit worm	QP-A1
			<i>Cydia pomonella</i>	codling moth	QP-A1
	<i>Cydia prunivora</i>	lesser apple worm, plum moth	QP-A1		

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Insects	Lepidoptera (butterflies and moths)	Tortricidae	<i>Grapholita molesta</i>		QP-A1
			<i>Parabemisia myricae</i>	Japanese bayberry whitefly	QP-A1
	Thysanoptera (thrips)	Phlaeothripidae Thripidae	<i>Megalothrips</i> spp.		Non-QP
			<i>Frankliniella fusca</i>	tobacco thrips	QP-A1
			<i>Scirtothrips aurantii</i>	South African citrus thrips	QP-A1
			<i>Scirtothrips citri</i>	California citrus thrips, citrus thrips	QP-A1
			<i>Thrips palmi</i>	oriental thrips, palm thrips, southern yellow thrips	QP-A1
			<i>Frankliniella occidentalis</i>	western flower thrips	QP-A2
			<i>Scirtothrips dorsalis</i>	Assam thrips	QP-A2
			<i>Frankliniella shultzei</i>	cotton bud thrips	Non-QP
	Unassigned	Unassigned	<i>All fruit flies not mentioned in A1</i>		QP-A2
<i>All other leaf miners not mentioned in A1</i>				QP-A2	

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Nematodes	Dorylaimida	Longidoridae	<i>Xiphinema americanum</i> syn. <i>Xiphinema americanum sensu stricto</i>	American dagger nematode	QP-A1
			<i>Xiphinema californicum</i>		QP-A1
	Tylenchida	Anguinidae	<i>Anguina tritici</i>	bunted wheat, ear cockle eelworm, grain nematode	QP-A1
			<i>Ditylenchus destructor</i>	potato root nematode	QP-A2
			<i>Ditylenchus dipsaci</i>	bloat disease of onion, brown ring disease of hyacinth, bulb eelworm	QP-A2
		Aphelenchoididae	<i>Aphelenchoides besseyi</i>	White tip	QP-A1
			<i>Aphelenchoides fragariae</i>		QP-A1
			<i>Bursaphelenchus xylophilus</i>	pine wilt disease, pine wood nematode	QP-A1
			<i>Rhadinaphelenchus cocophilus</i>	red ring nematode	QP-A1
		Heteroderidae	<i>Heterodera</i> spp.		QP-A1
			<i>Globodera rostochiensis</i>	golden nematode, golden potato nematode, potato cyst nematode	QP-A1
			<i>Globodera pallida</i>	pale potato cyst nematode	QP-A1
	Hoplolaimidae	<i>Helicotylenchus</i> spp.		QP-A2	

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Nematodes	Tylenchida	Meloidogynidae	<i>Meloidogyne chitwoodi</i>	Columbia root-knot nematode	QP-A1
			<i>Meloidogyne fallax</i>	false Columbia root-knot nematode	QP-A1
			<i>Meloidogyne</i> spp.		Non-QP
		Pratylenchidae	<i>Nacobbus aberrans</i>	false root-knot nematode	QP-A1
			<i>Pratylenchus coffeae</i>	root necrotic nematode	QP-A1
			<i>Radopholus citrophilus</i>	citrus burrowing nematode, spreading decline of citrus	QP-A1
			<i>Pratylenchus</i> spp.		QP-A2
			<i>Radopholus similis</i>	banana root nematode, banana toppling disease nematode, burrowing nematode	QP-A2
		Rotylenchulidae	<i>Rotylenchulus reniformis</i>	reniform nematode	QP-A2
Tylenchulidae	<i>Tylenchulus semipenetrans</i>		Non-QP		
Bacterial disease	Actinomycetales	Microbacteriaceae	<i>Clavibacter xyli</i> var. <i>xyli</i>	ratoon stunting of sugarcane	QP-A1
			<i>Curtobacterium flaccumfaciens</i> pv. <i>betae</i>	bacterial wilt of red beet	QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Bacterial disease	Actinomycetales	Microbacteriaceae	<i>Curtoabacterium flaccumfaciens</i> <i>pv. flaccumfaciens</i>	bacterial tan spot of bean, bacterial tan spot of soybean, bacterial wilt of bean	QP-A1
			<i>Clavibacter michiganensis</i> <i>pv.</i> <i>michiganensis</i>	bacterial canker of tomato, bird's eye of tomato fruits, vascular wilt of tomato	QP-A2
			<i>Clavibacter michiganensis</i> <i>pv.</i> <i>sependonicus</i>	bacterial ring rot of potato, ring rot of potato, vascular wilt of potato	QP-A2
			<i>Clavibacter michiganensis</i> <i>pv.</i> <i>insidiosus</i>	bacterial blight of lucerne, bacterial root rot of lucerne, bacterial wilt of lucerne	QP-A2
		Streptomycetaceae	Streptomyces scabies		Non-QP
	Burkholderiales	Burkholderiaceae	<i>Ralstonia solanacearum</i>	brown rot of potato	QP-A2
		Unassigned	<i>Xylophilus ampelinus</i>	bacterial blight	QP-A1
	Enterobacteriales	Enterobacteriaceae	<i>Erwinia amylovora</i>	fireblight	QP-A1
			<i>Erwinia carotova</i> <i>sub. sp.</i> <i>atroseptica</i>	blackleg	Non-QP
			<i>Erwinia carotova</i> <i>sub. sp.</i> <i>carotovora</i>		Non-QP
<i>Pantoea stewartii</i> <i>pv. stewartii</i>			bacterial wilt of maize	QP-A1	

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Bacterial disease	Pseudomonadales	Pseudomonadaceae	<i>Pseudomonas phaseolicola</i>	bacterial blight of bean	QP-A1
			<i>Pseudomonas syringae pv. persicae</i>		QP-A1
			<i>Pseudomonas syringae pv. lachrymans</i>		QP-A2
	Rhizobiales	Rhizobiaceae	<i>Agrobacterium rhizogenes</i> syn. <i>Rhizobium rhizogenes</i>	hairy root of apple	QP-A1
			<i>Agrobacterium tumefaciens</i>		QP-A2
		Phyllobacteriaceae	<i>Citrus greening bacterium</i>		QP-A2
	Xanthomonadales	Xanthomonadaceae	<i>Xanthomonas fragariae</i>	angular leaf spot of strawberry, leaf blight of strawberry	QP-A1
			<i>Xylella fastidiosa</i>	Anaheim disease, California vine disease, leaf scorch of almond	QP-A1
			<i>Xanthomonas campestris pv. glycines</i>	bacterial pustule of soybean	QP-A1
			<i>Xanthomonas campestris pv. vasculorum</i>		QP-A1
<i>Xanthomonas oryzae pv. oryzae</i>			bacterial blight of rice	QP-A1	

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Bacterial disease	Xanthomonadales	Xanthomonadaceae	<i>Xanthomonas axonopodis pv. citri</i>	Asiatic citrus canker (A strains)	QP-A2
			<i>Xanthomonas axonopodis pv. phaseoli</i>	bacterial blight of bean, bacterial leaf pustule of bean, common blight of bean	QP-A2
			<i>Xanthomonas campestris pv. alfalfae</i>		QP-A2
			<i>Xanthomonas campestris pv. mangiferaeindica</i>		QP-A2
PEST TYPE	ORDER NAME	FAMILY NAME	GENUS NAME	SPECIES NAME	CATEGORY
Phytoplasma	Acholeplasmatales	Acholeplasmataceae	<i>Phytoplasma</i>	Apple proliferation	QP-A1
				Apple decline	QP-A1
				Apricot chlorotic leafroll	QP-A1
				Austration lucerne yellows	QP-A1
				Chat fruit	QP-A1
				Cherry albino	QP-A1
				Cherry blossom anomaly	QP-A1
				Grapevine flavescence doree	QP-A1
				Hydrangea virescence	QP-A1
Molieres disease	QP-A1				

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	GENUS NAME	SPECIES NAME	CATEGORY
Phytoplasma	Acholeplasmatales	Acholeplasmataceae	<i>Phytoplasma</i>	Palm lethal yellowing	QP-A1
				Papaya bunchy top	QP-A1
				Papaya die back	QP-A1
				Peach Red suture	QP-A1
				Peach rosette	QP-A1
				Peach x disease	QP-A1
				Peach yellow	QP-A1
				Pear decline	QP-A1
				Potato purple top wilt	QP-A1
				Potato stolbur	QP-A1
				Rubbery wood	QP-A1
				Strawberry Aster yellows	QP-A1
				Strawberry Green Petal	QP-A1
				Strawberry Lethal Decline	QP-A1
				Strawberry Witches Broom	QP-A1
				Sugarcane grassy stunt	QP-A1
Alfalfa phyllody	QP-A2				
Lime witches broom	QP-A2				

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Fungal disease	Agaricales	Physalacriaceae	<i>Armillaria mellea</i>	armillaria root rot	QP-A1
	Botryosphaeriales	Botryosphaeriaceae	<i>Stenocarpella macrospora</i>	dry rot of ears and stalks of maize, dry rot of maize, leaf striping of maize	QP-A1
			<i>Guignardia citricarpa</i>	citrus black spot	QP-A1
		<i>Guignardia bidwellii</i>	Black rot	QP-A1	
	Capnodiales	Mycosphaerellaceae	<i>Cercospora capsici</i>	frog-eye leaf spot of pepper	QP-A1
			<i>Septoria lycopersici</i> var. <i>malaguitii</i>	Septoria potato leaf spot	QP-A1
			<i>Mycosphaerella musicola</i>	leaf spot of banana, sigatoka disease of banana, yellow sigatoka of banana	QP-A1
			<i>Mycosphaerella fijiensis</i>	black leaf streak of banana	QP-A1
			<i>Mycosphaerella dearnissii</i>		QP-A1
			<i>Mycovellosiella koepkei</i>	yellow spot of sugarcane	QP-A1
	Chytridiales	Synchtriaceae	<i>Synchytrium endobioticum</i>	black scab of potato, black wart of potato, wart disease of potato	QP-A1
	Diaporthales	Diaporthaceae	<i>Diaporthe helianthi</i>	stalk rot of sunflower, stem canker of sunflower	QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Fungal disease	Diaporthales	Diaporthaceae	<i>Diaporthe phaseolorum</i> var. <i>caulivora</i>	damping-off: soybean	QP-A1
			<i>Phomopsis sclerotioides</i>	black root rot of cucumber	QP-A1
		Melanconidaceae	<i>Phomopsis viticola</i> syn. <i>Cryptosporella viticola</i>	black knot of grapevine, dead-arm of grapevine, necrosis of grapevine	QP-A1
		Valsaceae	<i>Cytospora sacchari</i>	sheath blight of sugarcane	QP-A1
	Didymellaceae	Didymellaceae	<i>Phoma andina</i> syn. <i>Stagonosporopsis andigena</i>	black blight of potato	QP-A1
	Dothideales	Unassigned	<i>Stigmina carpophila</i> syn. <i>Wilsonomyces carpophilus</i>		QP-A1
	Helotiales	Sclerotiniaceae	<i>Botrytis allii</i>	neck rot	QP-A1
			<i>Sclerotium cepivorum</i>	white rot of onion	QP-A1
			<i>Monilinia fructicola</i>	American brown rot of stone fruits	QP-A1
	Hypocreales	Clavicipitaceae	<i>Claviceps purpurea</i>	ergot, ergot of cereals, ergot of rye	QP-A1
			Hypocreaceae	<i>Verticillium albo-atrum</i>	verticillium wilt
<i>Verticillium dahliae</i>		verticillium wilt of cotton		QP-A1	

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Fungal disease	Hypocreales	Nectriaceae	<i>Fusarium oxysporum f. sp. albedinis</i>	bayoudh disease of date palm	QP-A1
			<i>Fusarium oxysporum f. sp. elaeidis</i>	fusarium wilt of oil palm	QP-A1
			<i>Fusarium oxysporum f. sp. canariensis</i>	vascular wilt of Canary Island date palm	QP-A1
			<i>Fusarium oxysporum f. sp. cubense</i>	Panama disease of banana	QP-A1
	Microascales	Ceratocystidaceae	<i>Ceratocystis fimbriata</i>	black rot of sweet potato, blight of mango, canker of coffee	QP-A1
	Myriangiales	Elsinoaceae	<i>Sphaceloma arachidis</i>	scab	QP-A1
	Peronosporales	Peronosporaceae	<i>Sclerophthora macrospora</i>	brown stripe downy mildew of maize	QP-A1
			<i>Peronosclerospora maydis</i>	downy mildew of maize	QP-A1
			<i>Peronosclerospora sacchari</i>	downy mildew of sorghum, downy mildew of sugarcane	QP-A1
			<i>Peronospora tabacina</i>	blue mould	QP-A1
			<i>Phytophthora cinnamomi</i>	fruit rot of avocado	QP-A1
			<i>Phytophthora megasperma f. sp. glycinea</i>		QP-A1
			<i>Phytophthora palmivora</i>	black pod of cocoa	QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Fungal disease	Peronosporales	Peronosporaceae	<i>Plasmopara halstedii</i>	downey mildew	QP-A1
			<i>Phytophthora capsici</i>	blight of capsicum	QP-A2
			<i>Phytophthora fragariae</i> var. <i>fragariae</i>	red core of strawberry	QP-A2
			<i>Phytophthora infestans</i>	downy mildew of potato	QP-A2
	Pezizales	Rhizinaceae	<i>Phymatotrichopsis omnivora</i>	phymatotrichum root rot	QP-A1
	Phyllachorales	Glomerellaceae	<i>Colletotrichum graminocolum</i> syn. <i>Glomerella graminicola</i>	anthracnose of cereals	QP-A1
			<i>Glomerella gossypii</i>	anthracnose of cotton	QP-A1
			<i>Colletotrichum</i> spp.		QP-A2
	Plasmodiophorida	Plasmodiophoraceae	<i>Spongospora subterranea</i>	club rot	QP-A1
			<i>Plasmodiophora brassicae</i>	club root of cabbage	QP-A1
	Pleosporales	Didymellaceae	<i>Phoma exigua</i> var. <i>foveata</i> syn. <i>Boeremia foveata</i>	gangrene of potato	QP-A1
		Leptosphaeriaceae	<i>Deuterophoma tracheiphila</i> syn. <i>Plenodomus tracheiphilus</i>	dieback of citrus	QP-A1
			<i>Deuterophoma tracheiphila</i>		QP-A2

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Fungal disease	Pleosporales	Pleosporaceae	<i>Alternaria mali</i>	alternaria blotch of apple	QP-A1
		Venturiaceae	<i>Apiosporina morbosa</i>	black knot of cherry, black knot of plum, black knot of stone fruits	QP-A1
			<i>Venturia</i> spp.		QP-A1
	Pucciniales	Coleosporiaceae	<i>Coleosporium ipomoea</i>	needle rust of pine, orange rust of sweet potato	QP-A1
		Cronartiaceae	<i>Endocronartium harknessi</i>	pine-to-pine gall rust, western gall rust of pine	QP-A1
		Pucciniaceae	<i>Gymnosporangium asiaticum</i>	leaf rust of Japanese pear, leaf rust of juniper	QP-A1
			<i>Gymnosporangium junperi-virginianae</i>	American rust of apple	QP-A1
			<i>Gymnosporangium fuscum</i>	rust of juniper	QP-A1
			<i>Puccinia pittieriana</i>	common rust of potato	QP-A1
			<i>Puccinia kuehnii</i>	orange rust of sugarcane	QP-A1
			<i>Puccinia psidii</i>	rust of eucalyptus	QP-A1
<i>Puccinia melanocephala</i>	common rust of sugarcane	QP-A1			

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	SPECIES AND GENUS NAME	COMMON NAME	CATEGORY
Fungal disease	Tilletiales	Tilletiaceae	<i>Tilletia indica</i>	Indian bunt of wheat, karnal bunt of wheat, partial bunt of wheat	QP-A1
	Tilletiales	Tilletiaceae	<i>Tilletia controversa</i>	dwarf bunt of rye, dwarf bunt of wheat	QP-A1
	Unassigned	Unassigned	<i>Phacoramularia capsicicola</i>		QP-A1
	Urocystidales	Urocystidaceae	<i>Urocystis cepulae</i>	smut of leek, smut of onion	QP-A1
	Ustilaginales	Ustilaginaceae	<i>Ustilago maydis</i>	blister smut of maize	QP-A1
			<i>Ustilago scitaminea</i>		QP-A1
Xylariales	Amphisphaeriaceae	<i>Pestalotiopsis palmarum</i>	grey leaf spot of palms	QP-A1	
Viral disease	Mononegavirales	Rhabdoviridae	<i>Nucleorhabdovirus</i>	potato yellow dwarf nucleorhabdovirus	QP-A1
			<i>Rhabdovirus</i>	citrus leprosis rhabdovirus	QP-A1
	Picornavirales	Secoviridae	<i>Comovirus</i>	Andean potato mottle virus	QP-A1
				bean pod mottle virus (BPMV)	QP-A1
			<i>Nepovirus</i>	Arabis mosaic virus (ArMV)	QP-A1
				blueberry leaf mottle	QP-A1
				grapevine fan leaf nepovirus	QP-A1
				peach rosette mosaic nepovirus	QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	GENUS NAME	SPECIES NAME	CATEGORY
Viral disease	Picornvirales	Secoviridae	<i>Nepovirus</i>	Raspberry ringspot nepovirus	QP-A1
				Tomato ringspot nepovirus	QP-A1
			<i>Sadwavirus</i>	Satsuma dwarf virus	QP-A1
			Unassigned	Strawberry latent ringspot (nepovirus)	QP-A1
		<i>Waikavirus</i>	Rice tungro virus syn. Rice tungro bacilliform badnavirus syn. Rice tungro spherical waikavirus	QP-A1	
	Tymovirales	Alphaflexiviridae	<i>Potexvirus</i>	Potato X potexvirus	QP-A2
		Betaflexiviridae	<i>Capillovirus</i>	Citrus tatter leaf capillovirus	QP-A1
			<i>Carlavirus</i>	Cowpea mild mottle carlavirus	QP-A1
				Pea stunt viru syn. Red clover vein mosaic carlavirus	QP-A1
	Tymovirales	Tymoviridae	<i>Tymovirus</i>	Andean potato latent	QP-A1
	Unassigned	Bromoviridae	<i>Alfamovirus</i>	Alfalfa mosaic virus	QP-A2
			<i>Ilarvirus</i>	Citrus leaf rugose ilarvirus	QP-A1
		Bunyaviridae	<i>Tospovirus</i>	Tomato spotted wilt tospovirus	QP-A1

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	GENUS NAME	SPECIES NAME	CATEGORY		
Viral disease	Unassigned	Caulimoviridae	<i>Badnavirus</i>	Banana streak badnavirus	QP-A1		
				Citrus yellow mosaic badnavirus	QP-A1		
			<i>Caulimovirus</i>	Strawberry vein banding (?) caulimovirus	QP-A1		
			Closteroviridae	<i>Crinivirus</i>	Potato yellow vein	QP-A1	
			Geminiviridae	<i>Begomovirus</i>	Bean golden mosaic begeminivirus	QP-A1	
					Potato yellow mosaic bigeminivirus	QP-A1	
					Tobacco leaf curl bigeminivirus	QP-A1	
					Squash leaf curl bigeminivirus	QP-A2	
					Squash mosaic comovirus	QP-A2	
					Tomato yellow leaf curl bigeminivirus	QP-A2	
					<i>Mastrevirus</i>	Maize streak geminivirus	QP-A2
					<i>Monogeminivirus</i>	Sugarcane streak monogeminivirus	QP-A1
			Luteoviridae	<i>Enamovirus</i>	Citrus vein enation (woody gall Luteovirus) disease	QP-A1	

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	GENUS NAME	SPECIES NAME	CATEGORY
Viral disease	Unassigned	Luteoviridae	<i>Luteovirus</i>	Groundnut rosette assistor luteovirus	QP-A1
			<i>Polerovirus</i>	Potato leaf roll luteovirus	QP-A2
			Unassigned	Impatiens necrotic spot tospovirus	QP-A1
		Nanoviridae	<i>Babuvirus</i>	Banana bunchy top 'luteovirus' syn. Abaca bunchy topvirus	QP-A1
		Ophioviridae	<i>Ophiovirus</i>	Citrus ringspot virus = Citrus Psorosis virus Complex A and B	QP-A1
		Potyviridae	<i>Poacevirus</i>	Sugarcane mosaic potyvirus	QP-A1
			<i>Potyvirus</i>	Banana bract mosaic potyvirus	QP-A1
				Bean common mosaic virus	QP-A1
				Bean yellow mosaic virus	QP-A1
				VGarlic yellow streak potyvirus	QP-A1
				Pea seed-borne mosaic potyvirus	QP-A1
				Peanut stripe potyvirus	QP-A1
				Plum pox potyvirus	QP-A1
Lettuce mosaic potyvirus	QP-A2				

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	GENUS NAME	SPECIES NAME	CATEGORY	
Viral disease	Unassigned	Potyviridae	<i>Potyvirus</i>	Onion yellow dwarf potyvirus	QP-A2	
				Papaya mosaic potyvirus	QP-A2	
				Papaya ring spot potyvirus	QP-A2	
				Potato Y potyvirus	QP-A2	
				Watermelon mosaic virus-2 potyvirus	QP-A2	
				Zucchini yellow mosaic potyvirus	QP-A2	
		Reoviridae	<i>Fijivirus</i>	Rice black-streaked dwarf fijivirus	QP-A1	
				Sugarcane Fijivirus disease fijivirus	QP-A1	
		Tombusviridae	<i>Tombusvirus</i>	Tomato bushy stunt tombivirus	QP-A1	
		Unassigned	<i>Benyvirus</i>	Beet necrotic yellow vein virus (BNYVV) (furovirus)	QP-A1	
				<i>Rhabdovirus</i>	Strawberry latent C rhabdovirus	QP-A1
				<i>Sobemovirus</i>	Rice yellow mottle sobemovirus	QP-A1
<i>Tenuivirus</i>	Rice hoja blanca tenuivirus			QP-A1		

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)

PEST TYPE	ORDER NAME	FAMILY NAME	GENUS NAME	SPECIES NAME	CATEGORY	
Viral disease	Unassigned	Unassigned	Unassigned	Sugarcane sereh disease	QP-A1	
				Citrus impietratura disease (virus-like disease)	QP-A2	
				Papaya droopy necrosisvirus	QP-A2	
		Virgaviridae	<i>Hordeivirus</i>	Barley stripe mosaic hordeivirus	QP-A2	
				<i>Pecluvirus</i>	Peanut clump furovirus	QP-A1
				<i>Pomovirus</i>	Potato mop top virus (furovirus)	QP-A1
				<i>Tobamovirus</i>	Cucumber green mottle mosaic tobamovirus	QP-A2
					Tomato mosaic tobamovirus	QP-A2
<i>Tobravirus</i>	Tobacco rattle tobravirus	QP-A1				
Viroids	Unassigned	Avsunviroidae	<i>Avsunviroid</i>	Avocado sun blotch	QP-A1	
		Pospiviroidae	<i>Pelamoviroid</i>	Peach spindle tuber syn. Peach latent mosaic viroid	QP-A1	
				<i>Hostuviroid</i>	Cucumber pale fruit	QP-A1
				<i>Pospiviroid</i>	Chrysanthemum stunt	QP-A1
					Citrus exocortis	QP-A1
					Coconut cadang-cadang	QP-A1
		Potato spindle tuber	QP-A1			

Source: Preferred name and classification used is checked for accuracy against the European and Mediterranean Plant Protection Organisation (EPPO) Global database (<https://gd.eppo.int/>), 18 August 2016

* Quarantine Pest Category A1 (QP-A1)

** Quarantine Pest Category A2 (QP-A2)

***None-Quarantine Pests (Non-QP)