

**Import Health Standard**  
**Commodity Sub-class: Fresh Fruit/Vegetables**  
**Capsicum, *Capsicum annuum***  
**from the Netherlands**

**Issued pursuant to Section 22 of the Biosecurity Act 1993**  
**Date Issued: 28 May 2021**

**COMMENCEMENT**

This consolidated import health standard comes into force immediately.

This import health standard amends the Import Health Standard: Importation and Clearance of Fresh Fruit and Vegetables into New Zealand, which came into force on 7 October 1999 and consolidates all amendments made up to commencement of this notice.

**1 NEW ZEALAND NATIONAL PLANT PROTECTION ORGANISATION**

The New Zealand national plant protection organisation is the Ministry for Primary Industries and as such, all communication should be addressed to:

Director, Animal and Plant Health  
Ministry for Primary Industries  
PO Box 2526  
Wellington  
NEW ZEALAND

Fax: 64-4-498 9888  
E-mail: [PlantImports@mpi.govt.nz](mailto:PlantImports@mpi.govt.nz)  
[http: www.biosecurity.govt.nz](http://www.biosecurity.govt.nz)

**2 GENERAL CONDITIONS FOR ALL PLANT PRODUCTS**

All plants and plant products are **PROHIBITED** entry into New Zealand, unless an import health standard has been issued in accordance with Section 22 of the Biosecurity Act 1993. Should prohibited plants or plant products be intercepted by the New Zealand Ministry for Primary Industries, the importer will be offered the option of reshipment or destruction of the consignment.

The national plant protection organisation of the exporting country is requested to inform the New Zealand Ministry for Primary Industries of any change in its address.

The national plant protection organisation of the exporting country is required to inform the New Zealand Ministry for Primary Industries of any newly recorded organisms which may infest/infect any commodity approved for export to New Zealand.

Pursuant to the Hazardous Substances and New Organisms Act 1996, proposals for the deliberate

introduction of new organisms (including genetically modified organisms) as defined by the Act should be referred to:

Manager, Operations  
Environment Risk Management Authority  
PO Box 131  
Wellington  
NEW ZEALAND

Also note:

In order to meet the Environmental Risk Management Authority's requirements the scientific name (i.e. genus and species) of the commodity must be included in the phytosanitary certificate.

### **3 EXPLANATION OF PEST CATEGORIES**

The New Zealand Ministry for Primary Industries has categorised organisms associated with plants and plant products into regulated and non-regulated organisms as described below. Organisms (including weeds) associated with each commodity will appear on a separate pest list which will be attached to each import health standard as an Appendix. Weeds may be in the form of seeds or other plant parts.

#### **3.1 REGULATED ORGANISMS**

Regulated organisms are those organisms for which phytosanitary actions would be undertaken if they were intercepted/detected. These will include new organisms as defined by the Hazardous Substances and New Organisms Act 1996. Regulated organisms are sub-divided into the following groups:

##### **3.1.1 Quarantine: Risk group 1 pests**

Risk group 1 pests are those regulated pests (FAO Glossary of Phytosanitary Terms, 1996) which on introduction into New Zealand could cause unacceptable economic impacts on the production of a commodity/commodities and/or the environment.

##### **3.1.2 Quarantine: Risk group 2 pests**

Risk group 2 pests are those regulated pests which on introduction into New Zealand could cause a major disruption to market access (some importing countries require specific pre-export phytosanitary treatments) and/or significant economic impacts on the production of a particular commodity/commodities and/or the environment.

##### **3.1.3 Quarantine: Risk group 3 pests**

Risk group 3 pests (e.g. economically significant species of fruit flies) are those regulated pests which on entry into New Zealand would cause a major disruption to market access for a wide range of New Zealand commodities and/or have significant economic impacts on their production and/or the environment (some importing countries prohibit the entry of the host commodity). An official surveillance system is required for such pests in New Zealand.

##### **3.1.4 Regulated non-quarantine pests**

A regulated non-quarantine pest (denoted by "reg." on the pest list) is a pest whose presence in a

consignment of plants for planting, affects the intended use of those plants with an economically unacceptable impact and is therefore regulated within the territory of the importing contracting party (Revised IPPC definition, Rome 1997). These pests would be under official control by the use of a Government operated or audited certification scheme.

### **3.1.5 Regulated non plant pests**

Regulated non plant pests are those organisms which, although not pests of plants or plant products, may be associated with plants or plant products in international trade, and may have an affect on human or animal health (e.g. black widow spider) and thus fall under the jurisdiction of other New Zealand government departments. The categorisation of these organisms and their associated import restrictions will be applied in accordance with the requirements of the relevant departments.

### **3.1.6 Vectors of associated quarantine pests**

In the context of this import health standard, vectors are those organisms which are able to transmit regulated pests into New Zealand. To prevent the transmission of vectored quarantine organisms to susceptible commodities in New Zealand, it is necessary to prevent the entry of their vectors. Vectors (denoted by "vect." on the pest list) will be categorised as risk group 1 even if they are present in New Zealand, unless they are risk group 2 pests in their own right. If the vectored organism is not present in the exporting country then the associated vector(s), if present in New Zealand, will be categorised as a non-regulated non-quarantine pest(s).

### **3.1.7 Vectored organisms**

Vectored organisms (denoted by "VO" on the pest list) are those regulated pests that are able to enter New Zealand via a vector associated with the imported commodity.

### **3.1.8 Strains of pests**

Where there is documented evidence that a pest associated with the imported commodity has a different host range, different pesticide resistance, vectors a different range of organisms, or is more virulent than that of the same species present in New Zealand, then the different strain (denoted by "strain" on the pest list) of that pest will be categorised accordingly as a risk group 1 or 2 regulated pest.

### **3.1.9 Unidentifiable organisms**

Should identification of an organism not be possible within the required time frame, the organism will be categorised as a regulated pest (either risk groups 1, 2, or 3) until such time as shown otherwise.

### **3.1.10 Unlisted organisms**

Should an organism be intercepted that is not included on the pest list for that commodity, it will be categorised into the appropriate risk group and action taken accordingly.

## **3.2 NON-REGULATED ORGANISMS**

Non-regulated organisms are those organisms for which phytosanitary actions would not be undertaken if they were intercepted/detected. These would include new organisms which could

not establish in New Zealand. Non-regulated organisms are sub-divided into the following groups:

### **3.2.1 Non-regulated non-quarantine pests**

Non-regulated non-quarantine pests are either already present in New Zealand and are not under official control or, could not establish in New Zealand.

### **3.2.2 Non-regulated non plant pests**

Non-regulated non plant pests are not pests of plants and are not of concern to the Ministry for Primary Industries or any other New Zealand government department.

## **3.3 CONTAMINANTS (INCLUDING SOIL)**

Consignments contaminated with soil, or other potential carriers of regulated pests (eg. leaf litter) will not be permitted entry if the level of contamination is above the acceptable tolerance.

## **4 APPLICATION OF PHYTOSANITARY MEASURES**

A number of different phytosanitary measures may be applied to pests in each risk group, depending on the commodity and the type of pest. These measures include:

### **4.1 QUARANTINE: RISK GROUP 1 PESTS**

Phytosanitary measures required for risk group 1 pests may include:

- inspection and phytosanitary certification of the consignment according to appropriate procedures by the national plant protection organisation of the exporting country,
- testing prior to export for regulated pests which cannot be readily detected by inspection (e.g. viruses on propagating material from accredited facilities), and verified by an additional declaration, to that given on the phytosanitary certificate,
- inspection/testing of the consignment by the New Zealand Ministry for Primary Industries prior to biosecurity clearance, to ensure the specified pest tolerance has not been exceeded.

### **4.2 QUARANTINE: RISK GROUP 2 PESTS**

Phytosanitary measures required for risk group 2 pests may include all the requirements for risk group 1 pests and may also require pre-export pest control activities to be undertaken by the contracting party, and confirmed by additional declarations to the phytosanitary certificate.

### **4.3 QUARANTINE: RISK GROUP 3 PESTS**

Phytosanitary measures applied to risk group 3 pests may include all the requirements for risk group 1 pests plus:

- the application of a pre-export treatment which has been developed in accordance with an approved New Zealand Ministry for Primary Industries standard,
- an official bilateral quarantine arrangement between the New Zealand Ministry for Primary Industries and the Netherlands national plant protection organisation which includes descriptions of each approved treatment system(s),
- specific additional declarations on the phytosanitary certificate.

### **4.4 REGULATED NON-QUARANTINE PESTS**

Phytosanitary measures applied to regulated non-quarantine pests will generally be the same as for risk group 1 pests, or according to the contingencies implemented for that pest if detected in New Zealand.

### **4.5 NON-REGULATED NON-QUARANTINE PESTS**

No phytosanitary measures are applied to non-regulated non-quarantine pests.

## **5 GENERAL CONDITIONS FOR FRESH FRUIT/VEGETABLES**

Commodity sub-class: fresh fruit/vegetables includes fresh fruit and vegetables for consumption.

Only inert/synthetic material may be used for the protection, packaging and shipping materials of fresh fruit/vegetables.

All host material (fruit/vegetables) of fruit fly species (Diptera: Tephritidae) of economic significance shall only be imported under the terms of a bilateral quarantine arrangement (e.g. agreement, workplan) between the New Zealand Ministry for Primary Industries's Director, Plants Biosecurity and the head of the supply country's national plant protection organisation.

## **6 SPECIFIC CONDITIONS FOR CAPSICUMS FROM THE NETHERLANDS**

This import health standard covers the requirements for the entry of capsicum, commodity sub-class: fresh fruit/vegetables from the Netherlands only.

### **6.1 PRE-EXPORT REQUIREMENTS**

#### **6.1.1 Inspection of the consignment**

The New Zealand Ministry for Primary Industries requires that the Netherlands national plant protection organisation sample and inspect the consignment according to official procedures for all visually detectable regulated pests (as specified by the New Zealand Ministry for Primary Industries), with a 95% confidence level, that not more than 0.5% of the units in the consignment are infested (this equates to an acceptance level of zero units infested by quarantine pests in a sample size of 600 units).

### 6.1.2 Testing of the consignment

Testing of the consignment prior to export to New Zealand for quarantine pathogens which are not visually detectable is not generally required for fresh capsicums from the Netherlands.

### 6.1.3 Documentation

**Bilateral quarantine arrangement:** Required

Capsicums, commodity sub-class: fresh fruit/vegetables, may only be imported into New Zealand from the Netherlands under the terms of the bilateral quarantine arrangement.

**Phytosanitary certificate:** Required.

**Import permit/Authorisation to import:** Exempt under Gazette Notice: No. AG12, 13 July 1995.

### 6.1.4 Phytosanitary certification

A completed phytosanitary certificate issued by the Netherlands national plant protection organisation must accompany all capsicums, commodity sub-class: fresh fruit/vegetables exported to New Zealand.

Before an export phytosanitary certificate is to be issued, the Netherlands national plant protection organisation must be satisfied that the following activities required by the New Zealand Ministry for Primary Industries have been undertaken.

The capsicums have:

- been inspected in accordance with appropriate official procedures and found to be free of visually detectable regulated pests specified by the New Zealand Ministry for Primary Industries.

AND

- undergone an agreed treatment that is effective against species in Quarantine: Risk group 3.

AND

- undergone appropriate pest control activities that are effective against:

*Bemisia tabaci*  
*Liriomyza huidobrensis*  
*Liriomyza trifolii*

OR

been sourced from an area free (verified by an official detection survey) from the following:

*Bemisia tabaci*  
*Liriomyza huidobrensis*  
*Liriomyza trifolii*

[Note: Combinations of treatments and area freedom are permissible for the aforementioned risk group 2 regulated pests.]

AND

- been sourced from a place of production free from *Anthonomus eugenii*.

OR

been subjected to a treatment effective against *Anthonomus eugenii*.

AND

- been sourced from a place of production free from *Tomato brown rugose fruit virus* (ToBRFV).

The Netherlands NPPO has suspended export certification of capsicums to New Zealand until such a time that the NPPO can implement the required pest free place of production. MPI does not expect imports until the NPPO confirms implementation has occurred. Please contact [PlantImports@mpi.govt.nz](mailto:PlantImports@mpi.govt.nz) to confirm status.

### 6.1.5 Additional declarations to the phytosanitary certificate

If satisfied that the pre-export activities have been undertaken, the Netherlands national plant protection organisation must confirm this by providing the following additional declarations to the phytosanitary certificate:

"The capsicums in this consignment have:

- been inspected in accordance with appropriate official procedures and found to be free of any visually detectable regulated pests specified by the New Zealand Ministry for Primary Industries.

AND

- been treated in accordance with Appendix 1 of the Arrangement between the New Zealand Ministry for Primary Industries and the Netherlands national plant protection organisation concerning the access of host material of fruit fly species of economic significance into New Zealand from the Netherlands.

AND

- (iii) undergone appropriate pest control activities that are effective against:

*Bemisia tabaci*  
*Liriomyza huidobrensis*

*Liriomyza trifolii*

OR

been sourced from an area free (verified by an official detection survey) from the following:

*Bemisia tabaci*

*Liriomyza huidobrensis*

*Liriomyza trifolii*

Note: Combinations of treatments and area freedom are permissible for the aforementioned risk group 2 regulated pests.

AND

(iv) been sourced from a place of production free from *Anthonomus eugenii*.

OR

been subjected to a treatment effective against *Anthonomus eugenii*.

AND

(v) been sourced from a place of production free from *Tomato brown rugose fruit virus* (ToBRFV).

The Netherlands NPPO has suspended export certification of capsicums to New Zealand until such a time that the NPPO can implement the required pest free place of production. MPI does not expect imports until the NPPO confirms implementation has occurred. Please contact [PlantImports@mpi.govt.nz](mailto:PlantImports@mpi.govt.nz) to confirm status.

## 6.2 TRANSIT REQUIREMENTS

The capsicums must be packed and shipped in a manner to prevent contamination by regulated pests. The package should not be opened in transit. However, where a consignment is either stored, split up or has its packaging changed while in another country (or countries) *en route* to New Zealand, a "Re-export Certificate" is required. Where a consignment is held under bond, as a result of the need to change conveyances, and it is kept in the original shipping container, a "Re-export Certificate" is not required.

## 6.3 INSPECTION ON ARRIVAL

The New Zealand Ministry for Primary Industries will check the accompanying documentation on arrival to confirm that it reconciles with the actual consignment.

The New Zealand Ministry for Primary Industries requires, with 95% confidence, that not more than 0.5% of the units (for capsicums, a unit is one fruit) in a consignment are infested with visually detectable regulated pests. To achieve this, the New Zealand Ministry for Primary



Industries will sample and inspect 600 units with an acceptance level of zero infested units (or equivalent), from the (homogeneous) lot.

#### **6.4 BIOSECURITY/QUARANTINE DIRECTIVE**

The commodity may be directed to a facility for further treatment if required.

#### **6.5 TESTING FOR REGULATED PESTS**

The New Zealand Ministry for Primary Industries may, on the specific request of the Director, Plants Biosecurity, test capsicums (commodity subclass: fresh fruit/vegetables) from the Netherlands for regulated pests.

#### **6.6 ACTIONS UNDERTAKEN ON THE INTERCEPTION/DETECTION OF ORGANISMS/CONTAMINANTS**

If regulated pests are intercepted/detected on the commodity, or associated packaging, the following actions will be undertaken as appropriate:

##### **6.6.1 Quarantine: Risk group 1 pests**

If a risk group 1 pest is intercepted, the importer will be given the option of:-

- treatment (where possible) of the consignment at the importer's risk,
- re-sorting (specific conditions apply) of the consignment,
- reshipment of the consignment,
- destruction of the consignment.

##### **6.6.2 Quarantine: Risk group 2 pests**

If a risk group 2 pest is intercepted, the importer will be given the option of:-

- treatment (where possible) at the discretion of the Director, Plants Biosecurity and immediate feedback to the national plant protection organisation of the exporting country with a request for corrective action,
- reshipment of the consignment,
- destruction of the consignment.

##### **6.6.3 Quarantine: Risk group 3 pests**

Actions for the interception of risk group 3 pests will include:-

- reshipment of the consignment OR destruction of the consignment,

AND

- the suspension of trade, until the cause of the non-compliance is investigated, identified and rectified. The appropriate actions may be audited by the New Zealand Ministry for Primary Industries. Once the requirements of the New Zealand Ministry for Primary Industries have been met to the satisfaction of the Director, Plants Biosecurity, and supporting evidence is provided and verified by the Netherlands national plant protection

organisation, the trade suspension will be lifted.

#### **6.6.4 Regulated non-quarantine pests**

Actions for the interception/detection of regulated non-quarantine pests will be in accordance with the contingencies implemented for that pest if detected in New Zealand.

#### **6.6.5 Regulated non plant pests**

Actions for the interception/detection of regulated non plant pests will be in accordance with the actions required by the relevant government department.

#### **6.6.6 Non-regulated non-quarantine pests**

No action is undertaken on the interception of non-regulated non-quarantine pests.

#### **6.6.7 Non-regulated non plant pests**

No action is undertaken on the interception of non-regulated non plant pests.

#### **6.6.8 Contaminants**

Lots with more than 25 grams of soil per 600 unit sample shall be treated, reshipped or destroyed.

Interception of extraneous plant material (e.g. leaves, twigs) in the 600 unit sample will result in the lot being held until an assessment has been made in comparison with the risk of importing the part(s) of the plant species concerned.

### **6.7 BIOSECURITY CLEARANCE**

If regulated pests are not detected, or are successfully treated following interception/detection biosecurity clearance will be given.

### **6.8 FEEDBACK ON NON-COMPLIANCE**

The exporting country's national plant protection organisation will be informed by the New Zealand Ministry for Primary Industries' Director, Plants Biosecurity of the interception (and treatment) of any regulated pests, "unlisted" organisms, or non-compliance with other phytosanitary requirements.

## **7 CONTINGENCIES FOLLOWING BIOSECURITY CLEARANCE**

Should a regulated pest be detected subsequent to biosecurity clearance, the New Zealand Ministry for Primary Industries may implement a management programme (official control programme) in accordance with Part V of the Biosecurity Act 1993 and Part 5 of the Biosecurity Amendment Act 1997.

## Appendix

### Pest List Commodity Sub-class: Fresh Fruit/Vegetables Capsicum, *Capsicum annuum* from the Netherlands

#### REGULATED PESTS (actionable)

##### Quarantine: Risk group 3 pests

None

##### Quarantine: Risk group 2 pests

###### Insect

###### Insecta

###### Coleoptera

###### Curculionidae

*Anthonomus eugenii*

###### Diptera

###### Agromyzidae

*Liriomyza huidobrensis*

pea leafminer

*Liriomyza trifolii*

American serpentine leafminer

###### Homoptera

###### Aleyrodidae

*Bemisia tabaci*

sweet potato whitefly

###### Virus

###### Tobamovirus

###### Virgaviridae

*Tomato brown rugose fruit virus*

##### Quarantine: Risk group 1 pests

###### Insect

###### Insecta

###### Coleoptera

###### Chrysomelidae

*Epitrix* spp.

flea beetles

*Psylliodes* spp.

flea beetles

###### Coccinellidae

*Epilachna* spp.

epilachna beetles

*Hippodamia* spp.

ladybirds

###### Scarabaeidae

*Anomala* spp.

scarab beetles

###### Diptera

###### Agromyzidae

*Liriomyza bryoniae*

tomato leafminer

###### Hemiptera

###### Miridae

*Liocoris tripustulatus*

nettle capsid

*Lygocoris pabulinus*

common green capsid

###### Homoptera

###### Aleyrodidae

<i>Trialeurodes vaporariorum</i> [strain]	greenhouse whitefly
<b>Aphididae</b>	
<i>Aphis nasturtii</i>	buckthorn aphid
<b>Cicadellidae</b>	
<i>Empoasca</i> spp.	green leafhoppers
<b>Diaspididae</b>	
<i>Aspidiotus destructor</i>	coconut scale
<i>Pinnaspis strachani</i>	hibiscus snow scale
<i>Pseudaulacaspis pentagona</i>	white peach scale
<b>Pseudococcidae</b>	
<i>Ferrisia virgata</i>	striped mealybug
<b>Lepidoptera</b>	
<b>Noctuidae</b>	
<i>Agrotis segetum</i>	turnip moth
<i>Autographa gamma</i>	silver Y moth
<i>Chrysodeixis chalcites</i>	golden twin spot moth
<i>Mamestra brassicae</i>	cabbage moth
<i>Plusia</i> spp.	semiloopers
<i>Spodoptera exigua</i>	beet armyworm
<b>Pyralidae</b>	
<i>Ostrinia nubilalis</i>	European corn borer
<b>Sphingidae</b>	
<i>Acherontia</i> spp.	death's head hawk moths
<b>Fungus</b>	
<b>Ascomycota</b>	
<b>Erysiphales</b>	
<b>Erysiphaceae</b>	
<i>Leveillula taurica</i> (anamorph <i>Oidiopsis sicula</i> )	powdery mildew
<b>Unknown Ascomycota</b>	
<b>Diporothecaceae</b>	
<i>Diporotheca rhizophila</i>	root disease
<b>Oomycota</b>	
<b>Pythiales</b>	
<b>Pythiaceae</b>	
<i>Phytophthora capsici</i>	buckeye rot

## Regulated non-quarantine pests

None

## Regulated non plant pests

### Insect

#### Insecta

##### Hemiptera

##### Anthocoridae

*Orius* spp.

predatory bugs

##### Hymenoptera

##### Aphelinidae

*Encarsia formosa*

aphelinid

##### Braconidae

*Dacnusa sibirica*

ectoparasitic wasp

*Opius pallipes*

ectoparasitic wasp

##### Ichneumonidae

*Aphidius matricariae*

parasitic wasp

### Mite

#### Arachnida

##### Acarina

##### Eriophyidae

<i>Phytoseiulus persimilis</i>	eriophyid mite
<b>Laelapidae</b>	
<i>Hypoaspis miles</i>	predatory mite
<b>Phytoseiidae</b>	
<i>Iphiseius degenerans</i>	predatory mite

# NON-REGULATED PESTS (non-actionable)

## Non-regulated non-quarantine pests

### Insect

#### Insecta

##### Homoptera

##### Aleyrodidae

*Bemisia argentifolii* poinsettia whitefly

##### Aphididae

*Aphis gossypii* cotton aphid  
*Aulacorthum solani* foxglove aphid  
*Macrosiphum euphorbiae* potato aphid  
*Myzus persicae* green peach aphid

##### Coccidae

*Saissetia coffeae* hemispherical scale

##### Pseudococcidae

*Pseudococcus longispinus* longtailed mealybug

##### Lepidoptera

##### Noctuidae

*Agrotis ipsilon* greasy cutworm

##### Sphingidae

*Agrius convolvuli* convolvulus hawk moth

##### Thysanoptera

##### Thripidae

*Frankliniella occidentalis* western flower thrips  
*Thrips tabaci* onion thrips

### Mite

#### Arachnida

##### Acarina

##### Phytoseiidae

*Amblyseius barkeri* wheat curl mite

##### Tarsonemidae

*Polyphagotarsonemus latus* broad mite

##### Tetranychidae

*Tetranychus cinnabarinus* carmine spider mite  
*Tetranychus urticae* twospotted spider mite

### Fungus

#### Ascomycota

##### Diaporthales

##### Valsaceae

*Diaporthe phaseolorum* (anamorph *Phomopsis phaseoli*) phomopsis stem rot

##### Dothideales

##### Mycosphaerellaceae

*Mycosphaerella tassiana* (anamorph *Cladosporium herbarum*) black leaf spot

##### Pleosporaceae

*Pleospora herbarum* (anamorph *Stemphylium herbarum*) black mould rot

##### Unknown Dothideales

*Didymella lycopersici* (anamorph *Phoma lycopersici*) phoma rot

##### Erysiphales

##### Erysiphaceae

*Erysiphe cichoracearum* (anamorph *Oidium asteris-punice*) powdery mildew

##### Hypocreales

##### Hypocreaceae

*Gibberella intricans* (anamorph *Fusarium equiseti*) root and stem dry rot  
*Nectria haematococca* (anamorph *Fusarium solani*) fusarium fruit rot

<b>Leotiales</b>		
<b>Sclerotiniaceae</b>		
<i>Botryotinia fuckeliana</i> (anamorph <i>Botrytis cinerea</i> )		grey mould
<i>Sclerotinia sclerotiorum</i>		cottony rot
<b>Phyllachorales</b>		
<b>Phyllachoraceae</b>		
<i>Glomerella cingulata</i> (anamorph <i>Colletotrichum gloeosporioides</i> )		bitter rot
<b>Basidiomycota: Basidiomycetes</b>		
<b>Ceratobasidiales</b>		
<b>Ceratobasidiaceae</b>		
<i>Thanatephorus cucumeris</i> (anamorph <i>Rhizoctonia solani</i> )		rhizoctonia rot
<b>Stereales</b>		
<b>Atheliaceae</b>		
<i>Athelia rolfsii</i> (anamorph <i>Sclerotium rolfsii</i> )		Rolf's disease
<b>Mitosporic Fungi (Coelomycetes)</b>		
<b>Sphaeropsidales</b>		
<b>Sphaerioidaceae</b>		
<i>Lasiodiplodia theobromae</i>		fruit and stem-end rot
<i>Macrophomina phaseolina</i>		ashy stem blight
<i>Phoma destructiva</i>		bulb rot
<i>Phoma exigua</i>		phoma rot
<i>Phoma leveillei</i>		phoma rot
<i>Phoma pomorum</i>		phoma fruit and leaf spot
<b>Unknown Coelomycetes</b>		
<b>Unknown Coelomycetes</b>		
<i>Colletotrichum acutatum</i>		anthracnose
<i>Colletotrichum circinans</i>		smudge
<i>Colletotrichum coccodes</i>		anthracnose
<b>Mitosporic Fungi (Hyphomycetes)</b>		
<b>Hyphomycetales</b>		
<b>Dematiaceae</b>		
<i>Alternaria alternata</i>		black stalk rot
<i>Alternaria solani</i>		leaf spot
<i>Corynespora cassicola</i>		leaf spot
<b>Moniliaceae</b>		
<i>Aspergillus niger</i>		aspergillus rot
<i>Verticillium albo-atrum</i>		verticillium wilt
<i>Verticillium dahliae</i>		verticillium wilt
<b>Tuberculariales</b>		
<b>Tuberculariaceae</b>		
<i>Fusarium oxysporum</i>		leaf spot
<b>Oomycota</b>		
<b>Pythiales</b>		
<b>Pythiaceae</b>		
<i>Phytophthora nicotianae</i> var. <i>parasitica</i>		collar and root rot
<b>Zygomycota: Zygomycetes</b>		
<b>Mucorales</b>		
<b>Mucoraceae</b>		
<i>Rhizopus arrhizus</i>		wet rot
<i>Rhizopus stolonifer</i>		rhizopus soft rot
<b>Bacterium</b>		
-		
-		
<b>Corynebacteriaceae</b>		
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i>		bacterial canker
<b>Enterobacteriaceae</b>		
<i>Erwinia carotovora</i>		bacterial soft rot
<i>Erwinia chrysanthemi</i>		bacterial soft rot
<b>Pseudomonadaceae</b>		
<i>Pseudomonas marginalis</i>		bacterial spot

*Pseudomonas syringae* pv. *syringae*  
*Pseudomonas viridiflava*  
*Ralstonia solanacearum*

bacterial soft rot  
leaf blight  
bacterial wilt

## Non-regulated non plant pests

### Insect

#### Insecta

##### Hymenoptera

##### Eulophidae

*Diglyphus isaea*

ectoparasitic wasp

### Mite

#### Arachnida

##### Acarina

##### Phytoseiidae

*Amblyseius cucumeris*

amblyseiid mite