



CLIMATE CHANGE: A GUIDE FOR LAND MANAGERS 5

FUTURE NEW ZEALAND Possible impacts of climate change

This fact sheet is the third in a series of five from the resource pack: **CLIMATE CHANGE: A GUIDE FOR LAND MANAGERS**

Other fact sheets in this series are:

No 1. The theory, the history, the science

No 2. New Zealand's variable climate

No 3. Models, scenarios and uncertainties

No 4. Future New Zealand: Possible effects on our climate

Other material contained in this resource pack includes climate change projections at a regional level.

To view other material in this resource pack visit www.maf.govt.nz/climatechange or phone **0800 CLIMATE** to request a hard copy.

FUTURE NEW ZEALAND

As the 21st century advances, New Zealand's climate is likely to become more sub-tropical in the north, wetter and windier in the west and drier in the east with a milder, more temperate, climate developing in cooler and southern regions of the country. This will provide a combination of threats and opportunities for New Zealand's primary sectors.

Regional summaries are also provided as part of this series.

POSSIBLE IMPACTS AND OPPORTUNITIES

DROUGHT AND WATER RESOURCES

The frequency and severity of drought could increase in regions that are presently drought-prone. Regions most likely to be affected are eastern Northland, the Hauraki Plains, eastern Bay of Plenty, and eastern New Zealand from Gisborne to Otago. There could be increased pressure on water resources in these drought-prone areas.

Increased incidence of drought and possible increasing frequency of westerly winds will heighten the risk of fires in rural areas, particularly in areas prone to strong north-westerly conditions such as Canterbury.

INTENSE RAINFALL

It is likely that heavy rainfall events will occur more frequently over the coming century, although New Zealand's mountainous nature and starkly contrasting rainfall climates make it difficult to predict whether this will be universally true across the whole country. Low-lying coastal land will be more prone to storm surges and flooding.

Changes could have consequences for farm infrastructure in all regions. This includes land drainage, flood protection, community water schemes, culverts and bridges, erosion control, farm dams, water reticulation and irrigation.

INSECT AND PLANT PESTS

Increased problems with insect pests are likely. Recent experiences in Northland with tropical grass webworm and guava moth, and crickets in Hawkes Bay, are indicative of what could occur more often with climate change. The spread of insect pests, such as the clover weevil and clover flea, could be accelerated with warmer average conditions.

Higher temperatures are likely to increase the number of pest plants in the north and encourage the southward spread of some species. In some cases, this is




already occurring, which could be due in part to natural acclimatisation although higher temperatures could increasingly become an influence.

TEMPERATE PASTURE

Temperate pasture responses are likely to vary throughout New Zealand. Warmer and wetter average conditions could lead to yield increases in western regions of the lower North Island, in the West Coast, and parts of Otago and Southland. There may be a positive yield response in northern regions, but higher temperatures could become increasingly limiting along with increased predominance of sub-tropical grasses.

SUB-TROPICAL GRASSES

Sub-tropical grasses such as kikuyu and paspalum are already widespread in the North Island, and will become more so. They may become significant invaders of the South Island over time. This would have a greater negative impact on dairy producers than sheep and beef producers, because of the high dependency of dairying on maximising pasture utilization.



ANIMAL HEALTH

Animal health effects, particularly in northern and eastern New Zealand, could include increased heat stress on animals. Most of the North Island could experience increased incidence of diseases such as facial eczema, which could also become a problem in warmer regions of the South Island. A warmer wetter climate in western parts of New Zealand will increase problems with internal parasites. In cooler and southern regions of the country, stock will benefit from warmer winters with less stress on stock and better reproduction rates.

FRUIT

Hayward kiwifruit production may become uneconomic in the north over the next 50 years, due to less winter chill. Alternatively, opportunities may increase for production in the southern North Island and warmer locations of the South Island.

Current evidence suggests that apple production won't be greatly affected by warmer average temperatures in present apple growing regions. Although not certain, current knowledge suggests that an increased incidence of warmer winters will not have a major impact on flowering and fruit set in Hawkes Bay. A greater occurrence of hot

New Zealand's climate is likely to become more sub-tropical in the north, wetter and windier in the west and drier in the east with a milder, more temperate, climate developing in cooler and southern regions of the country.

dry summers could result in greater problems with water-core and sunburn. Higher average temperatures and reduced frost risk will benefit apple production in southern regions such as Central Otago.

Wine grapes will benefit overall from warmer, drier conditions particularly in eastern and southern regions. However, there will likely be changes to phenology, regional spread of varieties and wine quality. Increased pressures on scarce water supplies will also become a greater issue, if drier conditions are realised.

Sub-tropical crops such as avocados and citrus will benefit from a trend towards warmer conditions in northern New Zealand. There will likely be a shift in southern production margins over time, with water the main limitation in the east and wind an on-going limitation in western North Island.

Some tropical fruit crops can presently be grown only in localised micro-climates in Northland, but in a warming climate there may be increased niche opportunities to grow these crops in commercial quantities.

CROPS

In general, conditions will become increasingly suitable for maize production in the North Island, with greater opportunities in Canterbury over time. Various crops that have been limited by temperature in the past, such as chickpeas, will become increasingly viable. There could be yield and quality benefits to some of the temperate grains in the South Island with hotter, drier conditions. Wetter conditions could increase disease problems in some northern regions and in the west. In eastern regions, crop production may be constrained by limitations on the availability of water.

REGIONAL IMPACTS

More detailed information can be found in the accompanying regional summaries to this series of fact sheets. Further information may also be available from your local and/or regional council.

**THIS IS ONE IN A SERIES OF CASE STUDIES CALLED
CLIMATE CHANGE: A GUIDE FOR LAND MANAGERS THAT CAN BE
FOUND AT WWW.MAF.GOV.TZ/CLIMATE CHANGE**

Published by Ministry of Agriculture and Forestry
PO Box 2526, Wellington 6140.
Freephone: 0800 00 83 33
Web: www.maf.govt.nz

DISCLAIMER

While every effort has been made to ensure the information in this publication is accurate, the Ministry of Agriculture and Forestry does not accept any responsibility or liability for any error of fact, interpretation or omission.

KEY REFERENCES

Warrick, RA; Mullan, AB; Kenny, GJ; Campbell, BD; Clark, H; Austin, PT; Cloughley, CG; Flux, TL; Hall, AJ; Harman, JJ; McPherson, HG; Jamieson, P D; Mitchell, ND; Newton, PCD; Parshotam, A; Porteous, AS; Salinger, MJ; Thompson, CS; Tate, KR and Ye, W (2001) *The CLIMFACTS synthesis report: An assessment of the effects of climate change and variation in New Zealand using the CLIMFACTS system*. Hamilton, New Zealand. Available on the International Global Change Institute (IGCI), University of Waikato website, www.waikato.ac.nz

Kenny, G (2005) *Adapting to climate change in eastern New Zealand*; www.earthlimited.org

Kenny, G (2008) *Adapting to climate change in the kiwifruit industry*. Report prepared for the Ministry of Agriculture and Forestry and available at www.maf.govt.nz

Kenny, G (2001) *Likely impacts on New Zealand agriculture*. Report prepared for the Ministry for the Environment and available at www.mfe.govt.nz/publications

Ministry for the Environment (2008) *Climate Change Effects and Impacts Assessment: A Guidance Manual for Local Government in New Zealand*. 2nd Edition. Mullan, B; Wratt, D; Dean, S; Hollis, M; Allan, S; Williams, T; Kenny, G and MfE. Ministry for the Environment, Wellington. xviii + 149 p. Available from www.mfe.govt.nz

Ministry for the Environment. *Regional summaries of climate change*, www.mfe.govt.nz

National Institute for Atmospheric Research. *Climate change scenarios for New Zealand*. Available from the NIWA website, www.niwa.co.nz

Stroombergen, A; Stojanovik, A; Wratt, D; Mullan, B; Tait, A; Woods, R; Baisden, T; Giltrap, D; Lock, K; Hendy, J; Kerr, S (2008) *The Ecoclimate report*. Report prepared for the Ministry of Agriculture and Forestry and available at www.maf.govt.nz

FOR MORE INFORMATION

- For general information on climate change for land-based sectors visit the Ministry of Agriculture and Forestry website www.maf.govt.nz/climatechange
- For more information on climate change in New Zealand visit www.climatechange.govt.nz or the Ministry for the Environment's website www.mfe.govt.nz/issues/climate
- For more information on animal health visit www.biosecurity.govt.nz/regs/animal-welfare
- For more information on insect and plant pests and diseases visit www.biosecurity.govt.nz/pests/surv-mgmt
- For a popular guide to the IPCC reports, visit the website of the United Nations Environment Programme www.grida.no/publications/climate-in-peril
- Information on droughts, floods and emergencies, land and water resources, irrigation practices and adverse events can be found in the Rural New Zealand section of the MAF website www.maf.govt.nz
- Information on projects under MAF's Sustainable Farming fund targeting climate related issues can be found in the Sustainable Farming section of the MAF website www.maf.govt.nz
- Your local council may also have information on climate change. Visit www.localcouncils.govt.nz for a list of council websites.

The following websites provide a range of resources and publications related to climate change adaptation.

INDUSTRY

- Dairy NZ www.dairynz.co.nz
- Fert Research www.fertresearch.org.nz
- Foundation for Arable Research www.far.org.nz
- Horticulture NZ www.hortnz.co.nz
- Meat and Wool New Zealand www.meatnz.co.nz
- NZ Kiwifruitgrowers Inc. www.nzkgi.org.nz
- NZ Forest Owners Association www.nzfoa.org.nz
- Organics Aotearoa NZ www.oanz.org.nz
- Sustainable Winegrowing New Zealand www.nzwine.com

CROWN RESEARCH INSTITUTES

- AgResearch www.agresearch.co.nz
- GNS www.gns.cri.nz
- Landcare Research www.landcareresearch.co.nz
- NIWA www.niwa.co.nz