

MPI recognised pesticide laboratories for plant products

The following analytical laboratories have been recognised by MPI as being competent in the analysis of foods of plant origin for pesticide residues using the listed analytical methods.

This recognition is primarily based on an assessment by an independent accreditation body that the analytical laboratory systems and procedures, together with the listed test methods, comply with ISO Standard 17025 'General Requirements for the Competence of Testing and Calibration Laboratories'.

PAL No	Recognised Analytical Laboratory	Recognised Test Method(s)	Key Technical Person(s)
877P	AsureQuality Limited Wellington Laboratory PO Box 31242 Lower Hutt 5040 Ph: +64 570 8800 Email: info@asurequality.com Web: www.asurequality.com	PS-MRGL04 (Multiresidue Screen) LC-MS/MS, GC-MS/MS	Glen Fern Paul Leighton Rilka Taskova-Stamenova Andrew Steedman Shelly Gardner
		PS-MRGL02 (Multiresidue Screen) LC-MS/MS, GC-MS/MS	Glen Fern Paul Leighton Rilka Taskova-Stamenova Andrew Steedman Shelly Gardner
		PS-MRLV02 (Multiresidue Screen) LC-MS/MS	Glen Fern Rilka Taskova-Stamenova
		PS-MRGV02 (Multiresidue Screen) GC/MS, GC-ECD	Glen Fern Andrew Steedman
		PS-MRGL05 (Multiresidue Screen) GC-MS/MS, LC-MS/MS	Glen Fern Paul Leighton Rilka Taskova-Stamenova Andrew Steedman Shelly Gardner
		PS-PATU01 (Patulin) LC-MS/MS	Glen Fern Rilka Taskova-Stamenova Shelly Gardner
		PS-AALC01 (Amino Alcohols, Morpholine) LC-MS/MS	Glen Fern
		VM-AAGL02 (Dihydrostreptomycin, Kasugamycin,	Eileen Queree Lauren Fleury

		Streptomycin) LC-MS/MS	
		PS-EBDC01 (Dithiocarbamates – as CS2) GC-MS	Glen Fern Andrew Steedman Shelly Gardner
		PS-DTHN01 (Dithianon) LC-MS/MS	Glen Fern Rilka Taskova- Stamenova
		PS-GLYP01 (Glyphosate, Glufosinate, AMPA, MPPA) LC-MS/MS	Glen Fern Rilka Taskova- Stamenova
		PS-DIQT02 (Paraquat, diquat) LC-MS/MS	Glen Fern Rilka Taskova- Stamenova
		PS-AHRB03 (Acid Herbicides) GC/MS	Glen Fern Andrew Steedman
		PS-UREA01 (Urea Pesticides) LC-MS/MS	Glen Fern Rilka Taskova- Stamenova
		PS-ACBR01 (Acibenzolar-S-Methyl - total) LC-MS/MS	Glen Fern
		PS-EBDC02 (Dithiocarbamates) GC-MS/MS	Glen Fern Andrew Steedman Shelly Gardner
887P	R. J. Hill Laboratories Ltd Private Bag 3205 Hamilton 3216 Ph: +64 7 858 2000 Email: mail@hill-labs.co.nz Web: www.hill-labs.co.nz	FCGC (Multiresidue Screen) GC-MS	Bruce Morris
		LCMSMS1 (Multiresidue Screen) LC-MSMS)	Richard Schriener
		Acidherb (Acidic herbicides) GC-MS	Richard Schriener
897P	Eurofins Agrosience Testing NZ Ltd 12-14 Pukete Road Te Rapa, Hamilton, 3200 Ph: +64 7 849 5109 kayford@eurofins.com www.eurofins.com.au	AATM-S-60 (Multiresidue Screen) LC-MS/MS, GC-MS/MS	Ronald Domingo
		AATM-S-199 (Dihydrostreptomycin, Streptomycin, Kasugamycin) LC-MS/MS	Ronald Domingo

