



Manufacture of Dairy Based Infant Formula Products and Formulated Supplementary Foods for Young Children

| [21 April 2017](#) | [1 March 2022](#)

TITLE

Animal Products Notice: Manufacture of Dairy Based Infant Formula Products and Formulated Supplementary Foods for Young Children

COMMENCEMENT

This Animal Products Notice comes into force on 1 July 2022.

ISSUING AUTHORITY

This Animal Products Notice is issued under section 167 of the Animal Products Act 1999 and supplements the Animal Product Regulations 2022.(Dairy) Regulations 2005.

Dated at Wellington, 1 March 2022

Paul Dansted
Director, Food Regulation
Ministry for Primary Industries
(acting under delegated authority of the Director-General)

Contact for further information
Ministry for Primary Industries (MPI)
[Regulation & Assurance Branch](#)[New Zealand Food Safety](#)
Animal Products
PO Box 2526
Wellington 6140
Email: animal.products@mpi.govt.nz

Draft

Contents	Page
Introduction	4
Part 1: Requirements	6
1.1 Application	6
1.2 Definitions	6
Part 2: Premises, equipment, and personnel	9
2.1 Application of Part	9
2.2 Areas to be identified in RMP	9
2.3 Design and construction of manufacturing areas	9
2.4 High hygiene areas	9
2.5 Air pressure in high hygiene areas	10
2.6 Entry to high hygiene areas through buffer zone	10
2.7 People entering high hygiene areas	10
2.8 Items entering or exiting high hygiene areas	10
2.9 Specifications for dry areas	11
2.10 Construction of CIP systems	12
2.11 Personnel	12
2.12 Equipment	12
Part 3: Cleaning and maintenance	14
3.1 Application of Part	Error! Bookmark not defined.
3.2 Cleaning programme set out in RMP	14
3.3 Specifications for CIP systems	14
3.4 Monitoring effectiveness of cleaning	15
3.5 Maintenance in high hygiene areas	15
3.6 Environmental pathogen monitoring plan	15
3.7 Maintenance compounds and other chemicals	16
3.8 Pest management	16
3.9 Waste	16
3.10 Protection from intentional adulteration	17
3.11 Safeguards against presence of foreign matter	17
3.12 Calibration	17
3.13 Response to failures	17
Part 4: Raw materials and formulation	19
4.1 Application	Error! Bookmark not defined.
4.2 Procurement of raw materials	19
4.3 Raw material acceptance	19
4.4 Milk and other liquid dairy material	20
4.5 Raw materials at the premises	20
4.6 Storage and unpacking of raw materials	20
4.7 Ingredient shelf life	21
4.8 Ingredient management	21
4.9 Disposal of unused raw materials	21
4.10 Formulation	22
4.11 Records of formulations of final product	22
4.12 Shelf life of final product	23

Part 5: Manufacture	24
5.1 Application	Error! Bookmark not defined.
5.2 During manufacture	24
5.3 Wet processing	24
5.4 Keeping processing records	24
5.5 Sampling and testing plan	24
5.6 Testing of samples	25
5.7 Retention samples	25
5.8 Non-conforming batches	26
5.9 Packaging used for retail-ready product	26
5.10 Disposal of retail-ready product that is not for human consumption	27
5.11 Tracing forward and back	27
5.12 Tracing exercises	27
5.13 Recall procedures	28
5.14 Complaints to dairy processor	28
Part 6: Validation	29
6.1 Application	29
6.2 Validation to be undertaken	29
6.3 Validation protocol where pre-manufacture validation not possible	29
6.4 Validation report	29
6.5 Review of validation	30
6.6 Validation of cleaning programme	30
Part 7: Miscellaneous provisions	31
7.1 Repacking and relabelling outers	31
7.2 Transport and storage	31

Draft

Introduction

This introduction is not part of the Animal Products Notice, but is intended to indicate its general effect.

Purpose

- (1) The purpose of this Notice is to supplement the Animal Products Regulations 2022 by specifying particular requirements that apply to the manufacture and verification of the following products (referred to in this Introduction and the Notice as “relevant products”):
 - a) Dairy based infant formula products (i.e., infant formula and follow-on formula);
 - b) Dairy based formulated supplementary foods for young children;
 - c) Dairy based ingredients represented as intended for use in any of those products (other than ingredients that comprise less than 0.5% of the final product).
- (2) The requirements in this Notice are additional to other relevant requirements that apply to dairy processors, such as:
 - a) the Animal Products Notice: Animal Products Standards;
 - b) the Animal Products Notice: Export Requirements for Infant Formula Products and Formulated Supplementary Foods for Young Children, issued 1 February 2016;
 - c) the Animal Products Notice: Labelling Requirements for Exports of Dairy Based Infant Formula Products and Formulated Supplementary Food for Young Children, issued 18 December 2014;
 - d) Market-specific requirements issued as overseas market access requirements (OMARs) under Part 5 of the Animal Products Act 1999; and
 - e) the Australia New Zealand Food Standards Code.

Background

- (1) The World Health Organisation recommends that infants should be exclusively breastfed for the first 6 months of life to achieve optimal growth, development, and health. Thereafter, to meet their evolving nutritional requirements, infants should receive nutritionally adequate and safe complementary foods while breastfeeding continues. In instances where an infant is unable to be breastfed, or where breastfeeding is not appropriate, a suitable breast-milk substitute should be used. Infant formula products are the only suitable breast-milk substitutes. The New Zealand Ministry of Health also provides guidance on the feeding of infants.
- (2) As infant formula can be the sole source of nutrition for a vulnerable population group, particularly for infants aged up to 6 months, greater food safety monitoring and oversight is appropriate and generally expected. Infants and young children have special nutritional needs and a less developed immune system than healthy adults.
- (3) Infant formula products, formulated supplementary foods for young children, and ingredients intended for use in those products are of high interest in international trade. Consumers reasonably expect New Zealand to ensure that all parties in the supply chain:
 - a) are held accountable for the fitness for purpose of products offered for sale; and
 - b) fulfil their responsibilities and play an appropriate role should any problems be detected.
- (4) This Notice promotes consistency in the application of risk management measures applied to the production and processing of relevant products by imposing specific requirements relating to the premises and equipment used, the control of raw materials, the formulation of the products, product and environmental testing, tracing, and verification and evaluation of manufacturing processes.

Who should read this?

- (5) This Notice should be read by:
 - a) an operator of an RMP that covers the manufacturer relevant product:

- b) dairy processors who manufacture relevant product:
- c) dairy processors who repack and/or relabel outer packaging of relevant product:
- d) dairy processors who store or transport the following product:
 - i) raw materials intended for relevant product; or
 - ii) relevant product; or
 - iii) any other dairy material or product produced at the manufacturer's premises.
- e) evaluators and verifiers of risk management programme (RMP) of manufacturers of relevant product.

Why is this important?

- (1) Those persons to whom this Notice applies are responsible for ensuring they meet their obligations under this Notice.
- (2) For the purposes of section 135 (1)(c) of the Animal Products Act 1999, a failure to comply with this Notice, without reasonable excuse, is an offence.

Draft

Part 1: Requirements

1.1 Application

- (1) Parts (2), (3), (4), and (5) of this Notice applies to a dairy processor operating under an RMP that manufactures the following relevant products, whether it is final product or is in the process of manufacture:
 - a) dairy-based infant formula for infants aged up to 6 months;
 - b) dairy-based follow-on formula for infants aged 6 months to 12 months;
 - c) dairy-based formulated supplementary food for children aged between 12 months to 36 months;
 - d) any dairy material or product represented as intended for use in any of those products (other than ingredients that will comprise less than 0.5% of the final product); and
- (2) Clause 7.1 applies to a dairy processor operating under RMP who repack or relabel the outer packaging of final product (in this Notice referred to as “outers”) but do not manufacture it.
- (3) Clause 7.2 applies to dairy processors who store or transport the following product:
 - a) raw materials intended for relevant product; or
 - b) relevant product; or
 - c) any other dairy material or product produced at the manufacturer’s premises.
- (4) Any requirement of this Notice that is not specifically imposed on any person (such as requirements relating to the content of RMPs) is a requirement that an operator of an RMP is required to comply with or ensure compliance with.

1.2 Definitions

- (1) In this Notice, unless the context otherwise requires:

Act means the Animal Products Act 1999

adequate means sufficient to accomplish the intended purpose

batch means a homogenous quantity of relevant product manufactured during a discrete period of time as part of one continuous process

buffer zone means the area in front of any entrance to a high hygiene area (as defined in this clause) that physically separates the high hygiene area from any non-high hygiene area

CIP means cleaning in place

contact surface means any surface that comes, or may come, into contact with relevant product or ingredients, and includes the surfaces of equipment and packaging

critical parameter means a parameter that is measured (such as of weight, time, or temperature) and is identified in an RMP as critical for the purpose of ensuring the safety, integrity, and fitness for purpose of final product, and forms part of a critical measurement as defined in the Regulations

dry area means any area where dry ingredients or dry relevant products:

- a) are or may be exposed; and
- b) will not subsequently be subject to heat treatment

equipment –

- a) means the whole or any part of a utensil, machine (including a vending machine), fitting, device, instrument, stamp, apparatus, table, article, or other thing that is used or intended for use in relation to the manufacture of relevant product; and

- b) includes a utensil or machine that is used or intended for use in cleaning or sanitising equipment or facilities

final product means relevant product, whether packaged or not, in the form in which it is intended to leave the premises

follow-on formula means an infant formula product represented as either a breast milk substitute or replacement for infant formula and which constitutes the principal liquid source of nourishment in a progressively diversified diet for infants aged from 6 months

formulated supplementary food means a food specifically designed as a supplement to a normal diet to address situations where intakes of energy and nutrients may not be adequate to meet an individual's requirements

formulated supplementary food for young children means a formulated supplementary food for children aged between 12 months to 36 months

heat treated means being subject to a validated, **defined** heat treatment at least equivalent to pasteurisation

high hygiene area means any of the following areas where relevant product is manufactured:

- a) dry areas (as defined in this clause):
- b) wet areas where relevant product that will not be subject to heat treatment is exposed:
- c) any other area where raw materials that will not be subject to heat treatment are exposed:
- d) any other area that the manufacturer designates in the RMP as a high hygiene area for the purpose of this Notice

infant formula means an infant formula product represented as a breast milk substitute for infants and which satisfies the nutritional requirements of infants aged up to 4 months to 6 months

infant formula product means a product based on milk or other edible food constituents of milk origin which is nutritionally adequate to serve as the principal liquid source of nourishment for infants, and includes infant formula and follow-on formula

manufacture means the process of converting dairy material or dairy product into relevant product, and –

- a) includes all associated activities such as the following:
 - i) receiving raw materials:
 - ii) cleaning and maintaining equipment used during processing:
 - iii) packing, storing, and applying labels to final product
- b) does not include –
 - i) harvesting, filtering, cooling or storing raw milk at a farm dairy:
 - ii) storing dairy material or dairy product where the only processing undertaken is storage and temperature control:
 - iii) the placing of packaged final product into outers

manufacturing area means:

- a) all high hygiene areas; and
- b) any other areas where raw materials (packaged or unpackaged) are exposed

MPI means the Ministry for Primary Industries

outers means a container or anything used to enclose packages of final product

package, in relation to ingredients or final product, means a container (whether a bulk container or a retail-ready container) that is in direct contact with the ingredient or final product, but not including containers that are used temporarily to hold ingredients or relevant product during manufacture

packing (as a verb) means the part of the manufacturing process that involves putting final product into a package; but does not include putting those packages into larger containers

packaging includes packages, anything used to enclose packages, and anything packed with final product (such as scoops and re-closure lids)

raw materials means:

- a) all ingredients used in the manufacture of final product:
- b) any gas or water (including steam) that comes into contact with relevant product during manufacture:
- c) any packaging intended for use in or as packages of final product

records means any written record, whether in hard copy or electronic

Regulations means the Animal Product Regulations 2022

retail-ready means final product that is packed in the package in which it is intended to be sold to consumers

RMP means a risk management programme; and in relation to a manufacturer, means the RMP that covers the premises where the manufacturer manufactures relevant product

significant amendment, in relation to an RMP, means an amendment of a type described in the section 25 of the Act

validation means the process described in Regulation 34(1) by which the operator ensures that the programme, plan or system is complete, and meets the requirements of the Act, any relevant animal product regulations and specifications and part 6 of this notice; and when implemented, will consistently achieve the required outcomes of the programme, plan or system

verifier means an MPI recognised RMP verifier

wet area means any area where milk or other liquid dairy material or product is processed.

- (2) Any term defined in the Act, the Regulations, or the Animal Products Notice: Animal Products Standards and used, but not defined, in this Notice has the same meaning as in the Act, Regulations, or the Animal Products Notice: New Zealand Animal Products Standards.

Part 2: Premises, equipment, and personnel

2.1 Application of Part

- (1) This Part applies where relevant product is not intended to undergo further heat treatment.

2.2 Areas to be identified in RMP

- (1) Every RMP must identify all of the following:
- the boundaries of the manufacturing area and any other areas used in association with the manufacture of relevant product; and
 - the boundaries of the high hygiene areas within the manufacturing area, and the function of each high hygiene area (e.g. wet areas, dry areas or buffer zones); and
 - the demarcation point between any wet area and any dry area, which must be a point at which the relevant product can reasonably be considered to be dry.

2.3 Design and construction of manufacturing areas

- (1) The manufacturing area must be laid out in a way that provides an orderly process of manufacture of final product.
- (2) There must be adequate space in manufacturing areas to enable manufacturing, cleaning, maintenance and inspection to be undertaken effectively.
- (3) All interior building surfaces (such as walls, doors, windows, floors and ceilings) in manufacturing areas must:
- be smooth (other than floors); and
 - be durable, resistant to fracture, and free from cracks, crevices and open joints, and minimising ledges; and
 - not enable dust and waste material to accumulate, including in wall cavities or under floors; and
 - not be a source of physical, chemical, or biological contamination.
- (4) The floors of all manufacturing areas must:
- be made of impervious material, which will withstand mechanical wear and damage; and
 - be crevice free and sealed and (in wet areas) sloped so that they are easily cleaned; and
 - be free-draining or dry readily.
- (5) Where services such as pipes, wiring, and ducting pass through the walls, ceilings, or floors of manufacturing areas, the gap must be sealed using appropriate materials on both the interior and exterior surfaces to prevent the entry of pests and the accumulation of dust, contaminants, and (in the case of dry areas) moisture.
- (6) Drains in manufacturing areas must be of adequate size and sanitary design, must be kept clean, and must not present a contamination risk.

2.4 High hygiene areas

- (1) The high hygiene areas within a manufacturing area are those areas where the highest level of protection from environmental contamination is necessary in order to ensure the safety and fitness for purpose of relevant products.
- (2) Each high hygiene area must be physically separated (e.g. by a wall that extends floor to ceiling or other equally effective barrier) from non-high hygiene areas, unless the manufacturer has in place a

validated procedure that is as effective as physical separation at ensuring that there is no cross-contamination into high hygiene areas.

- (3) Wet areas and dry areas must be physically separated, unless the manufacturer has in place a validated procedure that is as effective as physical separation at ensuring that there is no cross-contamination between the wet and dry areas.
- (4) Non-potable water lines passing through high hygiene areas must be checked regularly to confirm ongoing integrity.

2.5 Air pressure in high hygiene areas

- (1) High hygiene areas must be maintained under positive air pressure at all times, except as provided in clause 3.4.
- (2) Air flowing into high hygiene areas must be filtered and purified (as required) to reduce moisture, contaminants and odours to acceptable levels.
- (3) Air flow must be effectively managed in high hygiene areas and must:
 - a) provide adequate ventilation and exhaust systems as necessary; and
 - b) ensure that the systems controlling air flow are designed and constructed to minimise the risk of contamination.
- (4) Ventilation systems must be periodically checked to ensure that design pressures are being maintained within documented tolerances.
- (5) Inspection and maintenance programmes must be established to ensure air filtration is and remains effective, and that the air is appropriate to the particular high hygiene area.

2.6 Entry to high hygiene areas through buffer zone

- (1) A buffer zone must be provided that physically separates high hygiene areas from other non-high hygiene area, unless the manufacturer has in place a validated procedure that is as effective as physical separation at ensuring that there is no cross-contamination into high hygiene areas.

2.7 People entering high hygiene areas

- (1) A person may enter a high hygiene area only if he or she:
 - a) is wearing clean protective outer clothing and footwear that:
 - i) is worn only in the high hygiene area or adjacent buffer zone; and
 - ii) is identified in the RMP as appropriate for that specific high hygiene area; and
 - b) has washed, dried and sanitised his or her hands in the adjacent buffer zone, or washes, dries and sanitises them immediately on entering the high hygiene area (providing it is not a dry area).
- (2) Buffer zones allowing people into a high hygiene area must enable people to change into protective clothing and footwear before entering the high hygiene area.

2.8 Items entering or exiting high hygiene areas

- (1) All raw materials and other items (such as tools and equipment, maintenance compounds, and other chemicals) entering a high hygiene area must enter via a buffer zone.

- (2) Buffer zones allowing the entry of raw materials and other items must be set up as an airlock, UV tunnel or other arrangement that ensures that the raw materials and other items do not contaminate the environment of the high hygiene area.
- (3) If a buffer zone that controls the entry or exit of items into or out of the high hygiene area in rapid succession, and the buffer zone is not set up as an airlock, the opening into the high hygiene area must be the minimum size necessary to allow the passage of the raw materials and, when not in use, steps must be taken to protect the high hygiene area from contamination.
- (4) Buffer zones allowing the exit of items must be designed to ensure that the high hygiene area is protected from contamination.
- (5) Any other items entering a high hygiene area must be:
 - a) clean and, if practicable, sanitised before entry; and
 - b) accounted for at all times.
- (6) Gases (including steam and compressed air) used in high hygiene areas must be suitably filtered or purified to eliminate contaminants, and the RMP must set out:
 - a) procedures for the periodic confirmation that all gases are of suitable quality; and
 - b) the procedures, and records to be kept, if problems are detected.
- (7) Wood must not be used in or introduced into high hygiene areas unless:
 - a) there is no practical alternative; and
 - b) the use of wood is reviewed to confirm that it does not and will not pose a contamination risk; and
 - c) the wood is inspected to ensure it is in good condition and meets the criteria in the RMP for ensuring that high hygiene areas are protected from contamination; and
 - d) the people coming into contact with the wood have no direct contact with raw materials or relevant product; and
 - e) the procedures for handling and inspecting the wood are documented and confirmed to be effective.

2.9 Specifications for dry areas

2.9.1 Physical separation of dry areas

- (1) Each dry area within a high hygiene area must be physically separated from other parts of the high hygiene area, unless the manufacturer has in place a validated procedure that is as effective as physical separation at keeping water, moisture, dust, and other sources of potential contamination out of the dry area.

2.9.2 Air temperature

- (1) In dry areas, the air temperature must be maintained at a level that ensures that:
 - a) raw materials and relevant products are not adversely affected; and
 - b) personnel working in the area are not affected in a way (for instance, by sweating) that could adversely affect the product.
- (2) The RMP must set out the acceptable range of air temperatures for dry areas, along with the justification for those temperatures.

2.9.3 Relative humidity

- (1) In dry areas, the maximum relative humidity must not exceed:
 - a) 65%; or
 - b) a higher figure set out in the RMP.
- (2) A manufacturer may only adopt a higher alternative maximum relative humidity if:

- a) the higher relative humidity level is unavoidable; and
- b) a validation process has confirmed that the higher level will not adversely affect the final product.

2.9.4 Deviations from air temperature or humidity requirements

- (1) The RMP must set out the steps to be taken if the air temperatures or relative humidity deviate from the levels specified in this Notice or the RMP.
- (2) Relevant product that is in process when the air temperature or relative humidity deviates from the specified levels may still be treated as conforming product if:
 - a) an investigation by the manufacturer confirms that the product has not been affected by the deviation; and
 - b) the manufacturer took the steps described in the RMP as soon as practicable; and
 - c) a record of the steps taken is kept.

2.9.5 Cleaning

- (1) In dry processing areas, water and liquid cleaning solutions (including alcohol) are not to be used unless:
 - a) the area ceases production to permit full cleaning, sanitising, and drying; or
 - b) there is no valid alternative, and the solution is securely sealed when not in use, and the use is documented.

2.9.6 People entering dry areas

- (1) Before a person enters a dry area from any place that is not another dry area, the person must change, in a buffer zone, into outer clothing specifically provided for use in dry areas.

2.10 Construction of CIP systems

- (1) Every CIP system must be constructed and operated in such a way that CIP solutions, materials and/or substances cannot intermix with raw materials and relevant product.

2.11 Personnel

- (1) A dairy processor must ensure that there are enough people who have the necessary qualifications and practical experience to ensure that the responsibilities and duties placed on any one individual do not compromise the manufacturing process or the final product.
- (2) A dairy processor must:
 - a) have an organisation chart; and
 - b) have job descriptions for any personnel with responsibilities relating to the RMP; and
 - c) have and maintain training procedures and records; and
 - d) ensure that personnel who work in high hygiene areas have additional training on the specific contamination risks in high hygiene areas.

2.12 Equipment

- (1) Equipment in manufacturing areas must be used only for its intended purpose.
- (2) Subject to clause 2.12 (3) and 2.12 (4), equipment that is used to manufacture a product that is not intended for human consumption must not be used in the manufacture of relevant product.
- (3) Clause 2.12 (4) applies to equipment that is used to manufacture a product that is not relevant product or dairy material, but is either:

- a) intended for human consumption; or
 - b) not intended for human consumption but meets human consumption standards.
- (4) Equipment of the kind referred to in clause 2.12 (3) may be used at the premises in the manufacture of relevant product only if the dairy processor has and complies with, a validated procedure for cleaning and sanitising the equipment before it is used to manufacture the relevant product.
- (5) All equipment in the manufacturing area must be designed and fabricated using materials that allow for regular cleaning, sanitising and maintenance of both the internal and external equipment surfaces.
- (6) The following surfaces of equipment in the manufacturing area must be made of materials that will not adversely affect final relevant product:
- a) contact surfaces:
 - b) any other surface that comes into contact with any water, steam, gas, or cleaning solution that comes, or may come, into contact with relevant product or ingredients.

Draft

Part 3: Cleaning and maintenance

3.1 Cleaning programme set out in RMP

- (1) Every **dairy processor** must have a cleaning programme that ensures that premises and equipment are cleaned and maintained to a standard appropriate for the nature of the processes undertaken at the premises.
- (2) The cleaning programme must identify:
 - a) the equipment and places to be cleaned; and
 - b) the frequency for each type of cleaning, sanitising or maintenance activity including CIP, clean out of place and manual cleaning; and
 - c) the cleaning cycle (for example, rinse-alkali-rinse-acid-drain) for equipment; and
 - d) the maintenance compounds used to clean, sanitise and maintain, along with the permissible range of chemical strengths and the means by which the strength is confirmed (for example, conductivity sensors); and
 - e) the equipment required to be manually cleaned or cleaned out of place; and
 - f) the equipment and areas to be dry cleaned, and the cleaning procedures and materials to be used; and
 - g) which cleaning, sanitising and maintenance items are permitted in the manufacturing area; and
 - h) how maintenance may or must be undertaken; and
 - i) which process lines must be cleared between batches when dried powders are processed, the means by which the effectiveness will be confirmed.
- (3) The cleaning programme must ensure that:
 - a) manufacture in a dry area can only commence once the area and the equipment in it are confirmed to be dry; and
 - b) cleaning and maintenance items are labelled and stored correctly; and
 - c) where equipment is used to produce successive batches of the same relevant product, the equipment is cleaned sufficiently often to ensure that there will be no degradation of material or accumulation of material (such as fat, protein or biofilms) on or in the equipment; and
 - d) the cleaning process will restore the environment and all equipment to the required hygienic state, without adversely affecting adjacent areas; and
 - e) equipment in high hygiene areas that is not in routine use is maintained in an adequate hygienic state that prevents contamination of the environment, equipment and relevant product in the high hygiene area; and
 - f) records of all cleaning, sanitising and maintenance undertaken show (as appropriate) the date, time, equipment, cleaning circuit, and the person who performed or initiated the cleaning.
- (4) The cleaning programme must be validated in accordance with Part 6 of this Notice.

3.2 Specifications for CIP systems

- (1) The cleaning programme must:
 - a) describe the performance characteristics of the CIP system; and
 - b) set out how the dairy processor determines whether the CIP system is functioning as intended.
- (2) Dry compounds used in a CIP system for cleaning or flushing must:
 - a) be food grade; and
 - b) be subject to periodic checks at a frequency specified in the cleaning programme, to ensure the compounds do not become a source of contamination.

3.3 Monitoring effectiveness of cleaning

- (1) The RMP must set out:
 - a) how often cleaning effectiveness under routine processing conditions is monitored; and
 - b) the steps to be taken when the measurement of critical parameters relating to cleaning are not complied with.
- (2) Routine checking of cleaning effectiveness is to be directed to areas or points in the process where contamination or inadequate cleaning is more likely to occur.

3.4 Maintenance in high hygiene areas

- (1) Maintenance within a high hygiene area must be undertaken only in accordance with procedures set out in the RMP, and those procedures must ensure:
 - a) that the entry of maintenance items into high hygiene areas is controlled so that the entry of foreign matter and pathogens, and (in dry areas) moisture, is minimised (by, for example, cleaning and sanitising the items); and
 - b) that steps are taken to minimise dust being generated within high hygiene areas; and
 - c) that all maintenance items taken into high hygiene areas during maintenance are accounted for after the work is completed; and
 - d) if normal air pressure and air flow requirements cannot be maintained during the maintenance work, that after the work is complete the air pressure and air flow requirements are re-established and checked before manufacture recommences; and
 - e) that records of all maintenance work are kept.

3.5 Environmental pathogen monitoring plan

- (1) The environmental pathogen monitoring plan required to be kept under clause DM3 of the Animal Products Notice: Animal Products Standards, must be designed to provide early warning that microbial contamination in the premises has occurred and that exposed relevant product is at risk of contamination unless corrective actions are taken immediately to remedy the situation.
- (2) For high hygiene areas where infant formula, or relevant product intended for infant formula (i.e. product intended for infants aged up to 6 months) is or may at any time be processed, the environmental pathogen monitoring plan must require ongoing monitoring for *Cronobacter* spp, directly or Enterobacteriaceae as an indicator for *Cronobacter*, regardless of whether that product is being manufactured at the time.
- (3) In the event that Enterobacteriaceae is used as an indicator for *Cronobacter* and an unfavourable result is identified, the operator must take action as specified in the environmental pathogen monitoring plan. This must include testing directly for *Cronobacter* in place of Enterobacteriaceae.
- (4) The environmental pathogen monitoring plan must provide for the monitoring of:
 - a) air quality (by using, for instance, exposure plates for relevant hygiene indicators); and
 - b) product contact surfaces and non-contact surfaces (by, for instance, taking swabs, dust samples and powder residue samples from a selection of different surfaces (both contact and non-contact) throughout the whole area at different times).
- (5) Any sampling procedures set out in an environmental pathogen monitoring plan must avoid bias, such as in the timing of sampling.

3.6 Maintenance compounds and other chemicals

- (1) All maintenance compounds used anywhere within the boundaries of the premises covered by the dairy processor's RMP must:
 - a) have been approved by the Director-General for the specific use; or
 - b) have been assessed by the dairy processor as:
 - i) suitable for its intended use; and
 - ii) not likely to adversely affect or contaminate the relevant product; and
 - iii) not likely to accelerate the deterioration of the processing equipment or components.
- (2) Dairy processors must keep records of all maintenance compounds used.
- (3) No unlabelled chemicals and solutions, including water in a container, may be present in manufacturing areas.
- (4) In Addition to Clause PES9 (2)(b) in the Animal Products Notice: Animal Products Standards, all maintenance compounds and other chemicals in a manufacturing area must be clearly labelled with a label that shows:
 - a) the identity of the compound; and
 - b) its intended use; and
 - c) any relevant expiry date; and
 - d) any warnings provided on or with the maintenance compounds or other chemical (except that, if it is impractical to include the warning on the label, the warning may instead be set out in a clearly visible form at the place where the maintenance compound or other chemical is stored).
- (5) Other chemicals may be used within a manufacturing area only in accordance with procedures set out in the RMP, and must be stored at locations identified in the RMP when not in use.
- (6) Containers of maintenance compounds or other chemicals that are suitable for re-use may be reused only to store the same compound or chemical.
- (7) In this clause, "other chemicals" includes any compound that is not an ingredient or maintenance compound, but that is used in connection with the manufacture of relevant product (such as the ink used on packages).

3.7 Pest management

- (1) Premises must be operated in a manner that protects them from the entry of pests.
- (2) The RMP must set out a schedule of inspection for pest activity and the required response to findings of pests or evidence of pests.
- (3) If pest control stations are used, dairy processors must:
 - a) comply with procedures that ensure that pests are removed from pest control stations at a frequency appropriate to the target pest; and
 - b) keep a record of observations relating to pest incursions.

3.8 Waste

- (1) Wastes must be removed from high hygiene areas regularly, and until removal, must be suitably contained and clearly labelled.

3.9 Protection from intentional adulteration

- (1) Every **dairy processor** must ensure that the RMP includes a plan for the protection of relevant product from contamination through intentional adulteration.

3.10 Safeguards against presence of foreign matter

- (1) Every RMP must describe how the **dairy processor** safeguards final product from the presence of foreign material during manufacture, and the measures taken to test for the presence of foreign material (such as, using sifters or filters, inline magnets, metal detectors, or x-ray).
- (2) If a **dairy processor** uses test pieces to test whether the safeguards are effective:
 - a) the test pieces must be clearly labelled and controlled to ensure they do not end up in final product; and
 - b) the size of the test pieces must be recorded; and
 - c) when validating equipment performance, any test pieces used must be located at the point where they will be most difficult to detect.
- (3) If foreign material is found in relevant product during manufacture then corrective action must be taken and the frequency of production testing must be reviewed.

3.11 Calibration

- (1) RMPs must:
 - a) identify which equipment is used to measure critical parameters; and
 - b) include the procedures and a schedule for calibrating all equipment used to measure critical parameters.
- (2) **Dairy processors** must maintain records of all required calibrations.
- (3) The calibration status of equipment used to measure critical parameters must be clearly indicated and verifiable.
- (4) **Dairy processors** must not use equipment to measure critical parameters if the equipment does not meet calibration criteria or does not have current calibrations.
- (5) If critical parameters are found to have been measured using equipment that does not have a current calibration, the **dairy processor** must:
 - a) investigate the matter; and
 - b) raise an exception report in accordance with RMP procedures.

3.12 Response to failures

- (1) Any failure to apply effective cleaning as required by the RMP is a non-compliance and must be recorded, investigated, and remedied as soon as possible.
- (2) Any failure to apply effective cleaning that results in, or may result in, relevant product being adversely affected must be raised as an exception report, and records of all other such failures must be retained by the dairy processor.
- (3) Any ingredient or relevant product of which the fitness for its intended purpose may have been adversely affected by a failure to clean effectively must be identified and managed as non-conforming product, unless or until the verifier confirms that the ingredient or product is unaffected.

- (4) If a relevant product may have been affected by a failure to comply with the requirements for measuring critical parameters, the product must be treated as non-conforming product, unless or until the verifier confirms that the product is unaffected.

Draft

Part 4: Raw materials and formulation

4.1 Procurement of raw materials

- (1) Every dairy processor must:
 - a) set out in the RMP the acceptance criteria to be used in the selection of raw material and raw material suppliers; and
 - b) ensure that records are kept of accepted raw material suppliers, the raw materials supplied, and the manner in which the suitability of each supplier was confirmed; and
 - c) ensure that procurement records are kept for each raw material, showing the intended use of the material and its critical specifications.
- (2) Dairy processors must review any reports from accredited laboratories, certificates of analysis, and declarations from dairy processors or suppliers of raw materials to assess the suitability of raw materials.
- (3) Any certificates of analysis, supplier declarations or assurances, or any other documented safeguards used by suppliers to confirm that raw materials meet requirements must be retained by the dairy processor to support the dairy processor's determination of suitability.
- (4) Dairy processors must ensure that suppliers of raw materials only supply raw materials that are and remain suitable for further processing, and for this purpose they must carry out audits, review of third party audits, reviews of equivalent endorsements, or any other appropriate process that provides an equivalent level of confidence.
- (5) If a supplier fails to meet the dairy processor's acceptance criteria for raw material supplied, the dairy processor:
 - a) must raise the issue with the supplier and record the outcome; and
 - b) if the acceptance criteria continue not to be met, must remove the supplier from the list of accepted raw material suppliers.
- (6) If a supplier is not the person who manufactured the raw material, the dairy processor must be satisfied that:
 - a) they know who the original dairy processor of the raw material is; or
 - b) they are satisfied the supplier has reliable and robust systems in place to ensure raw material integrity.

4.2 Raw material acceptance

- (1) Every RMP must set out the procedures for checking that:
 - a) raw materials are only accepted from suppliers on the list of accepted raw material suppliers referred to in clause 4.1(1) b); and
 - b) the integrity of the consignment and outer packaging has not been compromised; and
 - c) all raw materials used for relevant product meet the dairy processor's acceptance criteria and are fit for purpose.
- (2) Dairy material and product intended for inclusion in relevant product must either be:
 - a) conforming dairy material or product; or
 - b) dairy material or product for which consent has been obtained from the Director-General the Animal Products Notice: Disposal of Non-conforming Dairy Material or Dairy Product for the intended use, and all specified conditions have been met.
- (3) If a raw material is received from a supplier with any problem (such as have the potential to cause contamination, or misrepresented raw material), it must be reported to the verifier without delay if:

- a) the raw material was to be used in relevant product, the relevant product would be non-conforming; and
 - b) the problem with the raw material could reasonably be expected to affect other dairy processors receiving the product.
- (4) **Dairy processors** must:
- a) identify in the RMP which testing of raw materials they will undertake, and when tests will be done; and
 - b) regularly compare their own test results with any supplier statements concerning the raw materials.
- (5) Underweight or overweight relevant product, and start of run relevant product, may be treated as conforming material if it is managed in accordance with a process set out in the RMP.

4.3 Milk and other liquid dairy material

- (1) Immediately before heat treatment, raw milk used to manufacture relevant product must be no older than:
- a) the age specified and validated in the RMP; or
 - b) if no age is specified, 72 hours.
- (2) **Dairy processors** must ensure that process hygiene tests, as defined in the RMP, are applied to raw milk at the start of manufacture.
- (3) The RMP must specify for the tests:
- a) the point of sampling; and
 - b) the frequency of sampling; and
 - c) the accepted tolerances; and
 - d) any corrective actions to be taken if acceptable tolerances are exceeded.
- (4) Every RMP must set out procedures and criteria (such as time and temperature) for the storage and transport of milk and other liquid dairy material, to ensure it is not contaminated and does not deteriorate.

4.4 Raw materials at the premises

- (1) The RMP must set out procedures to ensure that:
- a) any ingredient that is not to be heat treated meets the microbiological limits that apply to the relevant product in which it is used, unless the RMP specifies an alternative microbial limit for that ingredient; and
 - b) critical nutrients are of known composition, homogeneity and stability so that they will be present at the correct level in the packaged product.

4.5 Storage and unpacking of raw materials

- (1) Raw materials used to manufacture relevant product must be:
- a) clearly identifiable at all times; and
 - b) stored away from things that are poisonous, harmful, odorous, volatile, corrosive, offensive or that might otherwise adversely affect the raw material or its packaging; and
 - c) stored in a place and manner that protects the raw material from contamination and deterioration; and
 - d) stored in a place and manner that protects the packaging of raw material from damage and deterioration; and

- e) adequately spaced so as to permit inspection during storage.
- (2) Raw materials must not be stored in buffer zones, but may be kept in buffer zones temporarily pending use.
- (3) The removal of outer packaging, and the decontamination of raw materials, must occur before the raw materials enter a high hygiene area, unless an alternative validated procedure for bringing specific raw materials into a high hygiene area is set out in the RMP.
- (4) As far as practicable, the following must be stored apart from each other, in a manner that minimises the risk of cross-contamination and ensures that one thing is not mistaken for another:
 - a) packaging materials:
 - b) bulk dairy material:
 - c) ingredients in concentrated form:
 - d) maintenance compounds:
 - e) chemicals not for use as ingredients.

4.6 Ingredient shelf life

- (1) For each ingredient, the **dairy processor** must know and record:
 - a) its shelf life while in its package; and
 - b) its shelf life once its package is open (i.e. the shelf life of the unpackaged ingredient).
- (2) If a final product has a shelf life that takes it beyond the shelf life of an ingredient (as at the time it is incorporated), the **dairy processor** must document the justification for the shelf life applied to the product.

4.7 Ingredient management

- (1) Ingredients that will not undergo any subsequent pathogen heat treatment may be dispensed only in a high hygiene area.
- (2) Raw materials must be weighed, measured, and used under conditions that do not adversely affect their suitability for use.
- (3) Measuring or subdividing operations that are identified in the RMP as critical must be witnessed or subject to an equivalent form of independent confirmation (such as electronic data logging).
- (4) If an ingredient is subdivided for later use, the container holding the ingredient must be suitable and be identified in a manner that enables the following information to be readily determined:
 - a) ingredient name and/or item code:
 - b) ingredient batch identifier and expiry date (if any):
 - c) actual or estimated weight or measure of ingredient remaining.

4.8 Disposal of unused raw materials

- (1) Any raw material that does not meet its acceptance criteria or is otherwise unwanted must be identified and stored in a manner that prevents its inadvertent use.
- (2) All dairy material or product that is non-conforming or is intended to be redirected to another process must be clearly identified and removed from high hygiene areas as soon as practicable.
- (3) **Dairy processors** must keep records of the following for all raw materials that were intended for use in relevant product but are unused (whether because they do not comply with their acceptance criteria, or are unsafe, or for any other reason):

- a) the name of the material:
 - b) the supplier of the material:
 - c) the batch identifier of the material:
 - d) the date on which the material was received at the premises:
 - e) the quantity of material received at the premises on that date:
 - f) the quantity of unused material:
 - g) the reason why the material is unused.
- (4) **Dairy processors** must retain control of unused pre-printed packaging through to the point of destruction, unless the packaging is returned to its supplier.

4.9 Formulation

- (1) The **dairy processor** of relevant product is responsible for:
- a) determining that each relevant product manufactured at the premises is fit for its intended purpose; and
 - b) ensuring that the formulation of each relevant product is suitable and uses only ingredients that meet the dairy processor's acceptance criteria identified in clause 4.1(1); and
 - c) ensuring that the following are confirmed by a suitably qualified person as fit for purpose:
 - i) the product formulation for each relevant product:
 - ii) labelling of any retail-ready product:
 - iii) the market conformance of all relevant products, including in relation to their formulation, ingredients, packaging, labelling and any codings or markings.
- (2) In considering the suitability of a formulation, **dairy processors** must take into account:
- a) the ingredients used; and
 - b) the process, packaging, and packing method, as they relate to shelf life and stability.
- (3) The **dairy processor** must keep a record of:
- a) the attributes of each relevant product that are critical to food safety, suitability, and regulatory conformance; and
 - b) any tolerance limits applying to those critical attributes that can be applied when doing routine monitoring; and
 - c) who provided advice or opinion, and their qualifications, skills and experience, to the dairy processor when the dairy processor was doing the things referred to in clause 4.9(1); and
 - d) how product suitability and stability is confirmed.

4.10 Records of formulations of final product

- (1) Every **dairy processor** must maintain a history of each final product produced at the dairy processor's premises, by keeping up-to-date records of the following:
- a) the name or product code of the product:
 - b) the intended age range, market, and packaging type or types:
 - c) the formulation recipe and packaged product composition:
 - d) the tolerance limits for essential nutrients:
 - e) the specifications for any formulated ingredients (such as base powders and blended ingredients):
 - f) the processing and packaging method (including, for instance, any use of gases):
 - g) the label.
- (2) The records must be able to be collated so that they can show the full history of the product, including the date on which changes are made to any of the matters listed above.

4.11 Shelf life of final product

- (1) The shelf life must be validated for:
 - a) each final product, in each form of packaging in which it leaves the premises; or
 - b) a representative of each group of final products, in which case the dairy processor must document why the products are treated as a group and the justification for selecting that product as representative of the group for the purposes of establishing shelf life.
- (2) The shelf life of a packaged final product may be longer than the shelf life of an ingredient of the product if:
 - a) a study, or information obtained from the dairy processor of the ingredient, confirms that the final product will be unaffected, during the whole of its shelf-life, by the incorporation of the ingredient; and
 - b) the dairy processor keeps a record of the study or information.
- (3) Subject to the Standard 1.2.1 of the Australia New Zealand Food Standards Code, the date mark shown on final product that has been packed may be altered (other than to correct an error) only if:
 - a) the dairy processor's RMP includes procedures for altering the date mark of final product; and
 - b) the alteration is done by the dairy processor in accordance with those procedures before the product leaves the dairy processor's control.
- (4) The dairy processor must monitor each relevant product, or representative of a group of relevant products, over its shelf life and check whether the product remains within specifications under the labelled storage conditions for the duration of its shelf life.

Draft

Part 5: Manufacture

5.1 During manufacture

- (1) During the manufacture of relevant product, all exposed ingredients and relevant product, and all contact surfaces, must be protected from contamination.
- (2) Contact between people and ingredients, relevant products, and contact surfaces must be minimised.

5.2 Wet processing

- (1) In wet processing (i.e. when constituents of the relevant product are processed in a liquid phase), ingredients must be added either:
 - a) before pasteurisation and before the filter controlling pasteurisation particle size; or
 - b) at a point beyond the heat treatment holding tubes.

5.3 Keeping processing records

- (1) **Dairy processors** must have procedures to ensure that the following records are kept for each batch of relevant product:
 - a) the name or product code of the relevant product manufactured;
 - b) dates and times of the start, end, and any suspension of manufacture, and any significant intermediate stages;
 - c) the identity of the responsible process operator or operators at each significant stage of the process and, where applicable, the identity of any person cross-checking actions or **measuring critical parameters**;
 - d) the batch identifier or analytical control identifier of each batch of relevant product manufactured, as well as the quantity of each raw material actually measured and the amount of any recovered or reprocessed material added;
 - e) the processing activity as described in the RMP and (for traceability purposes) the processing lines used;
 - f) a record of the in-process controls, the initials of any person carrying them out, and the results obtained;
 - g) for a dry mix process (i.e. when constituents of the relevant product are combined in a dry state), a mass balance check obtained at specific points identified in the RMP; and
 - h) notes on any processing problems, with a signed authorisation for any deviation from the manufacturing formula and processing instructions.

5.4 Sampling and testing **plan**

- (1) The RMP must contain a sampling and testing **plan** that covers all relevant matters including:
 - a) raw material acceptance;
 - b) in-process monitoring.
- (2) The sampling and testing **plan** must:
 - a) specify what must be tested, and at what frequency; and
 - b) set out the frequency that each parameter is scheduled to be tested; and
 - c) differentiate between process hygiene and product conformance testing; and
 - d) set out the response to unfavourable results or trends which, in addressing clause DA12(1)(e) of the Animal Products Notice: Animal Products Standards, must include:

- i) increased investigational sampling and other monitoring activities; and
 - ii) appropriate corrective and preventative actions and procedures; and reporting requirements.
- (3) In addition, the following must be tested as set out in the sampling and testing **plan**:
 - a) raw materials:
 - b) *Salmonella* testing of dried products and environmental samples taken from high hygiene areas:
 - c) *Cronobacter* spp testing of packaged infant formula:
 - d) *Cronobacter* spp testing of environmental samples taken from high hygiene areas in which infant formula is at any time intended to be manufactured (except as provided in clause 3.5(1)).
- (4) The sampling and testing **plan** must be designed taking the following into consideration:
 - a) microbiological parameters and pathogens relevant to the nature of the relevant product and the processing methods:
 - b) chemical residues and contaminants:
 - c) compositional parameters, including:
 - i) nominated nutrients to be used to confirm batch conformity; and
 - ii) confirmation of batch homogeneity:
 - d) foreign matter that may be objectionable or reflect unacceptable processing conditions:
 - e) intentional adulterants.
- (5) The sampling and testing **plan** must be designed to ensure that essential macro and micro nutrients will be present in every packaged item of final product.
- (6) The sampling and testing **plan** must include a system for recording and reporting laboratory results in a way that allows for easy review of the results, for example, trend analysis.

5.5 Testing of samples

- (1) Analysis of dairy material, dairy product, and samples from the manufacturing environment for any of the following purposes must be undertaken in a laboratory in accordance with this clause:
 - a) food safety:
 - b) product conformance:
 - c) wholesomeness:
 - d) standard of identity:
 - e) RMP compliance, including with the environmental monitoring programme:
 - f) to satisfy relevant Overseas Market Access Requirements (OMAR).
- (2) Testing must be undertaken in a laboratory:
 - a) recognised by MPI under the Animal Products Act 1999; and
 - b) using test methods covered under the laboratory's ISO17025 scope of accreditation; and
 - c) where required, use any method specified under the Act.
- (3) However, testing does not have to be done as required by clause 5.5(2) if that testing is not commercially available within New Zealand, provided the overseas laboratory uses test methods covered by its scope of accreditation under ISO17025.

5.6 Retention samples

- (1) Samples must be collected from each batch of retail-ready product as follows:
 - a) a minimum of three 200 g samples must be collected per batch each day (and if the batch extends beyond a 24-hour period, then one sample must be collected during each additional 8-hour period in which any processing occurs):

- b) the samples collected must include one sample collected at each of the following points:
 - i) the start of the batch:
 - ii) the middle of the batch:
 - iii) the end of the batch.
- (2) Samples collected under clause 5.6(1) must be retained for the shelf life of the relevant product, unless the verifier approves earlier release.

5.7 Non-conforming batches

- (1) A batch of relevant product is non-conforming if any of the following apply:
 - a) the batch fails to meet the product homogeneity requirements documented in the RMP:
 - b) any sample taken from the batch:
 - i) fails to meet regulatory requirements for composition; or
 - ii) fails to meet applicable chemical contaminant or residue limits; or
 - iii) fails to meet applicable microbiological criteria; or
 - iv) is not wholesome:
 - c) the batch is in retail-ready packaging and one or more of the packages at the point when the package leaves the control of the manufacturers' RMP:
 - i) is not adequately sealed; or
 - ii) does not provide protection from contamination; or
 - iii) does not provide the intended internal atmosphere; or
 - iv) contains unacceptable foreign matter, objectionable material or adulterants:
 - d) the batch has been manufactured using ingredients that are not permitted, are non-conforming, or are otherwise unsuitable:
 - e) the batch has otherwise not been manufactured or packed in accordance with the RMP.

5.8 Packaging used for retail-ready product

- (1) Retail-ready relevant product must be sealed in its packaging.
- (2) The packaging used must:
 - a) be appropriate for the pack size; and
 - b) be waterproof; and
 - c) protect the product from contamination; and
 - d) not easily break or tear under expected handling conditions.
- (3) For dry relevant product, the residual oxygen within the retail-ready package must be:
 - a) at or below the level specified in the RMP; and
 - b) consistent with the level specified when establishing shelf life; and
 - c) monitored at a frequency specified in the RMP to confirm conformance with the RMP.
- (4) Any packaging that forms part of the final product and is likely to come into contact with the contents of the package at some time (such as lids or measuring aids) may only be incorporated into the package while in a high hygiene area, unless the manufacturer has in place a validated procedure that confirms that the packaging will be free from contamination if it is incorporated while in a non-high hygiene area.
- (5) The RMP must include procedures for:
 - a) ensuring that the correct product is contained in any labelled retail-ready product, and the procedures must include record-keeping requirements; and
 - b) confirming the integrity of the seal on retail-ready product, through routine inspection and testing at minimum frequencies specified in the RMP; and

- c) confirming the compositional conformance of retail-ready product, including the marker compounds to be monitored.

5.9 Disposal of retail-ready product that is not for human consumption

- (1) RMPs must include procedures to ensure that:
 - a) Retail-ready product that is redirected to animal consumption is managed in such a way that it cannot re-enter the human food chain; and
 - b) Retail-ready product that is redirected to destruction remains under the control of the manufacturer through to the point of destruction, and that appropriate evidence is retained.

5.10 Tracing forward and back

- (2) For the purpose of Regulation 104 of the Animal Products Regulations 2022 the traceability procedures must allow for the traceability of inputs from the supplier to the dairy processor.
- (1) Dairy processors must ensure that full traceability is maintained by keeping records showing:
 - a) where raw materials come from; and
 - b) what happens to the raw material (for instance, whether it is used in a product, is rejected, or becomes waste); and
 - c) what happens to anything that the raw material is used in (such as final product or waste) when it leaves the premises.
- (2) Dairy processors must be able to trace both forward and back, that is:
 - a) forward, from the receipt of particular raw material through to anything that contains or may contain that raw material; and
 - b) back, from any package of final product back to the raw materials used in or associated with its manufacture.
- (3) Traceability must be maintained on the basis of one step forward and one step back, which involves recording:
 - a) what the raw material is; and
 - b) who supplied it; and
 - c) when it was received at the premises; and
 - d) what products it went into, or how it was disposed of; and
 - e) when that product or disposed material left the premises; and
 - f) where, or to whom, the product was dispatched.
- (4) If any dairy material or product that is not relevant product leaves the dairy processor's control, the dairy processor must keep a record of what went, where it went, and when.
- (5) Records that support the tracing of raw materials, products, and waste must be readily available at all times, to facilitate rapid tracing.

5.11 Tracing exercises

- (1) Dairy processors must complete at least 2 tracing exercises each year, based on a nominal raw material intended for relevant product that has been determined to be non-conforming for food safety or suitability reasons.
- (2) The exercises must include at least 1 forward-tracing exercise and 1 trace-back exercise.

- (3) Records of the tracing and recall exercise must be kept and must include the time taken from the initiation of the exercise until all affected product is identified and the manufacturer would be able to effect a recall of affected product.
- (4) Records must be kept for the trace-back exercise, including the time taken from the initiation of the exercise until the time when all raw materials used to manufacture the product have been identified.
- (5) If a forward tracing or trace-back exercise takes longer than 48 hours, the **dairy processor** must:
 - a) investigate and implement remedial actions to reduce the time taken for future tracing exercises; and
 - b) record the outcome of the investigation and the subsequent remedial actions; and
 - c) inform the verifier at the next on-site verification of the actual time the tracing exercise took.

5.12 Recall procedures

- (1) Every RMP must include procedures that ensure that:
 - a) outline the actions to be taken in the event of a recall; and
 - b) that all reporting obligations are met.
- (2) **Dairy processors** must complete a mock recall exercise at least once annually.
- (3) During any recall, **dairy processors** must ensure that:
 - a) all reporting obligations are met; and
 - b) all recipients of affected product are notified; and
 - c) if the recall is for product within New Zealand, the requirements for recall under the Food Act 2014 are met.

5.13 Complaints to dairy processor

- (1) A **dairy processor** must keep a record of all complaints made to the **dairy processor** concerning any final product provided by the **dairy processor**.
- (2) The **dairy processor** must investigate and document all complaints that the **dairy processor** considers are valid, and must record the observations made during the investigation and any corrective and preventative actions taken.
- (3) If an investigation identifies a failure by the **dairy processor** to comply with the RMP or any regulatory requirements, the failure must be notified to the verifier in an exception report.

Part 6: Validation

6.1 Application

(1) This Part applies to:

- a) an operator of an RMP that covers the manufacture of relevant product; and
- b) a dairy processor operating under an RMP who manufactures relevant product.

6.2 Validation to be undertaken

(1) A dairy processor must validate:

- a) the processing activities covered by the RMP, to ensure that the facilities, processes, product formulation, supporting systems, and procedures are fit for the intended purpose.
- b) the activities that contribute to, or may adversely affect, the fitness for purpose of any relevant product manufactured by the manufacturer.

(2) In particular, the following must be validated:

- a) the procedures for changing from manufacturing one product to manufacturing another:
- b) procedures to ensuring that items entering high hygiene area are in an adequately hygienic state:
- c) cleaning procedures:
- d) procedures for sampling, and sample handling procedures, when testing raw materials and relevant product:
- e) environmental monitoring:
- f) the effectiveness of the blending process, and how to ensure that it will result in homogeneity within a specified range across each batch of relevant product:
- g) the shelf life of ingredients before incorporation into relevant product, and the shelf-life of the final product:
- h) packing processes:
- i) drying times following wet cleaning of dry areas.

6.3 Validation protocol where pre-manufacture validation not possible

(1) A validation protocol must set out:

- a) what is to be validated (for example, a process, procedure, or measuring critical parameters); and
- b) the outcomes intended to be achieved by that thing; and
- c) how the manufacturer intends to validate whether the thing achieves the required outcomes; and
- d) why, or on what basis, the manufacturer chose that method of validation; and
- e) the intended use of product manufactured during the validation activities.

6.4 Validation report

(1) On completion of a validation (whether done before or after manufacturing starts), a validation report must be prepared that includes the following:

- a) what was validated:
- b) what relevant products it relates to:
- c) the outcomes required from the thing that was validated:
- d) the competencies of the persons undertaking the validation:

- e) for any critical process parameter, the acceptable tolerance range and how it was established:
- f) the findings, including any test results:
- g) any deficiencies or deviations identified, along with any proposed amendments and revalidation:
- h) the conclusions of the study.

6.5 Review of validation

- (1) Anything that has been validated must be periodically reviewed, at a frequency specified in the RMP, to confirm that it is still achieving the required outcomes in accordance with its original validation.
- (2) If significant amendments to the RMP may affect relevant product, anything that has been validated that might change as a result of the amendments must be revalidated.
- (3) Validated processes, procedures, and the **measurement of critical parameters** must also be reviewed following minor changes, such as like-for-like replacement of equipment components, to confirm that they are still operating in accordance with their validation.
- (4) For the purposes of (2), revalidation is not required if changes to a process, procedure, or **measurement of a critical parameter** are not significant and a review confirms that the resulting relevant product still meets its specifications.

6.6 Validation of cleaning programme

- (1) The validation of cleaning programmes set out in Part 3 must confirm the effectiveness of the cleaning regime set out in the programme, and must consider:
 - a) all raw materials and relevant products that may be processed; and
 - b) the most difficult parts of the equipment to be cleaned.
- (2) The validation report following validation of any cleaning procedures must describe or reference all the following:
 - a) the equipment or area cleaned:
 - b) the cleaning regime followed, including working solution strengths, temperatures, and flow rates:
 - c) the procedures for CIP and any cleaning out of place:
 - d) the parameters monitored to confirm complete cleaning, such as conductivity, level or proximity sensors, and solution strengths at the completion of cleaning:
 - e) visual and sensory assessments undertaken:
 - f) the methods used to confirm cleaning effectiveness, including the type of samples taken, the analytical testing undertaken, and the results:
 - g) where appropriate, confirmation that cleaning compounds are effectively removed from contact surfaces.
- (3) For manufacturing equipment that is routinely subject to a dry clean only, the volume of powders retained within the processing equipment must be quantified for each type of clean, along with the quantity of flush material required to remove previously retained material.
- (4) Cleaning programmes must be revalidated if any changes are made that mean that the existing validation can no longer be relied on.

Part 7: Miscellaneous provisions

7.1 Repacking and relabelling outers

- (1) A dairy processor who, at somewhere other than the original manufacturer's premises, relabels the outers of final products or repacks final products into new outers:
 - a) must record the original place of manufacture of the product; and
 - b) keep all other records necessary to ensure full traceability.

7.2 Transport and storage

- (1) A dairy processor must ensure that milk, bulk liquid dairy material, and other bulk liquid that is, or is intended for use in, a relevant product must be transported only in tanks, vessels or containers that:
 - c) are clean and only used for ingredients and foods for human consumption; and
 - d) do not adversely affect the milk or other liquid in them; and
 - e) do not permit cross-contamination; and
 - f) are subject to periodic monitoring, that is recorded, to confirm that the requirements above are complied with.
- (2) A dairy processor must ensure that products referred to in clause 7.2(1) and their packaging:
 - a) are protected from contamination and deterioration; and
 - b) are kept away from goods that are harmful, odorous, volatile, corrosive, offensive, or that may otherwise affect the product; and
 - c) in the case of dry relevant product, are kept in dry conditions.
- (3) A dairy processor must ensure that products referred to in clause 7.2(1) that are not, or are no longer, intended for use in or as relevant product are:
 - a) clearly identified so that they will not be mistaken as suitable for use in or as relevant product; and
 - b) stored and transported in such a way that they will not present a risk to raw materials intended for relevant products or to the premises.