

**MINISTRY FOR PRIMARY INDUSTRIES**  
**IMPORTING COUNTRIES PHYTOSANITARY**  
**REQUIREMENTS**  
**ISRAEL**

Status: Approved  
Date: 18 July 2000

**EXPORTERS ARE ADVISED TO CONFIRM THE**  
**PHYTOSANITARY IMPORT REQUIREMENTS PRIOR TO**  
**EXPORT FROM NEW ZEALAND**

Amendment Record

Amendment No.	Date:	Nature of Amendment:	Approved by:
14.	21 August 2023	<p>Removed reference to fresh and dried cut flowers and foliage under section 2.2.2 Phytosanitary Import Permits and 2.3.1 Phytosanitary Certificates.</p> <p>Removed duplicate of <i>Alocasia</i> and amended scientific name (typo) for <i>Dierama</i> under section 3.4.1 Seeds, Grains and Nuts for Sowing.</p> <p>Amended scientific name (typo) for <i>Corylus</i> spp. under section 4.4.2 Seeds, Grains and Nuts for Consumption.</p>	AS
13.	28 July 2022	<p>Updated the link to Israel's Treatment Manual under section 2.9 'Treatments'</p> <p>Added a note under section 4.4.1 'Seeds, Grains and Nuts for Sowing' for Pisum seed (Pea).</p>	HM
12.	23 December 2021	<p>Added commodity requirements for <i>Tulipa</i> spp. under section 4.3.3 Bulbs, corms, rhizomes and tubers (for propagation).</p>	MLM

11.	22 October 2020	Updated link to Israeli Plant Protection Inspection Service treatment manual in Section 2.9 Treatments.	MLM
10.	04 May 2017	Updated links to MPI website.  Updated disclaimer, added fees and charges section 1.4 and added wood packaging section 2.10.  Removed Maximum Pest Limit (MPL), section 2.5. MPL is covered in the MPI Certification Standard and is not within the scope of the ICPR.  Reformatted presentation of the amendment record to start with most recent amendment.	HK
9.	24 April 2015	Changed contact email address in note sections of 4.1.	JN
8.	9 October 2014	Addition of requirements for the export of Hazelnuts ( <i>Corylus avellana</i> ) for sowing to Israel.	SM
7.	7 May 2014	Addition to section 4.1.1 under <i>Actinidia</i> in regards to supplying the PPIS office with a scanned black and white copy of the phytosanitary certificate.  Clarified scope, section 1.2, and changed heading of section 2.5 to 'MPI specified Maximum Pest Limits'  Additional section for wood packaging, section 2.11.	SM
6.	07 May 2012	Section 2.4 – Amendments made to the Quarantine Pest List. Section 2.5 MPL of seed for sowing added. Section 4.1.1 – Phytosanitary import requirements added for kiwifruit ( <i>Actinidia chinensis</i> and <i>A. deliciosa</i> )	CB
5.	22 October 2009	New regulations for the import of plants, plant products, pests and regulated articles. Israel Regulations Concerning Plant Protection (Import of Plants, Plant Products, Pests and Regulated Articles) – 2009.	GI

4.	31 July 2007	Amendment of prohibitions. Section 2.1	IV
3.	23 March 2007	Amendment of MPI contact details Section 1.1	SW
2.	1 February 2005	Amendment of MPI contact details Section 1.1 and 1.2. Minor reformatting of document.	WJH
1.	20 June 2003	Issue of ICPR	WJH

## DISCLAIMER

The information in this document is provided on the following basis. The phytosanitary requirements found in this document may be used as the basis of export certification. However, requirements may be changed by importing countries at any time at short notice or with no notice to New Zealand. This information is provided strictly on the basis that the Crown, the Ministry for Primary Industries, its statutory officers, employees, agents and all other persons responsible for or associated with the compilation, writing, editing, approval or publication of the information:

1. disclaim any and all responsibility for any inaccuracy, error, omission, lateness, or any other kind of inadequacy, deficiency or flaw in, or in relation to, the information; and
2. without limiting (1) above, fully exclude any and all liability of any kind on the part of all of them, to any person or entity that chooses to rely on this information

***Compliance with this document is not to be taken as a guarantee that any particular goods will be granted access to any overseas market. We recommend that exporters work with their importers to obtain the most up-to-date information.***

## Table of Contents

<b>1</b>	<b>GENERAL INFORMATION .....</b>	<b>6</b>
1.1	For enquires about this document email Plant Exports: .....	6
1.2	Scope .....	6
1.3	Phytosanitary Legislation .....	6
1.4	Fees and Charges .....	6
<b>2</b>	<b>GENERAL REQUIREMENTS.....</b>	<b>7</b>
2.1	Prohibitions .....	7
2.2	Phytosanitary Import Permits.....	9
2.3	Phytosanitary Certificates.....	10
2.4	Quarantine Pests.....	12
2.5	Inspection on Arrival .....	18
2.6	Sampling Rates (on arrival) .....	19
2.7	Ports of Entry.....	19
2.8	Transit Requirements .....	19
2.9	Treatments .....	20
2.10	Wood packaging.....	20
<b>3</b>	<b>COMMODITY CLASS REQUIREMENTS .....</b>	<b>20</b>
3.1	<b>Fruit and Vegetables .....</b>	<b>20</b>
3.1.1	Fresh Fruit and Vegetables .....	20
3.1.2	Frozen Fruit and Vegetables .....	20
3.1.3	Dried Fruit and Vegetables .....	20
3.2	<b>Cut Flowers and Foliage.....</b>	<b>20</b>
3.2.1	Fresh Cut Flowers and Foliage.....	20
3.2.2	Dried Cut Flowers and Foliage .....	21
3.3	<b>Nursery Stock .....</b>	<b>21</b>
3.3.1	Whole Plants .....	21
3.3.2	Budwood and Cuttings.....	21
3.3.3	Bulbs, corms, rhizomes and tubers (for propagation).....	21
3.3.4	Tissue culture.....	21
3.4	<b>Seeds, Grains and Nuts.....</b>	<b>21</b>
3.4.1	Seeds, Grains and Nuts for Sowing.....	21
3.4.2	Seeds, Grains and Nuts for Consumption .....	23
3.4.3	Nuts with Shell for Processing .....	24
3.4.4	Shelled Nuts for Processing .....	24
3.5	<b>Growing Media.....</b>	<b>24</b>
3.6	<b>Packing Material .....</b>	<b>24</b>
3.7	<b>Micro-organisms, Microbiological and Laboratory Specimens .....</b>	<b>24</b>
<b>4</b>	<b>COMMODITY SPECIFIC REQUIREMENTS .....</b>	<b>25</b>
4.1	<b>Fruit and Vegetables .....</b>	<b>25</b>
4.1.1	Fresh Fruit and Vegetables .....	25
4.1.2	Frozen Fruit and Vegetables .....	27
4.1.3	Dried Fruit and Vegetables .....	27
4.2	<b>Cut Flowers and Foliage.....</b>	<b>27</b>
4.2.1	Fresh Cut Flowers and Foliage.....	27
4.2.2	Dried Cut Flowers and Foliage .....	27
4.3	<b>Nursery Stock .....</b>	<b>27</b>
4.3.1	Whole Plants .....	27
4.3.2	Budwood and Cuttings.....	28
4.3.3	Bulbs, corms, rhizomes and tubers (for propagation).....	28
4.3.4	Tissue Culture .....	28
4.4	<b>Seeds, Grains and Nuts.....</b>	<b>28</b>
4.4.1	Seeds, Grains and Nuts for Sowing.....	28
4.4.2	Seeds, Grains and Nuts for Consumption .....	42
4.4.3	Seeds, Grains and Nuts with Shells for Processing .....	43

	4.4.4	Seeds, Grains and Shelled Nuts for Processing .....	43
<b>4.5</b>		<b>Growing Media.....</b>	<b>43</b>
<b>4.6</b>		<b>Miscellaneous.....</b>	<b>43</b>

# 1 General Information

## 1.1 For enquires about this document email Plant Exports: [PlantExports@mpi.govt.nz](mailto:PlantExports@mpi.govt.nz)

To help Exports process your email please record in the subject line of your email descriptive keywords which are relevant to your enquiry i.e. ICPR enquiry-Country-specific details.

For urgent enquiries phone, fax or email Plant Exports

- Telephone: +64 4 894 5693 or
- Email: [plantexports@mpi.govt.nz](mailto:plantexports@mpi.govt.nz)

## 1.2 Scope

The requirements listed in this ICPR apply to product of New Zealand only, unless specifically stated.

This ICPR specifies Israel's phytosanitary requirements for the stated commodities and commodity classes only. If a commodity or commodity group is not identified within Section 3 or Section 4 exporters should contact:

- Israel directly to ascertain requirements refer Section 2.2.4

or

Ministry for Primary Industries (MPI), New Zealand (Plant Exports)

Users of this document are strongly advised to review all sections of the ICPR for the determination of a commodity's phytosanitary requirements.

## 1.3 Phytosanitary Legislation

The following legislation controls the importation of plants and plant materials into Israel:

- Plant Import Regulations 1970 (revoked)  
Regulations Concerning Plant Protection (Import of Plant Products, Pests and Regulated Articles) 2009 (PPIS)

## 1.4 Fees and Charges

Please note that the determination and provision of phytosanitary requirements for a commodity not listed within the ICPR may be undertaken on a cost recovered basis. A link to the list of Plant Exports Fees and Charges is available on <http://mpi.govt.nz/exporting/food/fruit-and-vegetables/fees-and-charges/>

## 2 General Requirements

### 2.1 Prohibitions

The following commodities and/or items are prohibited entry from New Zealand:

**Table 1 List of commodities prohibited entry to Israel**

Scientific Name	Common Name	Plant Part Prohibited
Aquatic plants; <i>Sagittaria sagittifolia</i> <i>Ipomoea aquatica</i> <i>Cyperus difformis</i> <i>Cyperus esculentus</i> <i>Eichhornia crassipes</i> <i>Monochoria</i> spp. <i>Salvinia auriculata</i> <i>Solanum dulcamara</i>		Vegetative propagation material (excluding seeds), cut flowers and branches
	Cultures of fungi, bacteria and viruses	All
<i>Gossypium</i> <i>Morus</i> <i>Ficus carica</i> <i>Cannabis</i>		Vegetative propagation material (excluding seeds), cut flowers and branches
All genera & species (other than those mentioned in other sections or permitted by an import permit) Gramineae (Poaceae)		Vegetative propagation material (excluding seeds), cut flowers and branches
All genera & species Lauraceae		Vegetative propagation material (excluding seeds), cut flowers and branches
<i>Lilium</i> spp.	Lily	Bulbs
All genera & species Loranthaceae		Vegetative propagation material (excluding seeds), cut flowers and branches
Miscellaneous		(1) Soil and compost; sand, organic manure, compost (except peat) (2) Waste from airplanes, ships, or any other transport vehicles; (3) Live invertebrate animals, of any developmental stage, including insects, snails, worms,

Scientific Name	Common Name	Plant Part Prohibited
		mites and fungal cultures (but not including those for mushrooms for human consumption), bacteria and viruses, or any other organisms considered pests; (4) Packaging material of unprocessed plant origin, excluding; dried moss, peat, ground cork and rock wool or those permitted by an import permit.
All genera & species Musaceae		Vegetative propagation material (excluding seeds), cut flowers and branches
	Noxious weeds	All
All genera & species (other than roses) Rosaceae		Vegetative propagation material (excluding seeds), cut flowers and branches
<i>Feijoa</i> <i>Psidium</i> <i>Olea</i> <i>Fraxinus</i> <i>Syringa</i> <i>Phoenix</i> spp. (other than tissue culture plantlets) <i>Mangifera</i> <i>Pistacia</i> <i>Annona</i> <i>Berberis</i> <i>Carica</i> <i>Diospyros</i> <i>Arbutus</i> <i>Vaccinium</i> <i>Fagus</i> <i>Quercus</i> <i>Castanea</i> <i>Rhamnus</i> <i>Ziziphus</i>		Vegetative propagation material (excluding seeds), cut flowers and branches
All genus & species Pinaceae		Vegetative propagation material (excluding seeds), cut flowers and branches
All genera & species Rutaceae		Vegetative propagation material (excluding seeds), cut flowers and branches
All genera & species Sapotaceae		Vegetative propagation material (excluding seeds), cut flowers



Scientific Name	Common Name	Plant Part Prohibited
		and branches
All genera & species Sapindaceae		Vegetative propagation material (excluding seeds), cut flowers and branches
	Tropical and subtropical fruit trees and shrubs	All parts including fresh fruits; excluding dried fruits, almond nuts, copra, commercially packaged cured dates
All genera & species Vitaceae		Vegetative propagation material (excluding seeds), cut flowers and branches

Note: No person shall import articles listed above, however Israel may grant an import permit for these articles if the importation is needed for purposes of research or the development of agriculture in Israel.

If an import permit is granted the consignment will be held in an Official Quarantine Station or in another place authorized by the Director with the consent and at the expense of the importer, and will not be released until inspected by an inspector and found free from pests.

## 2.2 Phytosanitary Import Permits

2.2.1 Phytosanitary import permits state the phytosanitary requirements for importation. The application should be submitted 45 days before the required date of import.

No person shall import plants, plant products, pests or regulated articles without a written import permit unless specified in the specific commodity requirements.

A person importing articles listed in Annex 3 (see below) or goods identified in the specific commodity section as being exempt from import permits but requiring phytosanitary certificates, excluding Genetically Modified Plants or Plant products and excluding articles for re-export and articles imported in hand baggage, will be exempt from the need of an import permit provided that;

- 1) The importer of an article listed in Annex 3 (see below) will attach to the consignment a Certificate of Origin;
- 2) The importer of an article identified in the specific commodity section as not requiring an import permit will attach to the consignment a phytosanitary certificate, and in the case of propagation material, a certificate from a relevant authority in the country of origin, recognized by the Director, stating that the plant is not Genetically Modified;
- 3) The importer of plants listed in Annex 3 (see below) and specific commodities listed not requiring an import permit will not use the plants for propagation, unless they were imported for this stated purpose.

### **Annex 3: Goods exempt from the requirement for an import permit and phytosanitary certificate but requiring a certificate of origin**

(1) Dried fruit, dried vegetables and dried herbs;

- (2) Dried flowers, leaves and branches for herbal infusions;
- (3) Dried grains for human consumption, animal feed or oil extraction, excluding cotton seeds (*Gossypium hirsutum*);
- (4) Wood products and railway sleepers, excluding wood logs, wood bark and wood chips;
- (5) Nuts, for human consumption, without shells, excluding peanuts (*Arachis hypogaea*) and pecans (*Carya illinoensis*);
- (6) One Etrog (*Citrus medica*) for personal use for religious purposes;
- (7) Cut flowers and branches
- (a) Dried, having undergone a chemical or fumigation treatment prior to shipment, in accordance with the requirements detailed in the Treatment Manual, and accompanied by an official Treatment Certificate issued by the Plant Protection Organization or of the country of origin or the country of export, as appropriate;
- (8) Packing material

2.2.2 Phytosanitary import permits are required for the importation of the following commodity classes from New Zealand:

- fresh fruit and vegetables where specified
- all nursery stock (unless specified)
- seeds, grains and nuts for sowing
- nuts with shell for processing
- growing media
- scientific samples
- genetically modified plants

2.2.3 Phytosanitary import permits and conditions of import may be requested from:

The Director  
 Plant Protection and Inspection Services  
 Plant Quarantine Services  
 P.O.B 78, Bet-Dagan 50250  
 Tel. 03-9681550/1/2 Fax. 03-9681507/71  
 Mail: PPIS@moag.gov.il  
 Website: www.gov.il

## 2.3 Phytosanitary Certificates

2.3.1 An importer of a consignment, unless containing a commodity listed in Annex 3 (Phytosanitary Import Permit section), must attach to the consignment a phytosanitary certificate, in the original, of the Country of Origin, and present it to an Inspector at the Port of Entry.

A consignment coming from a Country of Exit different from the Country of Origin will be accompanied in addition to a phytosanitary certificate of the Country of Origin with a phytosanitary certificate of the Country of Exit and will bear the stamp and signature of an authorized person by the NPPO of the Country of Exit.

A phytosanitary certificate will not be valid unless the consignment was inspected by an authorized person in the Country of Origin-

- (1) Within 14 days prior to dispatch of the consignment if it contains vegetative propagation material, fresh fruits and vegetables, flowers or pot plants;
- (2) Within 30 days prior to dispatch of the consignment if it contains articles not listed in paragraph (1).

Phytosanitary certificates are required to accompany the following commodity classes from New Zealand:

- fresh fruit and vegetables
- all nursery stock
- seeds, grains and nuts for sowing
- nuts with shell
- growing media

2.3.2 Phytosanitary certificates are not required to accompany the following commodity classes from New Zealand:

- frozen fruit and vegetables

**Annex 3: Goods exempt from the requirement for an import permit and phytosanitary certificate but requiring a certificate of origin**

- (1) Dried fruit, dried vegetables and dried herbs;
- (2) Dried flowers, leaves and branches for herbal infusions;
- (3) Dried grains for human consumption, animal feed or oil extraction, excluding cotton seeds (*Gossypium hirsutum*);
- (4) Wood products and railway sleepers, excluding wood logs, wood bark and wood chips;
- (5) Nuts, for human consumption, without shells, excluding peanuts (*Arachis hypogaea*) and pecans (*Carya illinoensis*);
- (6) One Etrog (*Citrus medica*) for personal use for religious purposes;
- (7) Cut flowers and branches
  - (a) Dried, having undergone a chemical or fumigation treatment prior to shipment, in accordance with the requirements detailed in the Treatment Manual, and accompanied by an official Treatment Certificate issued by the Plant Protection Organization or of the country of origin or the country of export, as appropriate;
- (8) Packing material

## 2.4 Quarantine Pests

### Annex 2 (Regulations 2009) List of quarantine pests

#### Insects

##### Coleoptera

*Anthonomus* spp.  
*Aridius bifasciatus*  
*Blitopertha orientalis* syn.: *Anomala orientalis*  
*Catoptes binodis*  
*Conotrachelus nenuphar*  
*Conotrachelus perseae*  
*Corticaria hirtalis*  
*Cosmopolites sordidus*  
*Cryptamorpha desjardinsi*  
*Dendroctonus* spp.  
*Dryocoetes confusus*  
*Epilachna varivestis*  
*Epitrix tuberis*  
*Gnathotrichus sulcatus*  
*Gonipterus gibberus*  
*Gonipterus scutellatus*  
*Ips* spp.  
*Leptinotarsa decemlineata*  
*Listronotus bonariensis*  
*Melolontha hippocastani*  
*Micrambina rutila*  
*Mitrastethus baridiodes*  
*Oreda notata*  
*Otiorhynchus sulcatus*  
*Paraphloeostiba gayndahensis*  
*Pissodes* spp.  
*Popillia japonica*  
*Premnotypes* spp.  
*Pristonychus complanatus*  
*Prostephanus truncatus*  
*Rhynchophorus ferrugineus*  
*Rhynchophorus phoenicis*  
*Sharpus brouni*  
*Sternochetus frigidus*  
*Stethorus bifidus*  
*Xylosandrus compactus*

##### Diptera

*Anastrepha* spp.  
*Atherigona oryzae*  
*Bactrocera* spp.  
*Ceratitis quinaria*  
*Ceratitis rosa*  
*Contarinia sorghicola*  
*Dacus ciliatus*  
*Delia floralis*

*Epochra canadensis*  
*Euphranta japonica*  
*Merodon equestris*  
*Nemorimyza maculosa* syn.: *Amauromyza maculosa*  
*Rhagoletis* spp.  
*Scatapse notata*

##### Hemiptera

*Nipaecoccus aurilanatus*  
*Scolypopa australis*  
*Zygina* spp.

##### Heteroptera

*Bagrada hilaris*  
*Fabriciella australis* syn. *Leptoglossus australis*  
*Helopeltis schoutedeni*  
*Lygus oblineatus*  
*Nysius huttoni*

##### Homoptera

*Aleurocanthus spiniferus*  
*Aleurocanthus woglumi*  
*Aleurodicus dispersus*  
*Aonidiella citrina*  
*Aspidiotus destructor*  
*Aulacorthum circumflexum*  
*Cacopsylla mali*  
*Cacopsylla pyri*  
*Cerataphis lataniae*  
*Cerataphis orchidearum*  
*Ceroplastes destructor*  
*Ceroplastes rubens*  
*Diaphorina citri*  
*Ferrisia virgata*  
*Hysteroneura setariae*  
*Laodelphax striatella*  
*Lopholeucaspis japonica*  
*Maconellicoccus hirsutus*  
*Myzus cerasi*  
*Myzus ornatus*  
*Nipaecoccus nipae*  
*Parthenolecanium corni*  
*Pineus pini*  
*Planococcus lilacinus*  
*Pseudococcus calceolariae*  
*Pseudococcus comstocki*  
*Pulvinaria psidii*  
*Quadraspidotus perniciosus*  
*Rhopalosiphum enigmae*  
*Rhopalosiphum musae*  
*Scaphoideus titanus*  
*Sinomegoura citricola*  
*Toxoptera citricidus*

*Toxoptera odinae*  
*Trioza erytrae*  
*Unaspis citri*  
*Unaspis yanonensis*

#### **Hymenoptera**

*Gilpinia hercyniae*

#### **Lepidoptera**

*Acrobasis* spp.  
*Acrolepiopsis assectella*  
*Adoxophyes orana*:  
*Alabama argillacea*  
*Blastobasis tarda*  
*Carposina niponensis*  
*Chilo partellus*  
*Chilo suppressalis*  
*Cleora scriptaria*  
*Cnephasia jactatana*  
*Cryptophlebia leucotreta*  
*Cryptophlebia ombrodelta*  
*Ctenopseustis obliquana*  
*Ctenopseustis herana*  
*Cydia funebrana*  
*Cydia inopinata*  
*Cydia molesta*  
*Cydia packardi*  
*Cydia prunivora*  
*Epichoristodes acerbella*  
*Epiphyas postvittana*  
*Erechthias* sp.  
*Eupoecilia ambiguella*  
*Graphania mutans*  
*Graphania ustistriga*  
*Helicoverpa zea*  
*Heliothis virescens*  
*Hyphantria cunea*  
*Lymantria dispar*  
*Lymantria monacha*  
*Marasmia trapezalis*  
*Operophtera brumata*  
*Opogona sacchari*  
*Ostrinia furnacalis*  
*Parasa vivida*  
*Planotortrix excessana*  
*Planotortrix notophaea*  
*Planotortrix octo*  
*Polychrosis viteana*  
*Prygotis plagiatana*  
*Pyroderces aellotricha*  
*Sesamia inferens*  
*Spodoptera eridania*  
*Spodoptera exempta*  
*Spodoptera frugiperda*  
*Spodoptera litura*

*Stathmopoda horticola*  
*Stathmopoda plumbiflua*  
*Stathmopoda skelloni*

#### **Neuroptera**

*Micromus tasmaniae*

#### **Orthoptera**

*Caedicia simplex*

#### **Poduromorpha**

*Hypogastrura* spp.

#### **Thysanoptera**

*Apterygothrips collyerae*  
*Ceratothrips frici*  
*Frankliniella insularis*  
*Frankliniella musaesperda*  
*Frankliniella parvula*  
*Hercinothrips bicinctus*  
*Merothrips brunneus*  
*Merothrips floridensis*  
*Nesothrips propinques*  
*Nesothrips rangi*  
*Scirtothrips aurantii*  
*Scirtothrips dorsalis*  
*Thrips florum*  
*Thrips hawaiiensis*  
*Thrips obscuratus*  
*Thrips nigropilosus*  
*Thrips palmi* Karny

#### **Prostigmata (Mites)**

*Bryobia eharai*  
*Bryobia rubrioculus*  
*Clavazetes* sp.  
*Cryptognathus woodii*  
*Cunaxa* sp. nr. *setirostri*  
*Cyta latirostris*  
*Eotetranychus lewisi*  
*Eotetranychus mandensis*  
*Eotetranychus pallidus*  
*Eotetranychus sexmaculatus*  
*Eutetranychus africanus*  
*Galumna rugosa*  
*Haptonchus takhtajami*  
*Hylaster ater*  
*Hylurgus ligniperda*  
*Liodes nigricans*  
*Mecognathe hirsuta*  
*Neocunaxoides andrei*  
*Oligonychus bicolor*  
*Oligonychus perditus*  
*Oligonychus punicae*

*Oligonychus yothersi*  
*Panonychus elongatus*  
*Petrobia apicalis*  
*Petrobia latens*  
*Pseudostigmaeus collyerae*  
*Ramsayellus grandis*  
*Setobates minor*  
*Steneotarsonemus pallidus*  
*Tarsonemus confusus*  
*Tarsonemus waitei*  
*Tetranychus canadensis*  
*Tetranychus fijiensis*  
*Tetranychus horridus*  
*Tetranychus mcdanieli*  
*Tetranychus pacificus*  
*Tetranychus viennensis*  
*Tuckerella flabellifera*  
*Typhlodromus tropicus*  
*Zetzellia longisea*

## **Fungi**

*Aecidium mori*  
*Alternaria gossypii*  
*Alternaria passiflorae*  
*Apiognomonina erythrostoma*  
 syn.: *Gnomonia erythrostoma*  
*Apiosporina morbosus*  
*Armillaria mellea*  
*Armillaria novae zelandiae*  
*Ascochyta gossypii*  
*Ascochyta sorghi*  
*Asperisporium caricae*  
*Atropellis* spp.  
*Botryosphaeria berengeriana* f. sp. *piricola*  
 syn.: *Guignardia piricola*  
*Botryosphaeria dothidea*  
*Botryosphaeria laricina* syn.: *Guignardia laricina*  
*Botryosphaeria parva*  
*Botryosphaeria stevensii*  
*Botryosphaeria zeae*  
*Ceratocystis fagacearum*  
*Ceratocystis fimbriata*  
*Ceratocystis virescens*  
*Chrysomyxa arctostaphyli*  
*Ciborinia camelliae*  
*Cladosporium musae*  
*Claviceps sorghi*  
*Cochliobolus carbonum*  
*Colletotrichum acutatum*  
*Colletotrichum gossypii* teleomorph:  
*Glomerella gossypii*  
*Colletotrichum graminicola*

*Colletotrichum lagenarium* syn.:  
*Colletotrichum orbiculare*, *Glomerella lagenaria*  
*Cronartium* spp.  
*Cryphonectria parasitica*  
*Cryptosporiopsis* sp.  
*Cytospora sacculus* teleomorph: *Valsa ceratosperma*  
*Diaporthe actinidae*  
*Diaporthe perniciosus*  
*Diaporthe phaseolorum*  
*Diaporthe phaseolorum*  
*Diaporthe* sp.  
*Diaporthe vaccinii*  
*Didymella asphodeli*  
*Dipodascus geotrichum*  
*Dothistroma septospora* syn.: *Scirrhia pini*  
 teleomorph: *Mycosphaerella pini* var. *septospora*  
*Drepanopeziza ribis*  
*Elsinoe australis*  
*Elsinoe batatas*  
*Elsinoe fawcettii*  
*Elsinoe veneta*  
*Endocronartium harknessii*  
*Eutypa lata*  
*Fusarium oxysporum* f. sp. *albedinis*  
*Fusarium oxysporum* f. sp. *cubense*  
*Fusarium oxysporum* f. sp. *vasinfectum*  
*Fusicoccum luteum*  
*Gibberella baccata*  
*Glomerella gossypii* anamorph:  
*Colletotrichum gossypii*  
*Gnomonia fragariae*  
*Gremmeniella abietina*  
*Guignardia bidwellii*  
*Guignardia citricarpa*  
*Gymnosporangium* spp.  
*Hamaspora longissima*  
*Hypoxyton mammatum*  
*Kabatiella zeae*  
*Kabatina juniperi*  
*Kabatina thujae*  
*Melampsora farlowii*  
*Melampsora medusae*  
*Monilinia fructicola*  
*Monilinia fructicola*  
*Mycosphaerella caricae*  
*Mycosphaerella citri*  
*Mycosphaerella convallariae*  
*Mycosphaerella fijiensis*  
*Mycosphaerella musicola*  
*Mycosphaerella pini* var. *septospora*  
*Mycosphaerella populorum*  
*Mycosphaerella zeae-maydis*



*Nectria cinnabarina*  
*Nectria galligena*  
*Ophiostoma wageneri*  
*Peronophythora litchii*  
*Peronosclerospora maydis*  
*Peronospora euphorbiae*  
*Peronospora ficariae*  
*Peronospora hyoscyami* syn.:  
*Peronospora hyoscyami* f. sp. *tabacina*  
*Peronospora oerteliana*  
*Peronospora rubi*  
*Peronospora tabacina*  
*Phacidiopycnis malorum* teleomorph:  
*Potebniamyces pyri*  
*Phaeoisariopsis griseola* syn.: *Cercospora*  
*griseola*  
*Phaeoramularia angolensis* syn.:  
*Cercospora angolensis*  
*Phellinus weirii*  
*Phialophora cinerescens* syn.: *Verticillium*  
*cinerescens*  
*Phoma andigena*  
*Phoma exigua* var. *foveata*  
*Phoma macrostoma*  
*Phomopsis elaeidis*  
*Phomopsis juniperovora*  
*Phomopsis mangiferae*  
*Phomopsis sclerotioides*  
*Phomopsis tersa*  
*Phyllosticta solitaria*  
*Phymatotrichopsis omnivora* syn.:  
*Phymatotrichum omnivorum*  
*Physopella ampelopsidis*  
*Phytophthora cinnamomi*  
*Phytophthora fragariae*  
*Phytophthora megasperma*  
*Phytophthora ramorum*  
*Polyscytalum pustulans*  
*Potebniamyces pyri* anamorph:  
*Phacidiopycnis malorum*  
*Puccinia arachidis*  
*Puccinia cacabata*  
*Puccinia horiana*  
*Puccinia pittieriana*  
*Septoria helianthi*  
*Septoria lycopersici* var. *malagutii*  
*Sphaceloma arachidis*  
*Stagonospora meliloti*  
*Stenocarpella macrospora*  
*Stenocarpella maydis* syn.: *Diplodia zeae*  
*Stromatinia cepivorum* syn.: *Sclerotium*  
*cepivorum*  
syn.: *Scirrhia pini* anamorph: *Dothistroma*  
*septospora*  
*Synchytrium endobioticum*

*Taphrina maculans*  
*Thecaphora solani*  
*Tilletia ayresii*  
*Tilletia controversa*  
*Tilletia indica*  
*Tilletia lolii*  
*Urocystis cepulae*  
*Urocystis gladiolicola*  
*Uromyces musae*  
*Valsa ceratosperma* syn.: *Valsa mali*  
anamorph: *Cytospora sacculus*  
*Venturia nashicola*  
*Verticillium albo-atrum*

## **Bacteria**

*Acidovorax avenae*  
*Burkholderia andropogonis*  
*Burkholderia caryophylli*  
syn.: *Pseudomonas caryophylli*  
*Clavibacter michiganensis* subsp.  
*insidiosus*  
*Clavibacter michiganensis* subsp.  
*michiganensis*  
*Clavibacter michiganensis* subsp.  
*nebraskensis*  
*Clavibacter michiganensis* subsp.  
*sepedonicus*  
*Curtobacterium flaccumfaciens* pv.  
*flaccumfaciens*  
*Erwinia chrysanthemi*  
*Erwinia cyripedii*  
*Erwinia tracheiphilla*  
*Liberobacter africanum* (Citrus greening  
bacterium, heat-sensitive form)  
*Liberobacter asiaticum* (Citrus greening  
bacterium, heat-tolerant form)  
*Pantoea stewartii* pv. *stewartii* .syn.:  
*Erwinia stewartii*  
*Pseudomonas amygdali*  
*Pseudomonas savastanoi* pv. *phaseolicola*  
*Pseudomonas syringae* pv. *actinidae*  
*Pseudomonas syringae* pv. *maculicola*  
*Pseudomonas syringae* pv. *passiflorae*  
*Pseudomonas syringae* pv. *persicae*  
*Pseudomonas syringae* pv. *pisi*  
*Ralstonia solanacearum* .syn  
*Pseudomonas solanacearum*  
*Xanthomonas arboricola* pv. *corylina*  
*Xanthomonas arboricola* pv. *pruni*  
*Xanthomonas axonopodis* pv. *begoniae*  
*Xanthomonas axonopodis* pv. *citri*  
*Xanthomonas axonopodis* pv.  
*malvacearum* *Xanthomonas axonopodis*

*pv. phaseoli Xanthomonas axonopodis pv. vitians Xanthomonas fragariae*  
*Xanthomonas hortorum pv. carotae*  
*Xanthomonas hyacinthi*  
*Xanthomonas populi*  
*Xanthomonas translucens pv. graminis*  
*Xylella fastidiosa* (Pierce's disease)  
*Xylophilus ampelinus* syn.: *Xanthomonas ampelina*

## **Phytoplasma**

Apple chat fruit phytoplasma  
 Apple proliferation phytoplasma  
 Apple rubbery wood phytoplasma  
 Apricot chlorotic leafroll phytoplasma  
 Aster yellows complex phytoplasma syn.:  
 Lettuce yellows phytoplasma  
 Citrus witches' broom phytoplasma  
 Elm phloem necrosis phytoplasma  
 Grapevine flavescence dorée phytoplasma  
 Palm lethal yellowing phytoplasma  
 Peach rosette phytoplasma  
 Peach X phytoplasma  
 Peach yellows phytoplasma  
 Pear decline phytoplasma  
 Potato purple top wilt phytoplasma  
 Potato marginal flavescence phytoplasma  
 syn.: Potato marginal flavescence  
 bacterium  
 Potato phyllody phytoplasma  
 Potato stolbur phytoplasma  
 Potato witches' broom phytoplasma  
 Strawberry witches' broom phytoplasma

## **Viruses and viroids**

Apple dimple fruit apscaviroid  
 Apple mosaic ilarvirus  
 Apple scar skin apscaviroid syn.: Apple  
 dapple apple apscaviroid  
 Arabis mosaic nepovirus  
 Arracacha B nepovirus (oca strain)  
 Banana bract mosaic potyvirus  
 Banana bunchy top nanovirus  
 Banana streak badnavirus  
 Barley stripe mosaic hordeivirus  
 Beet curly top curtovirus  
 Beet leaf curl rhabdovirus  
 Beet necrotic yellow vein benyvirus  
 Black currant reversion nepovirus  
 Blueberry leaf mottle nepovirus  
 Carnation Italian ringspot tombusvirus syn.:  
 Tomato bushy stunt tombusvirus  
 carnation strain

Carnation latent carlavirus  
 Carnation vein mottle potyvirus  
 Cherry A capillovirus  
 Cherry leaf roll nepovirus  
 Cherry little cherry closterovirus  
 Cherry necrotic rusty mottle foveavirus  
 Cherry rasp leaf nepovirus  
 Chrysanthemum chlorotic mottle avoviroid  
 Chrysanthemum stunt pospiviroid  
 Citrus leprosis rhabdovirus  
 Citrus ringspot virus syn.: Citrus psorosis B  
 ophiavirus  
 Citrus tatter leaf capillovirus  
 Coconut cadang-cadang cocaviroid  
 Cucumber green mottle mosaic  
 tobamovirus  
 Gooseberry vein banding badnavirus  
 Groundnut rosette umbravirus  
 Impatiens necrotic spot tospovirus  
 Lettuce necrotic yellows cytorhabdovirus  
 Lisianthus necrosis necrovirus  
 Melon necrotic spot carmovirus  
 Narcissus tip necrosis carmovirus  
 Peach latent mosaic avoviroid  
 Peach rosette mosaic nepovirus  
 Peach stem pitting virus  
 Plum American line pattern ilarvirus  
 Plum pox potyvirus (Sharka disease)  
 Potato Andean latent tymovirus  
 Potato Andean mottle comovirus  
 Potato black ringspot nepovirus  
 Potato spindle tuber pospiviroid  
 Potato T trichovirus  
 Potato Y potyvirus (Yc, Yn, Yntn & Yo  
 strains)  
 Potato yellow dwarf nucleorhabdovirus  
 Raspberry leaf curl luteovirus  
 Raspberry ringspot nepovirus  
 Satsuma dwarf nepovirus  
 Sour cherry green ring mottle carlavirus  
 Strawberry crinkle cytorhabdovirus  
 Strawberry latent C rhabdovirus  
 Strawberry latent ringspot nepovirus  
 Strawberry mild yellow edge luteovirus  
 Strawberry vein banding caulimovirus  
 Tobacco etch potyvirus  
 Tobacco rattle tobavirus  
 Tobacco ringspot nepovirus  
 Tobacco streak ilarvirus  
 Tomato black ring nepovirus  
 Tomato ringspot nepovirus  
 Tomato bushy stunt tombusvirus



## **Graft transmissible pathogens of undetermined etiology**

Apple green crinkle disease agent

Apple leaf pucker disease agent

Cherry stem pitting disease agent

## **Nematodes**

*Anguina tritici*

*Aphelenchoides besseyi*

*Aphelenchoides ritzemabosi*

*Bursaphelenchus xylophilus*

*Ditylenchus destructor*

*Globodera pallida*

*Globodera rostochiensis*

*Heterodera fici*

*Heterodera glycines*

*Meloidogyne chitwoodi*

*Nacobbus aberrans*

*Radopholus citrophilus*

*Radopholus similis*

*Xiphinema americanum*

## **Noxious weeds**

*Acroptilon repens* (syn.: *Centaurea picris*.,

*C. repens*.):

*Alectra* spp.

*Ambrosia* spp.

*Arceuthobium* spp.

*Chrysopogon aciculatus*

*Cirsium arvense*

*Commelina benghalensis*

*Cuscuta* spp.

*Cyperus alopecuroides*

*Cyperus amabilis*

*Cyperus articulatus*

*Cyperus brevifolius*

*Cyperus halpan*

*Cyperus iria*

*Cyperus rotundus*

*Elymus repens* syn.: *Agropyron repens*

*Elytrigia repens*

*Emex australis*

*Euphorbia* spp. (all weedy species):

*Helianthus ciliaris*

*Ipomoea hederacea*

## **Gastropoda**

*Achatina fulica*

*Limicolaria aurora*

*Ipomoea triloba*

*Ipomoea turbinata*

*Leptochloa chinensis*

*Orobancha* spp.

*Paspalum scrobiculatum* syn.: *Paspalum commersonii* )

*Polygonum argyrocoleon*:

*Polygonum convolvulus* syn.: *Fallopia convolvulus*

*Polygonum pennsylvanicum*

*Rhus radicans* L. (syn. *Toxicodendron radicans*

*Rhus toxicodendron*

*Rorippa* spp.

*Rottboellia exaltata*

*Setaria pallide-fusca*

*Sida spinosa*

*Solanum carolinense*

*Solanum sarrachoides*

*Solanum torvum*

*Sonchus arvensis*

*Striga* spp.

*Viscum album*

*Limicolaria kambeul*  
*Deroceras panoramitanum*  
*Deroceras reticulatum*  
*Arion* spp.  
*Bradibaena similaris*  
*Cantareus apertus*  
*Capea nemoralis*  
*Otala lactea*  
*Otala punctata*  
*Ceroneulla neglecta*  
*Ceroneulla virgata*  
*Cochlicella conoidea*  
*Helicella itala*  
*Monacha* spp.  
*Milax gagates*  
*Tandonia budapestensis*  
*Lamellaxis clavulinus*  
*Veronicella moreleti*

## 2.5 Inspection on Arrival

- All consignments of imported plant material are subject to inspection on arrival.
- The importer shall submit to the inspector all original documentation relating to the consignment and present the consignment for inspection in such manner as the inspector may require.
- An inspector may inspect the consignment outside the port of entry; the importer shall move the consignment to the place of inspection at his/her expense and on his/her responsibility.
- As long as an inspector has not allowed the introduction into Israel of a consignment, or allowed its entry for the purpose of inspection it shall not be transferred from its storage place, its packing shall not be opened and it shall not be dealt with in any manner except in accordance with the instructions of the inspector.

**NOTE:** If an inspector finds that a consignment does not comply with the regulations, or that the consignment is not free from pests, or it appears that the consignment contains latent pests, they may instruct the importer to take one or more of the following measures:

- (1) Destroy the consignment or part thereof in such time and such manner as designated by the inspector;
- (2) Disinfest the consignment or part thereof in such time and such manner as designated by the inspector;
- (3) Test the consignment in an official laboratory;
- (4) Remove the consignment to a post-entry quarantine facility and hold or grow it in such a place for such a time and in such manner as designated by the inspector;
- (5) Remove it out of Israel within such time and in such manner as designated; if the importer fails in doing so, the inspector may take action at the expense of the importer.

If an inspector finds a quarantine pest listed in Annex 2 (Quarantine pests) or a quarantine pest notified by the Director in a consignment, the importer shall be instructed to destroy the consignment or remove it out of Israel, within such time and in such manner as designated. If the importer fails in doing so, the inspector may take action at the expense of the importer.

The Director may allow, upon a request by the importer, entry of the consignment, in accordance with the treatment and conditions designated by him, provided that the consignment is not propagation material or pot plants.

The inspector will not order the destruction of a consignment, in accordance with this regulation, unless, there is a reasonable pest risk; or, in the event that the exporter fails to remove the consignment from Israel within such time and in such manner as instructed by the inspector.

## **2.6 Sampling Rates (on arrival)**

For the following commodity classes, 100% of the consignment will be inspected on arrival:

- propagation material
- fresh produce
- growing media

For all other commodity classes a percentage of consignments will be sampled. Israel has not specified this percentage.

## **2.7 Ports of Entry**

No restrictions on the port of entry for plant and plant products

### **Principal Airports**

Natbag  
Ben Gurion

### **Principal Sea Ports**

Haifa  
Ashdod  
Elat

## **2.8 Transit Requirements**

For all produce transitting Israel en-route to a third country, packaging must not be opened or released from customs. Shipments in transit shall be packed and sealed in such a manner as to prevent scattering

## 2.9 Treatments

In every case where a treatment is required, from the treatments listed below, the treatment will be carried out in accordance with the instructions given in the Treatment Manual or according to inspector's instructions.

Link to Treatment Manual:

[https://www.gov.il/BlobFolder/reports/treatment-manual/he/import\\_import\\_plants\\_and\\_plant\\_products\\_treatment-manual-version-2%2011.05.2016.pdf](https://www.gov.il/BlobFolder/reports/treatment-manual/he/import_import_plants_and_plant_products_treatment-manual-version-2%2011.05.2016.pdf)

- (1) Fumigation treatments:
  - (a) Methyl bromide fumigation;
  - (b) Phosphine fumigation;
- (2) Hot water treatment;
- (3) Cold treatment:
  - (a) Cold rooms
  - (b) In-transit cold treatment
- (4) Chemical treatments for: Insects, Mites, Fungi and Bacteria;
- (5) Irradiation treatment.

## 2.10 Wood packaging

Refer to Forestry ICPR for Israel, link below:

<http://www.mpi.govt.nz/law-and-policy/requirements/importing-countries-phytosanitary-requirements/forestry-icprs/israel/>

## 3 Commodity Class Requirements

Every consignment shall be free from soil, sand, compost and organic waste.

### 3.1 Fruit and Vegetables

#### 3.1.1 Fresh Fruit and Vegetables

Conditions:

Phytosanitary import permit required and phytosanitary certificate required if specified in the commodity specific requirements.

#### 3.1.2 Frozen Fruit and Vegetables

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required.

#### 3.1.3 Dried Fruit and Vegetables

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required.

### 3.2 Cut Flowers and Foliage

#### 3.2.1 Fresh Cut Flowers and Foliage

Conditions:

Not provided by the importing country. Refer to General Information regarding advice on determining the import conditions.

### 3.2.2 Dried Cut Flowers and Foliage

Dried flowers, leaves and branches for herbal infusions

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required. Certificate of origin required.

### 3.3 Nursery Stock

#### 3.3.1 Whole Plants

Conditions:

Phytosanitary import permit required. Phytosanitary certificate required. (unless specified)

#### 3.3.2 Budwood and Cuttings

Conditions:

Not provided by the importing country. Refer to General Information regarding advice on determining the import conditions.

#### 3.3.3 Bulbs, corms, rhizomes and tubers (for propagation)

Conditions:

Not provided by the importing country. Refer to General Information regarding advice on determining the import conditions.

#### 3.3.4 Tissue culture

Conditions:

Not provided by the importing country. Refer to General Information regarding advice on determining the import conditions.

### 3.4 Seeds, Grains and Nuts

#### 3.4.1 Seeds, Grains and Nuts for Sowing

Conditions:

Phytosanitary import permit required. Phytosanitary certificate required.

Seed cultivars without specific requirements

<i>Acanthus</i>	<i>Yucca</i>	<i>Clivia</i>
<i>Hypoestes</i>	<i>Bergeranthus</i>	<i>Crinum</i>
<i>Thunbergia</i>	<i>Delosperma</i>	<i>Hippeastrum</i>
<i>Actinidia</i>	<i>Dorotheanthus</i>	<i>Narcissus</i>
<i>Agave</i>	<i>Mesembryanthemum</i>	<i>Pancratium</i>
<i>Cordyline</i>	<i>Tetragonia</i>	<i>Adenium</i>
<i>Dasyllirion</i>	<i>Amaranthus</i>	<i>Plumeria</i>
<i>Dracaena</i>	<i>Celosia</i>	<i>Rauvolfia</i>
<i>Nolina</i>	<i>Leucojum</i>	<i>Vinca</i>
<i>Phormium</i>	<i>Alstroemeria</i>	<i>Acorus</i>
<i>Sansevieria</i>	<i>Bloomeria</i>	<i>Alocasia</i>

<i>Arisaema</i>	<i>Ageratum</i>	<i>Euphorbia</i>
<i>Colocasias</i>	<i>Anacyclus</i>	<i>Kiggelaria africana</i>
<i>Homalomena</i>	<i>Anaphalis</i>	<i>Eustoma (Lisianthus)</i>
<i>Dracunculus</i>	<i>Anthemis</i>	<i>Exacum</i>
<i>Monstera</i>	<i>Arctotis</i>	<i>Gentiana</i>
<i>Philodendron</i>	<i>Arnica</i>	<i>Orphium</i>
<i>Xanthosoma</i>	<i>Artemisia</i>	<i>Erodium</i>
<i>Aralia</i>	<i>Brachyscome</i>	<i>Sarcocaulon</i>
<i>Cussonia</i>	<i>Bupthalam</i>	<i>Achimenes</i>
<i>Fatsia</i>	<i>Carlina</i>	<i>Gesneria</i>
<i>Schefflera</i>	<i>Catananche</i>	<i>Gloxinia</i>
<i>Aristolochia</i>	<i>Coreopsis</i>	<i>Streptocarpus</i>
<i>Asclepias</i>	<i>Cotula</i>	<i>Liquidambar</i>
<i>Hoodia</i>	<i>Craspedia</i>	<i>Phacelia</i>
<i>Stephanotis</i>	<i>Cynara</i>	<i>Hypericum</i>
<i>Impatiens</i>	<i>Dimorphotheca</i>	<i>Hypoxis</i>
<i>Begonia</i>	<i>Echinops</i>	<i>Rhodohypoxis</i>
<i>Bignonia</i>	<i>Echinacea</i>	<i>Aristea</i>
<i>Incarvillea</i>	<i>Felicia</i>	<i>Babiana</i>
<i>Pandorea</i>	<i>Gazania</i>	<i>Belamcanda</i>
<i>Adansonia</i>	<i>Gerbera</i>	<i>Crocasmia</i>
<i>Anchusa</i>	<i>Helichrysum</i>	<i>Dierama</i>
<i>Echium</i>	<i>Helipterum</i>	<i>Dietes</i>
<i>Heliotropium</i>	<i>Layia</i>	<i>Ferraria</i>
<i>Aechmea</i>	<i>Leuzea</i>	<i>Iris</i>
<i>Billbergia</i>	<i>Liatris</i>	<i>Moraea</i>
<i>Cryptanthus</i>	<i>Ligularia</i>	<i>Sisyrinchium</i>
<i>Dyckia</i>	<i>Lonas</i>	<i>Tritonia</i>
<i>Guzmania</i>	<i>Othonna</i>	<i>Watsonia</i>
<i>Neoregelia</i>	<i>Ratibida</i>	<i>Isotoma</i>
<i>Nidularium</i>	<i>Rudbeckia</i>	<i>Agastache</i>
<i>Tillandsia</i>	<i>Santolina</i>	<i>Ajuga</i>
<i>Vriesea</i>	<i>Solidago</i>	<i>Coleus</i>
<i>Cassia</i>	<i>Tanacetum</i>	<i>Dracocephalum</i>
<i>Adenophora</i>	<i>Ursinia</i>	<i>Hyssopus</i>
<i>Campanula</i>	<i>Xeranthemum</i>	<i>Lavandula</i>
<i>Codonopsis</i>	<i>Convolvulus</i>	<i>Leonotis</i>
<i>Jasione</i>	<i>Dichondra</i>	<i>Leonurus</i>
<i>Platycodon</i>	<i>Crassula</i>	<i>Majorana</i>
<i>Trachelium</i>	<i>Echeveria</i>	<i>Marrubium</i>
<i>Cleome</i>	<i>Kalanchoe</i>	<i>Melissa</i>
<i>Lonicera</i>	<i>Villadia</i>	<i>Mentha</i>
<i>Kochia</i>	<i>Alyssum</i>	<i>Moluccella</i>
<i>Spinacia</i>	<i>Dithyrea</i>	<i>Monarda</i>
<i>Helianthemum</i>	<i>Erysimum</i>	<i>Nepeta</i>
<i>Combretum</i>	<i>Lavisticum officinalis</i>	<i>Ocimum</i>
<i>Terminalia sericea</i>	<i>Aubrieta</i>	<i>Origanum</i>
<i>Rhoeo</i>	<i>Trichosanthes</i>	<i>Phlomis</i>
<i>Achillea</i>	<i>Hippophae</i>	<i>Physostegia</i>
<i>Acroclinium</i>	<i>Croton</i>	<i>Plectranthus</i>

<i>Prunella</i>	<i>Feijoa</i>	<i>Gardenia</i>
<i>Rosmarinus</i>	<i>Leptospermum</i>	<i>Pentas</i>
<i>Salvia</i>	<i>Melaleuca</i>	<i>Rothmannia globosa</i>
<i>Satureja</i>	<i>Myrtus</i>	<i>Sanguinaria</i>
<i>Scutellaria</i>	<i>Verticordia</i>	<i>Dodonaea</i>
<i>Thymus</i>	<i>Mirabilis</i>	<i>Astilbe</i>
<i>Acrocarpus</i>	<i>Nymphaea</i>	<i>Bergenia</i>
<i>Bauhinia</i>	<i>Anthriscus</i>	<i>Heuchera</i>
<i>Chorizema</i>	<i>Fuchsia</i>	<i>Alonsoa</i>
<i>Petalostemon</i>	<i>Gaura</i>	<i>Asarina</i>
<i>Ptilostigma</i>	<i>Godetia</i>	<i>Calceolaria</i>
<i>Strongylodon</i>	<i>Paeonia</i>	<i>Collinsia</i>
<i>Pinguicula</i>	<i>Eschscholzia</i>	<i>Erinus</i>
<i>Agapanthus</i>	<i>Bolusanthus</i>	<i>Linaria</i>
<i>Hemerocallis</i>	<i>Canavalia</i>	<i>Mimulus</i>
<i>Aloe</i>	<i>Erythrina</i>	<i>Nemesia</i>
<i>Blandfordia</i>	<i>Genista</i>	<i>Penstemon</i>
<i>Bulbine</i>	<i>Hardenbergia</i>	<i>Rhodochiton</i>
<i>Bulbinella</i>	<i>Passiflora</i>	<i>Torenia</i>
<i>Camassia</i>	<i>Peperomia</i>	<i>Verbascum</i>
<i>Colchicum</i>	<i>Piper</i>	<i>Kirkia acuminata</i>
<i>Eremurus</i>	<i>Billardiera</i>	<i>Dombeya</i>
<i>Eucomis</i>	<i>Pittosporum</i>	<i>Brachychiton</i>
<i>Galtonia</i>	<i>Platanus</i>	<i>Sterculia murex</i>
<i>Gasteria</i>	<i>Cobaea</i>	<i>Camellia</i>
<i>Gloriosa</i>	<i>Collomia</i>	<i>Dais</i>
<i>Haworthia</i>	<i>Gilia</i>	<i>Daphne</i>
<i>Kniphofia</i>	<i>Polemonium</i>	<i>Grewia</i>
<i>Ornithogalum</i>	<i>Polygala</i>	<i>Sparmannia</i>
<i>Polygonatum</i>	<i>Antigonon</i>	<i>Tilia</i>
<i>Sandersonia</i>	<i>Anacardos</i>	<i>Actinotus</i>
<i>Scilla</i>	<i>Calandrinia</i>	<i>Angelica</i>
<i>Zephyranthes</i>	<i>Lewisia</i>	<i>Astrantia</i>
<i>Limnathes</i>	<i>Androsace</i>	<i>Bupleurum</i>
<i>Laurentia</i>	<i>Dodecatheon</i>	<i>Cuminum</i>
<i>Lobelia</i>	<i>Lysimachia</i>	<i>Eryngium</i>
<i>Cuphea</i>	<i>Nigella</i>	<i>Pimpinella</i>
<i>Lythrum</i>	<i>Aconitum</i>	<i>Trachymene</i>
<i>Magnolia</i>	<i>Hovenia</i>	<i>Centranthus</i>
<i>Lagunaria</i>	<i>Rhamnus</i>	<i>Patrinia</i>
<i>Calathea</i>	<i>Eriobotrya</i>	<i>Valeriana</i>
<i>Melianthus</i>	<i>Geum</i>	<i>Lippia</i>
<i>Acacia</i>	<i>Sanguisorba minor</i>	<i>Verbena _</i>
<i>Mimosa</i>	<i>Asperula</i>	

### 3.4.2 Seeds, Grains and Nuts for Consumption

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required.

### 3.4.3 Nuts with Shell for Processing

#### Conditions:

Phytosanitary import permit required. Phytosanitary certificate and treatment required.

#### Treatment

Treatment with methyl bromide – as per treatment manual (see general information)

### 3.4.4 Shelled Nuts for Processing

#### Conditions:

Phytosanitary import permit not generally required. Phytosanitary certificate not generally required. Exporters should confirm requirements prior to shipping.

## 3.5 Growing Media

#### Conditions:

Phytosanitary import permit required. Phytosanitary certificate required.

Growing media shall be free from pests. Growing media shall be packed in such a manner as to prevent scattering during shipment.

The packaging of growing media must list the name of the producer, country of origin and the ingredients of the media.

#### Peat

#### Conditions:

Phytosanitary import permit required. Phytosanitary certificate required.

## 3.6 Packing Material

#### Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required. Packaging must be new and clean and free from pests.

Every container or package containing propagation material must be marked in such a manner as to enable the identification of the content and quantity. In addition to that mentioned above, a consignment containing Genetically Modified Plants shall be marked with the phrase: "Genetically Modified Organism"

No materials of plant origin can be utilised for packing a consignment, except dried moss, peat, ground cork and rock wool, unless granted an import permit.

No previously used packing materials are to be utilised unless they are treated in a manner approved by Israel, and the treatment is recorded on the phytosanitary certificate.

All wooden packing material must be marked according to standard ISPM 15 of the IPPC; wood packing material includes pallets and supporting beams.

## 3.7 Micro-organisms, Microbiological and Laboratory Specimens

#### Conditions:

Phytosanitary import permit required. Phytosanitary certificate not required.



## 4 Commodity Specific Requirements

### 4.1 Fruit and Vegetables

#### 4.1.1 Fresh Fruit and Vegetables

Conditions:

Refer Section 3.1.1

*Actinidia deliciosa*

Green Kiwifruit

Conditions:

Phytosanitary import permit required. Phytosanitary certificate and additional declarations required. Consignment must be free from leaves and plant residues.

Additional declaration:

"The consignment is in accord with the draft revision of the bilateral quarantine arrangement on Kiwifruit between New Zealand to Israel of April 2012"

And

"The fruit originates from orchards which have performed industry recommended prophylactic insecticide sprays for leafrollers within 5 weeks of fruit set for green kiwifruit"

**NOTE:** The original phytosanitary certificate must accompany the consignment and a scanned black and white PDF copy of the certificate must also be sent through to the PPIS office in Bet Dagan at the following email address: [ofrae@moag.gov.il](mailto:ofrae@moag.gov.il)

*Actinidia chinensis*

Gold Kiwifruit

Conditions:

Phytosanitary import permit required. Phytosanitary certificate and additional declarations required. Consignment must be free from leaves and plant residues.

Additional declaration:

"The consignment is in accord with the draft revision of the bilateral quarantine arrangement on Kiwifruit between New Zealand to Israel of April 2012"

And

"The fruit originates from orchards which have performed industry recommended prophylactic insecticide sprays for leafrollers within 7 weeks of fruit set for gold kiwifruit"

**NOTE:** The original phytosanitary certificate must accompany the consignment and a scanned black and white PDF copy of the certificate must also be sent through to the PPIS office in Bet Dagan at the following email address: [ofrae@moag.gov.il](mailto:ofrae@moag.gov.il)

*Agaricus* spp.

Mushroom

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

Additional declaration:

"The fungi has been grown in closed greenhouses"

And

"The consignment is free from growing media and underground parts"

Citrus spp.

Citrus

Conditions:

Phytosanitary import permit required. Phytosanitary certificate required.

Cocos

Coconut

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Treatment:

The outer casing must be removed and the fruit have undergone an appropriate Methyl Bromide treatment as listed in the Treatment Manual.

Cyphomandra betacea

Tree Tomato/Tamarillo

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional declaration:

"The fruit originates in an area free from the fruit fly species (specified in the quarantine pest list Annex 2, Part 1, as relevant to the plant species)"

And

"The consignment is free from leaves and plant residues"

And

"The consignment has been inspected prior to shipment and found free from: *Colletotrichum acutatum*; *Diaporthe phaseolorum*"

Lentinus spp.

Shitake Mushroom

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"The fungi has been grown in closed greenhouses"

And

"The consignment is free from growing media and underground parts"

Opuntia spp.

Prickly Pear

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"The fruit originates in an area free from the fruit fly species (specified in the quarantine pest list Annex 2, Part 1, as relevant to the plant species)"

And

"The consignment is free from plant residues"

Solanum muricatum

Pepino

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"The fruit originates in an area free from the fruit fly species (specified in the quarantine pest list Annex 2, Part 1, as relevant to the plant species)"

And

“The consignment is free from leaves and plant residues”

And

“The consignment has been inspected prior to shipment and found free from:  
*Colletotrichum acutatum*; *Diaporthe phaseolorum*”

#### 4.1.2 Frozen Fruit and Vegetables

Conditions:

Refer Section 3.1.2

#### 4.1.3 Dried Fruit and Vegetables

Conditions:

Refer Section 3.1.3

### 4.2 Cut Flowers and Foliage

#### 4.2.1 Fresh Cut Flowers and Foliage

Conditions:

Refer Section 3.2.1

#### 4.2.2 Dried Cut Flowers and Foliage

Conditions:

Refer Section 3.2.2

### 4.3 Nursery Stock

#### 4.3.1 Whole Plants

Conditions:

Refer Section 3.3.1

*Araucaria*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional declaration:

“Propagation material originates in New Zealand”

And

“Seedlings have been grown in new growing media, or media that has undergone a disinfection process”

And

“Packaging materials is new” (Each package must be marked with the botanical name and the quantity)

“The seedlings were inspected during the active growing season and found free from:

*Cryptosporella araucariae*;

*Dothiorella* spp.;

*Phoma araucariae*;

*Phyllosticta araucariae*;

*Physalospora rhodina*;

*Phytophthora cinnamomi*;

*Servazziella longispora* (syn: *Cryptospora longispora*)”

#### 4.3.2 Budwood and Cuttings

Conditions:

Refer Section 3.3.2

#### 4.3.3 Bulbs, corms, rhizomes and tubers (for propagation)

Conditions:

Refer Section 3.3.3

Lilium spp.

Lily

Conditions:

PROHIBITED

Tulipa spp.

Tulip

Conditions:

Phytosanitary import permit required. Phytosanitary certificate and additional declaration required.

Additional Declaration:

"The production site was officially tested prior to planting and found free from *Ditylenchus destructor* and *Ditylenchus dipsaci*."

And

"The Mother bulbs were officially tested prior to planting and found free from: Arabis mosaic virus, Tobacco rattle virus, Tobacco ringspot virus, Tulip breaking virus and Tulip virus X."

And

"The plants were officially inspected during the active growing season and found free from: *Merodon equestris*, *Rhopalosiphoninus latysiphon*, *Rhopalosiphoninus staphyleae*, *Botrytis tulipae*, *Stromatinia gladioli*, *Robbsia andropogonis*, *Ditylenchus destructor*, *Ditylenchus dipsaci*."

And

"The plants were officially inspected during the flowering stage, 10,000 plants per cultivar, and plants showing symptoms of disease were sampled for official testing for Arabis mosaic virus, Tobacco rattle virus, Tobacco ringspot virus and for the nematodes *Ditylenchus destructor* and *Ditylenchus dipsaci*."

And

"The bulbs were officially inspected prior to export and found free from *Merodon equestris*."

#### 4.3.4 Tissue Culture

Conditions:

Refer Section 3.3.4

### 4.4 Seeds, Grains and Nuts

#### 4.4.1 Seeds, Grains and Nuts for Sowing

Conditions:

Refer Section 3.4.1

Allium

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from a field inspected during the active growing season and found free from:

*Ditylenchus dipsaci*;  
*Sclerotium cepivorum*;  
*Urocystis cepulae*;

Or

“Seeds have been tested in an official laboratory and found free from;

*Ditylenchus dipsaci*;  
*Sclerotium cepivorum*;  
*Urocystis cepulae*”

#### *Anethum graveolens*

##### Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

##### Additional Declaration:

“Seeds originate from plants that were inspected during the active growing season and found free from:

*Phymatotrichopsis (Phymatotrichum) omnivora*  
Artichoke yellow ringspot nepovirus”

Or

“Seeds have been tested in an official laboratory and found free from

*Phymatotrichopsis (Phymatotrichum) omnivora*  
Artichoke yellow ringspot nepovirus”

#### *Apium graveolens*

##### Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

##### Additional Declaration:

“Seeds originate from plants that were inspected during the active growing season and found free from:

*Phyllosticta apii*;  
*Phytophthora cryptogea*;  
*Pseudomonas syringae* pv. *apii*  
Strawberry latent ringspot nepovirus”

Or

“Seeds have been tested in an official laboratory and found free from

*Phyllosticta apii*;  
*Phytophthora cryptogea*;  
*Pseudomonas syringae* pv. *apii*  
Strawberry latent ringspot nepovirus”

And

“Seeds are free from noxious weed seeds of *Cirsium arvense*;

Or

“Seeds have been tested in an official laboratory and found free from *Cirsium arvense*”

#### *Atriplex*

##### Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

##### Additional Declaration:

"The seeds originate from plants that were inspected during the active growing season and found free from: *Microsphaeropsis olivacea*"

*Beta vulgaris*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from plants that were inspected during the active growing season and found free from:

*Ditylenchus dipsaci*;

*Curtobacterium flaccumfaciens* pv. *betae*

Beet 1 alphacryptovirus;

Beet 2 hybricriptovirus"

*Brassica juncea*

*Brassica oleracea* (all variants)

*Brassica rapa*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from plants that were inspected during the active growing season and found free from:

*Leptosphaeria maculans* anamorph *Phoma lingam*

*Xanthomonas campestris* pv. *campestris*"

Or

"Seeds have been tested in an official laboratory and found free from;

*Leptosphaeria maculans*. anamorph *Phoma lingam*

*Xanthomonas campestris* pv. *campestris*"

And

"Seeds have undergone a hot water treatment as specified in the treatment manual"

*Brassica napus*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from plants that were inspected during the active growing season and found free from:

*Leptosphaeria maculans* anamorph *Phoma lingam*

*Xanthomonas campestris* pv. *campestris*

Or

"Seeds have been tested in an official laboratory and found free from;

*Leptosphaeria maculans* anamorph *Phoma lingam*

*Xanthomonas campestris* pv. *campestris*

And

"Seeds have undergone a hot water treatment as specified in the treatment manual"

*Carthamus tinctorius*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from plants that were inspected during the active growing season and found free from:

*Cercospora carthami*;

*Fusarium oxysporum* f.sp. *carthami*

*Puccinia carthami*;

*Verticillium albo-atrum*;

Safflower mosaic virus"

Or

"Seeds have been tested in an official laboratory and found free from;

*Cercospora carthami*;

*Fusarium oxysporum* f.sp. *carthami*

*Puccinia carthami*;

*Verticillium albo-atrum*;

Safflower mosaic virus"

*Chaenomeles*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds are from an area of production inspected during the active growing season and found free from: *Gymnosporangium* spp.; Apple scar skin apscaviroid"

And

"Seeds are from an area known to be free from: *Erwinia amylovora*"

Or

"Seeds have been tested in an official laboratory and found free from *Erwinia amylovora*"

*Chichorium*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from plants that were inspected during the active growing season and found free from:

*Alternaria chichorii*;

*Fusarium avenaceum*;

*Gibberella avenacea*"

Or

"Seeds have been tested in an official laboratory and found free from;

*Alternaria chichorii*;

*Fusarium avenaceum*;

*Gibberella avenacea*"

*Cicer*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from a field inspected during the active growing season and found free from:

*Ascochyta rabiei*;

*Fusarium oxysporum* f. sp. *ciceris*;  
Broad bean mottle bromovirus;  
Pea mosaic potyvirus;  
And  
“Seeds have been tested in an official laboratory and found free from;  
*Ascochyta rabiei*;  
*Fusarium oxysporum* f. sp. *ciceris*;  
Broad bean mottle bromovirus;  
Pea mosaic potyvirus”

*Citrullus lanatus*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from an area known to be free from: *Acidovorax avenae* subsp. *citrulli*”

And

“Seeds have been tested in an official laboratory and found free from:  
*Acidovorax avenae* subsp. *citrulli*”

And

“Seeds originate from plants that were inspected during the active growing season and found free from:

*Didymella bryoniae*;

*Fusarium oxysporum* f. sp. *niveum*;

*Glomerella lagenaria* anamorph. *Colletotrichum orbiculare*

Cucumber green mottle mosaic tobamovirus;

Squash mosaic comovirus;

Or

“Seeds have been tested in an official laboratory and found free from; *Didymella bryoniae*;

*Fusarium oxysporum* f. sp. *niveum*;

*Glomerella lagenaria* anamorph. *Colletotrichum orbiculare*

Cucumber green mottle mosaic tobamovirus;

Squash mosaic comovirus”

*Coriandrum*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from plants that were inspected during the active growing season and found free from:

*Erwinia carotovora* subsp. *betavasculorum*

*Xanthomonas hortorum* pv. *carotae*”

Or

“Seeds have been tested in an official laboratory and found free from;

*Erwinia carotovora* subsp. *betavasculorum*

*Xanthomonas hortorum* pv. *carotae*”

*Corylus avellana*

Hazelnuts

Conditions:



Phytosanitary import permit not required. Phytosanitary certificate with additional declaration required.

Additional Declaration:

"Seeds originate from trees known to be free from: *Sclerotinia laxa* Aderhold & Ruhl.; *Xanthomonas arboricola* pv. *corylina* (Miller et al.) Vauterin et al."

*Cotoneaster*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds are from an area of production inspected during the active growing season and found free from:

*Gymnosporangium* spp.;

*Phytophthora cinnamomi*;

Apple scar skin apscaviroid"

And

"Seeds are from an area known to be free from: *Erwinia amylovora*"

Or

"Seeds have been tested in an official laboratory and found free from *Erwinia amylovora*"

*Crataegus*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds are from an area of production inspected during the active growing season and found free from: *Gymnosporangium* spp.; Apple scar skin apscaviroid"

And

"Seeds are from an area known to be free from: *Erwinia amylovora*"

Or

"Seeds have been tested in an official laboratory and found free from *Erwinia amylovora*"

*Cucumis melo*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds are from an area known to be free from: *Acidovorax avenae* subsp. *citrulli*

Or

"Seeds have been tested in an official laboratory and found free from this pest (based on a sample of 10,000 seeds)"

And

"Seeds originate from plants that were inspected during the active growing season and found free from:

*Fusarium oxysporum* f.sp. *melonis*

*Glomerella lagenaria* anamorph *Colletotrichum orbiculare*

Melon necrotic spot carmovirus;

Melon rugose mosaic tymovirus;

Squash mosaic comovirus;

Tobacco ringspot nepovirus;  
Or – “Seeds have been tested in an official laboratory and found free from;  
*Fusarium oxysporum* f.sp. *melonis*  
*Glomerella lagenaria* anamorph *Colletotrichum orbiculare*  
Melon necrotic spot carmovirus;  
Melon rugose mosaic tymovirus;  
Squash mosaic comovirus;  
Tobacco ringspot nepovirus”

*Cucumis sativus*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds are from an area known to be free from: *Acidovorax avenae* subsp. *citrulli* “

Or

“Seeds have been tested in an official laboratory and found free from this pest”

And

“Seeds originate from plants that were inspected during the active growing season and found free from:

*Fusarium oxysporum* f.sp. *cucumerinum*;

*Glomerella lagenaria* anamorph *Colletotrichum orbiculare*

*Pseudomonas syringae* (all pathovars pathogenic to cucumber);

*Xanthomonas cucurbitae*

Cucumber green mottle mosaic tobamovirus;

Cucumber leaf spot carmovirus;

Or

“Seeds have been tested in an official laboratory and found free from;

*Fusarium oxysporum* f.sp. *cucumerinum*;

*Glomerella lagenaria* anamorph *Colletotrichum orbiculare*

*Pseudomonas syringae* (all pathovars pathogenic to cucumber);

*Xanthomonas cucurbitae*

Cucumber green mottle mosaic tobamovirus;

Cucumber leaf spot carmovirus;”

*Cucurbita*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds are from an area known to be free from: *Acidovorax avenae* subsp. *citrulli*

Or

“Seeds have been tested in an official laboratory and found free from

*Acidovorax avenae* subsp. *citrulli*”

And

“Seeds originate from plants that were inspected during the active growing season and found free from:

*Fusarium oxysporum* f. sp. *melonis*;

*Glomerella lagenaria* anamorph *Colletotrichum orbiculare*

Or – “Seeds have been tested in an official laboratory and found free from *Fusarium oxysporum* f. sp. *melonis*; *Glomerella lagenaria* anamorph *Colletotrichum orbiculare*”

*Cydonia*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds are from an area of production inspected during the active growing season and found free from: *Gymnosporangium* spp.; Apple scar skin apscaviroid”

And

“Seeds are from an area known to be free from: *Erwinia amylovora*”

Or

“Seeds have been tested in an official laboratory and found free from *Erwinia amylovora*”

*Daucus carota*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds are free from noxious weed seeds of *Cirsium arvense*”

*Foeniculum*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from plants that were inspected during the active growing season and found free from:

*Phomopsis phoenicola*;

*Phymatotrichopsis (Phymatotrichum) omnivore*”

Or

“Seeds have been tested in an official laboratory and found free from;

*Phomopsis phoenicola*;

*Phymatotrichopsis (Phymatotrichum) omnivore*”

*Helianthus annuus*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from plants grown in a country known to be free from:

*Alternaria helianthi*

*Alternaria zinniae*;

*Diaphorthe helianthi*;

*Leptosphaeria linguistii*;

*Septoria helianthi*

*Verticillium albo-atrum*;

*Pseudomonas syringae* pv. *tagetis*

Sunflower mosaic virus;

*Orobanche* spp.”

Or

“Seeds originate from plants that were inspected during the active growing season and found free from;

*Alternaria helianthi*

*Alternaria zinniae*;

*Diaphorthe helianthi*.;

*Leptosphaeria linguistii*;

*Septoria helianthi*;

*Verticillium albo-atrum*;

*Pseudomonas syringae* pv. *tagetis*

Sunflower mosaic virus;

*Orobanche* spp.”

Or

“Seeds have been tested in an official laboratory and found free from;

*Alternaria helianthi*

*Alternaria zinniae*;

*Diaphorthe helianthi*.;

*Leptosphaeria linguistii*;

*Septoria helianthi*;

*Verticillium albo-atrum*;

*Pseudomonas syringae* pv. *tagetis*

Sunflower mosaic virus;

*Orobanche* spp.”

And

“Seeds have undergone a phosphine vapour treatment as specified in the treatment manual”

### *Lactuca sativa*

#### Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

#### Additional Declaration:

“Seeds have been tested in an official laboratory and found free from:

*Verticillium albo-atrum* ;

*Xanthomonas campestris* pv. *vitians*;

Lettuce mosaic potyvirus (seed sample of 10,000)”

### *Malus*

#### Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

#### Additional Declaration:

“Seeds are from an area of production inspected during the active growing season and found free from: *Gymnosporangium* spp.; Apple scar skin apscaviroid”

And

“Seeds are from an area known to be free from: *Erwinia amylovora*”

Or

“Seeds have been tested in an official laboratory and found free from *Erwinia amylovora*”

### *Petroselinum*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from plants that were inspected during the active growing season and found free from:

*Phymatotrichopsis (Phymatotrichum) omnivora*

*Phytophthora cryptogea*

*Pythium debaryanum*;

Strawberry latent ringspot nepovirus"

Or

"Seeds have been tested in an official laboratory and found free from

*Phymatotrichopsis (Phymatotrichum) omnivora*

*Phytophthora cryptogea*

*Pythium debaryanum*;

Strawberry latent ringspot nepovirus"

And

"Seeds are free from noxious weed seeds of *Cirsium arvense*;

Or

"Seeds have been tested in an official laboratory and found free from *Cirsium arvense*."

*Phaseolus*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from a field inspected during the active growing season and found free from:

*Ditylenchus dipsaci*;

*Colletotrichum lindemuthianum*

*Colletotrichum truncatum*;

*Diaporthe phaseolorum* var. *sojae*;

*Phoma exigua*;

*Phyllosticta phaseolina*;

*Curtobacterium flaccumfaciens* pv. *flaccumfaciens*;

*Pseudomonas syringae* pv. *phaseolicola*

*Xanthomonas axonopodis* pv. *phaseoli*

Bean common mosaic potyvirus;

Tobacco streak ilarvirus;

And

"Seeds have been tested in an official laboratory and found free from;

*Ditylenchus dipsaci*;

*Colletotrichum lindemuthianum*

*Colletotrichum truncatum*;

*Diaporthe phaseolorum* var. *sojae*;

*Phoma exigua*;

*Phyllosticta phaseolina*;

*Curtobacterium flaccumfaciens* pv. *flaccumfaciens*;

*Pseudomonas syringae* pv. *phaseolicola*

*Xanthomonas axonopodis* pv. *phaseoli*;

Bean common mosaic potyvirus;

Tobacco streak ilarvirus"

Pisum

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds originate from a field inspected during the active growing season and found free from:

*Ascochyta pinodes*;

*Pseudomonas syringae* pv. *pisi*;

Pea enation mosaic enamovirus;

Pea seed-borne mosaic potyvirus"

And

"Seeds have been tested in an official laboratory and found free from

*Pseudomonas syringae* pv. *pisi*"

Treatment:

Seeds have undergone a phosphine vapour treatment and an appropriate chemical treatment as specified in the treatment manual"

**Note:** refer to section 2.9 'Treatments' for the treatment manual

Prunus dulcis

Prunus armeniaca

Prunus persica

Prunus domestica

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds are from an orchard inspected during the active growing season and found free from:

*Phytophthora cinnamomi*;

Plum pox potyvirus;

Prune dwarf ilarvirus;

Prunus necrotic ringspot ilarvirus"

And

"Seeds will be tested upon arrival in an official laboratory (200 seeds per 50Kg.) for freedom from the following pests:

Plum pox potyvirus;

Prune dwarf ilarvirus;

Prunus necrotic ringspot ilarvirus"

Treatment:

Seeds have undergone a phosphine vapour treatment as specified in the treatment manual

Prunus avium

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

"Seeds are from an area of production inspected during the active growing season and found free from:

Plum pox potyvirus;

Prune dwarf ilarvirus;

Prunus necrotic ringspot ilarvirus”

And

“Seeds are from an orchard inspected during the active growing season and found free from: *Phytophthora cinnamomi*”

Or

“Seeds have been tested in an official laboratory and found free from *Phytophthora cinnamomi*”

And

“Seeds will be tested upon arrival in an official laboratory (200 seeds per 50Kg.) for freedom from the following pests:

Plum pox potyvirus;

Prune dwarf ilarvirus;

Prunus necrotic ringspot ilarvirus”

Treatment:

Seeds have undergone a phosphine vapour treatment as specified in the treatment manual.

*Pyracantha*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds are from an area of production inspected during the active growing season and found free from:

*Gymnosporangium* spp.;

*Phytophthora cinnamomi*;

Apple scar skin apscaviroid”

And

“Seeds are from an area known to be free from *Erwinia amylovora*”

Or

“Seeds have been tested in an official laboratory and found free from *Erwinia amylovora*”

*Pyrus*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds are from an area of production inspected during the active growing season and found free from:

*Gymnosporangium* spp.;

*Phytophthora cinnamomi*;

Apple scar skin apscaviroid”

And

“Seeds are from an area known to be free from: *Erwinia amylovora*”

Or

“Seeds have been tested in an official laboratory and found free from *Erwinia amylovora*”

*Salpiglossis*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from plants that were inspected during the active growing season and found free from: *Clavibacter michiganensis* subsp. *michiganensis*”  
Or

“Seeds have been tested in an official laboratory and found free from *Clavibacter michiganensis* subsp. *michiganensis*”

### Sesamum indicum

#### Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

#### Additional Declaration:

“Seeds originate from a field inspected during the active growing season and found free from:

*Alternaria sesami*;  
*Cercospora sesami*;  
*Corynespora cassiicola*;  
*Fusarium oxysporum* f. sp. *vasinfectum*;  
*Helminthosporium sesami*;  
*Pseudomonas syringae* pv. *sesami*;  
*Xanthomonas campestris* pv. *sesame*”

Or

“Seeds have been tested in an official laboratory and found free from;

*Alternaria sesami*;  
*Cercospora sesami*;  
*Corynespora cassiicola*;  
*Fusarium oxysporum* f. sp. *vasinfectum*;  
*Helminthosporium sesami*;  
*Pseudomonas syringae* pv. *sesami*;  
*Xanthomonas campestris* pv. *sesame*”

### Trifolium

#### Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

#### Additional Declaration:

“Seeds are certified”

And

“Seeds originate from a field inspected during the active growing season and found free from:

*Ditylenchus dipsaci*;  
*Clavibacter michiganensis* subsp. *insidiosus*  
*Phoma medicaginis*;  
*Sclerotinia spermophila*;  
*Sclerotinia trifoliorum*;  
*Verticillium albo-atrum*;  
Subterranean clover mottle sobemovirus;

Or

“Seeds have been tested in an official laboratory and found free from;

*Ditylenchus dipsaci*;  
*Clavibacter michiganensis* subsp. *insidiosus*  
*Phoma medicaginis*;  
*Sclerotinia spermophila*;



*Sclerotinia trifoliorum*;  
*Verticillium albo-atrum*;  
Subterranean clover mottle sobemovirus”

Treatment:

Seeds have undergone an appropriate chemical treatment as specified in the treatment manual.

*Trigonella*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from a field inspected during the active growing season and found free from: *Cercospora traversiana*”

And

“Seeds have been tested in an official laboratory and found free from *Cercospora traversiana*”

*Vicia faba*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from a field inspected during the active growing season and found free from:

*Ditylenchus dipsaci*;

*Ascochyta fabae*;

*Botrytis fabae*;

Artichoke yellow ringspot nepovirus;

Broad bean stain comovirus;

Pea seed-borne mosaic potyvirus;

Pea early browning tobamovirus;

Or

“Seeds have been tested in an official laboratory and found free from;

*Ditylenchus dipsaci*;

*Ascochyta fabae*;

*Botrytis fabae*;

Artichoke yellow ringspot nepovirus;

Broad bean stain comovirus;

Pea seed-borne mosaic potyvirus;

Pea early browning tobamovirus”

Treatment:

Seeds have undergone a phosphine vapour treatment as specified in the treatment manual

*Vicia sativa*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from a field inspected during the active growing season and found free from:

*Colletotrichum truncatum*;

*Pseudomonas syringae* pv. *lisi*;

Pea mosaic potyvirus”

Or

“Seeds have been tested in an official laboratory and found free from;

*Colletotrichum truncatum*;

*Pseudomonas syringae* pv. *lisi*;

Pea mosaic potyvirus”

*Vigna sinensis*

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Additional Declaration:

“Seeds originate from a field inspected during the active growing season and found free from:

*Xanthomonas axonopodis* pv. *phaseoli*

*Xanthomonas axonopodis* pv. *vignicola*”

Or

“Seeds have been tested in an official laboratory and found free from;

*Xanthomonas axonopodis* pv. *phaseoli*

*Xanthomonas axonopodis* pv. *vignicola*”

#### 4.4.2 Seeds, Grains and Nuts for Consumption

Conditions:

Refer Section 3.4.2

*Anacardium occidentale*

*Pistacia vera*

*Corylus*

*Castanea sativa*

*Juglans regia*

*Prunus dulcis*

Cashew nut

Pistachio

Hazelnut

Chestnut

Walnut

Almond

In shell seeds or nuts for consumption

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Treatment:

The consignment has undergone a vapour treatment with methyl bromide in accordance with the requirements detailed in the treatment manual.

Dried grains (for human consumption, animal feed or oil extraction, excluding cotton seeds (*Gossypium hirsutum*))

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required.

Certificate of origin required.

*Helianthus annuus*

Sunflower

In shell seeds for consumption

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required

Treatment:

The consignment has undergone a vapour treatment, with either phosphine or methyl bromide, in accordance with the requirements detailed in the treatment manual.

Nuts (for human consumption, without shells), excluding peanuts (*Arachis hypogaea*) and pecans (*Carya illinoensis*)

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required.  
Certificate of origin required.

4.4.3 Seeds, Grains and Nuts with Shells for Processing

Conditions:

Refer Section 3.4.3

4.4.4 Seeds, Grains and Shelled Nuts for Processing

Conditions:

Refer Section 3.4.4

**4.5 Growing Media**

Conditions:

Refer Section 3.5

**4.6 Miscellaneous**

Bamboo, straw and rattan products

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

Treatment:

The consignment has undergone a vapour treatment with methyl bromide in accordance with the requirements detailed in the treatment manual.

Broomcorn

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

The consignment must be free from weed seeds;

Treatment:

The consignment has undergone a methyl bromide treatment in accordance with the requirements detailed in the treatment manual.

Dried flowers, leaves and branches for herbal infusions

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required.

Certificate of origin required.

Mycelium and spores for the production of edible mushrooms

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate not required.

Treatment:

The mycelium and spores must be sterile and hermetically packaged. The consignment has undergone a vapour treatment with methyl bromide in accordance with the requirements detailed in the treatment manual.

Wood bark

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

Treatment:

The consignment has undergone a vapour treatment with methyl bromide in accordance with the requirements detailed in the treatment manual.